

APPLICATION FOR CONSTRUCTION PERMIT FOR FM BROADCAST STATION
WBKY(FM): STOUGHTON, WISCONSIN; FCC FACILITY ID: 39625
CHANNEL 240, 95.9 MHZ; CLASS A
ERP, 2.65 KW; OMNI-DIRECTIONAL ANTENNA; HAAT 153 METERS
APPLICANT: MAGNUM COMMUNICATIONS, INC.

ENGINEERING STUDY

Magnum Communications, Inc. Permittee/Applicant, by this Application for Minor Modification of construction permit (FCC Form Number: 301) specifies proposed technical facilities for Station WBKY(FM) permitted to operate on FM Channel 240A at Stoughton, Wisconsin at an antenna/tower location at geographic coordinates 42°-51'-15.4" North Latitude, 89°-17'-41" West Longitude.

Operation of Station WBKY(FM) as proposed at this location, creates a 0.61 kilometer "Short-Spacing" to an upper "Second Adjacent" (plus 400 kilohertz) Channel 242B1 assignment at Cross Plains, Wisconsin occupied by licensed FM Broadcast Station WMAD(FM); FCC File Number: BLH-20100114ADG; FCC Facility ID Number: 50055. Attachment A is a Channel 240A Minimum Spacing Study with the applicants proposed antenna tower coordinates as base reference.

This Application seeks an authorization pursuant to 47 Code of Federal Regulations §73.215, to prevent prohibited overlap of contours involving Station WMAD(FM), Cross Plains, with Station WBKY(FM) as proposed modified, at Stoughton, Wisconsin.

The station WMAD(FM) License specifies an Effective Radiated Power (ERP) of 5,100 watts (5.10 kW), or 7.076 dBk, and an omni-directional antenna radiation center Height Above Average Terrain (HAAT) of 213 meters, less than "maximum" Class B1 FM station facilities. WMAD(FM) is also currently authorized under 73.215 rules.

Therefore, WBKY is only required to protect WMAD(FM) to its currently authorized facility instead of a full class B1.

The Station WMAD(FM), Cross Plains, Wisconsin protected 57.0 dBu, F(50,50) service contour is displayed in relation to the WBKY(FM) interfering 97.0 dBu, F(50,10) predicted contour.

The Station WMAD(FM), Cross Plains, Wisconsin interfering 100.0 dBu, F(50,10) service contour is displayed in relation to the WBKY(FM) protected 60.0 dBu, F(50,50) predicted contour.

Attachment B is an "Interference Study Map", which clearly displays no prohibited contour overlap shall occur between affected stations.


EXHIBIT STUDY; CONCLUDED

Attachment A
Magnum Communications, Inc.

REFERENCE		DISPLAY DATES
42 51 15.4 N.	CLASS = A	DATA 07-12-16
89 17 41.0 W.	Current Spacings to 3rd Adj.	SEARCH 07-12-16
----- Channel 240 - 95.9 MHz -----		

Call	Channel	Location	Azi	Dist	FCC	Margin
WBKY	CP -N 240A	Stoughton	WI 0.0	0.00	114.5	-114.5
WBKY	LIC 240A	Portage	WI 345.7	89.92	114.5	-24.6
WMAD	LIC-N 242B1	Cross Plains	WI 328.2	46.89	47.5	-0.6
WWMV-LP	CP 238L1	Madison	WI 324.5	29.01	28.5	0.51
WRIT-FM	LIC 239B	Milwaukee	WI 76.4	115.54	112.5	3.0
WLKG	LIC-Z 241A	Lake Geneva	WI 111.1	74.84	71.5	3.3
W242CM	CP 242D	Janesville	WI 139.7	30.17	25.5	4.7
W239CD	CP 239D	Beloit	WI 151.5	44.08	33.5	10.6
WSEY	LIC-N 239A	Oregon	IL 186.7	87.50	71.5	16.0
W238CB	LIC 238D	Monroe	WI 226.6	44.88	25.5	19.4
W241BQ	LIC 241D	Watertown	WI 48.8	57.97	33.5	24.5
KMXG	LIC 241C1	Clinton	IA 214.4	163.98	132.5	31.5
WERV-FM	LIC 240A	Aurora	IL 144.7	147.32	114.5	32.8
WRTB	LIC 237A	Winnebago	IL 170.3	63.53	30.5	33.0
WKCH	LIC-Z 293A	Whitewater	WI 82.5	44.75	9.5	35.3
K240DZ	LIC 240D	Dubuque	IA 251.2	120.74	84.5	36.2
WOZN-FM	LIC 294A	Mount Horeb	WI 289.8	50.14	9.5	40.6
WTCX	LIC-Z 241A	Ripon	WI 23.1	116.84	71.5	45.3
WXRO	LIC-Z 237A	Beaver Dam	WI 28.9	78.24	30.5	47.7
WKLH	LIC 243B	Milwaukee	WI 76.1	116.49	68.5	48.0

All separation margins include rounding



— National Borders — State Borders — Lat/Lon Grid