


FIELD STRENGTH MEASUREMENT DATA

Azimuth: N 100.0 E

Call: WEBS
Frequency: 1030.0 kHz
Power: 5.000 kW
Pattern: ND

| Point Number | Date | Time | Distance (km) | Field Strength (mV/m) |
|--------------|--------|------|---------------|-----------------------|
| 1 | 080507 | 807 | .72 | 530. |
| 2 | | 809 | .76 | 660. |
| 3 | | 811 | .81 | 610. |
| 4 | | 812 | .83 | 580. |
| 5 | | 813 | .85 | 550. |
| 6 | | 814 | .87 | 530. |
| 7 | | 819 | 1.01 | 320. |
| 8 | | 820 | 1.07 | 310. |
| 9 | | 821 | 1.15 | 300. |
| 10 | | 823 | 1.21 | 289. |
| 11 | | 833 | 2.59 | 94. |
| 12 | | 835 | 2.71 | 74. |
| 13 | | 841 | 3.89 | 55. |
| 14 | | 844 | 4.63 | 43. |
| 15 | | 1350 | 5.87 | 22.0 |
| 16 | | 1355 | 7.66 | 14.1 |
| 17 | | 1400 | 9.11 | 10.9 |
| 18 | | 1404 | 10.60 | 9.6 |
| 19 | | 1417 | 12.80 | 7.8 |
| 20 | | 1428 | 17.20 | 4.2 |
| 21 | | 1435 | 19.90 | 1.92 |
| 22 | | 1443 | 22.70 | 1.01 |
| 23 | | 1449 | 25.50 | .92 |

| | | | | |
|----|--------|------|-------|------|
| 24 | | 1455 | 29.10 | .68 |
| 25 | | 1502 | 31.20 | .61 |
| 26 | | 1509 | 34.30 | .50 |
| 27 | | 1526 | 40.00 | .325 |
| 28 | | 1540 | 45.60 | .143 |
| 29 | | 1551 | 50.30 | .118 |
| 30 | | 1602 | 54.70 | .100 |
| 31 | | 1611 | 59.50 | .078 |
| 32 | | 1618 | 63.00 | .086 |
| 33 | 080507 | 1623 | 65.10 | .095 |



FIELD STRENGTH MEASUREMENT DATA

Azimuth: N 120.0 E


Call: WEBS

Frequency: 1030.0 kHz

Power: 5.000 kW

Pattern: ND

| Point Number | Date | Time | Distance (km) | Field Strength (mV/m) |
|--------------|--------|------|---------------|-----------------------|
| 1 | 080507 | 849 | 3.52 | 48. |
| 2 | | 852 | 4.08 | 28.8 |
| 3 | | 857 | 6.59 | 20.1 |
| 4 | | 901 | 7.59 | 15.5 |
| 5 | | 904 | 9.45 | 12.0 |
| 6 | | 909 | 11.80 | 7.6 |
| 7 | | 913 | 13.70 | 5.8 |
| 8 | | 930 | 18.40 | 3.65 |
| 9 | | 934 | 19.60 | 3.05 |
| 10 | | 942 | 22.40 | 1.78 |
| 11 | | 948 | 24.90 | 1.52 |
| 12 | | 1004 | 29.10 | 1.06 |
| 13 | | 1009 | 32.60 | .60 |
| 14 | | 1016 | 37.50 | .282 |
| 15 | | 1023 | 41.20 | .264 |
| 16 | | 1031 | 44.30 | .246 |
| 17 | | 1042 | 48.70 | .122 |
| 18 | | 1056 | 55.30 | .109 |
| 19 | | 1113 | 63.30 | .080 |
| 20 | 080507 | 1126 | 68.20 | .084 |



FIELD STRENGTH MEASUREMENT DATA

Azimuth: N 140.0 E


Call: WEBS

Frequency: 1030.0 kHz

Power: 5.000 kW

Pattern: ND

| Point Number | Date | Time | Distance (km) | Field Strength (mV/m) |
|--------------|--------|------|---------------|-----------------------|
| 1 | 080307 | 853 | 4.32 | 54. |
| 2 | | 857 | 5.55 | 28.2 |
| 3 | | 901 | 7.87 | 21.6 |
| 4 | | 904 | 8.41 | 19.2 |
| 5 | | 908 | 9.85 | 8.8 |
| 6 | | 914 | 11.50 | 6.3 |
| 7 | | 919 | 13.80 | 5.6 |
| 8 | | 926 | 15.40 | 4.0 |
| 9 | | 932 | 18.60 | 2.38 |
| 10 | | 936 | 21.90 | 2.32 |
| 11 | | 952 | 26.30 | 1.17 |
| 12 | | 956 | 27.40 | .98 |
| 13 | | 1008 | 32.40 | .52 |
| 14 | | 1015 | 35.30 | .365 |
| 15 | | 1034 | 40.90 | .340 |
| 16 | | 1129 | 48.00 | .253 |
| 17 | | 1143 | 52.00 | .224 |
| 18 | | 1152 | 56.20 | .196 |
| 19 | | 1221 | 60.60 | .192 |
| 20 | | 1235 | 65.60 | .136 |
| 21 | 080307 | 1300 | 70.90 | .102 |



FIELD STRENGTH MEASUREMENT DATA

Azimuth: N 160.0 E

Call: WEBS


Frequency: 1030.0 kHz

Power: 5.000 kW

Pattern: ND

| Point Number | Date | Time | Distance (km) | Field Strength (mV/m) |
|--------------|--------|------|---------------|-----------------------|
| 1 | 080307 | 822 | 1.01 | 400. |
| 2 | | 824 | 1.12 | 325. |
| 3 | | 826 | 1.23 | 375. |
| 4 | | 828 | 1.35 | 315. |
| 5 | | 830 | 1.42 | 258. |
| 6 | | 832 | 1.52 | 230. |
| 7 | | 833 | 1.63 | 164. |
| 8 | | 834 | 1.71 | 250. |
| 9 | | 835 | 1.79 | 210. |
| 10 | | 837 | 1.90 | 190. |
| 11 | | 840 | 2.10 | 128. |
| 12 | | 841 | 2.29 | 94. |
| 13 | | 844 | 3.03 | 102. |
| 14 | | 848 | 4.05 | 51. |
| 15 | 080407 | 1728 | 5.29 | 26.4 |
| 16 | | 1723 | 6.91 | 13.3 |
| 17 | | 1718 | 9.28 | 9.2 |
| 18 | | 1701 | 11.90 | 5.1 |
| 19 | | 1654 | 14.80 | 3.75 |
| 20 | | 1650 | 17.20 | 2.82 |
| 21 | | 1647 | 18.10 | 2.50 |
| 22 | | 1641 | 21.50 | 1.77 |
| 23 | | 1627 | 24.90 | 1.01 |

| | | | | |
|----|--------|------|-------|------|
| 24 | | 1620 | 28.20 | .82 |
| 25 | | 1616 | 30.70 | .73 |
| 26 | | 1607 | 35.70 | .48 |
| 27 | | 1429 | 40.90 | .355 |
| 28 | | 1437 | 45.60 | .248 |
| 29 | | 1444 | 50.60 | .240 |
| 30 | | 1454 | 55.40 | .149 |
| 31 | | 1510 | 60.80 | .118 |
| 32 | 080407 | 1522 | 66.40 | .104 |



PACIFIC STAR MEDIA CORPORATION

WPBS

CONYERS, GEORGIA

WEBS GROUND CONDUCTIVITY

| Azimuth | Radiation (mV/m at one km) | Ground Conductivity Data: | | | | | | | |
|---------|----------------------------------|---|-------|------|-------|---------|--------|------|-------|
| | | Region conductivity in mS/m followed by distance in km to the end of region. E - map data; M - measurement data. | | | | | | | |
| 70.0 | 679.99 | 4.0E | 29.6 | 2.0E | 425.4 | 4.0E | 591.5 | 2.0E | 774.8 |
| 75.0 | 679.99 | 4.0E | 26.9 | 2.0E | 390.0 | 4.0E | 592.5 | 2.0E | 753.4 |
| 80.0 | 679.99 | 4.0E | 24.8 | 2.0E | 342.7 | 4.0E | 449.0 | 2.0E | 585.5 |
| 85.0 | 679.99 | 4.0E | 22.3 | 2.0E | 257.8 | 4.0E | 402.2 | 2.0E | 604.3 |
| 90.0 | 679.99 | 1.0M | 12.8 | 0.5M | 34.3 | 0.1M | 65.1 | 2.0E | 181.6 |
| 95.0 | 679.99 | 1.0M | 12.8 | 0.5M | 34.3 | 0.1M | 65.1 | 2.0E | 158.4 |
| 100.0 | 679.99 | 1.0M | 12.8 | 0.5M | 34.3 | 0.1M | 65.1 | 2.0E | 145.1 |
| 105.0 | 679.99 | 1.0M | 12.8 | 0.5M | 34.3 | 0.1M | 65.1 | 2.0E | 134.8 |
| 110.0 | 679.99 | 1.0M | 12.8 | 0.5M | 34.3 | 0.1M | 65.1 | 2.0E | 80.9 |
| | | 1.0E | 92.1 | 2.0E | 127.4 | 4.0E | 284.1 | 2.0E | 340.1 |
| 115.0 | 679.99 | 1.0M | 13.7 | 1.5M | 22.4 | 0.5M | 48.7 | 0.1M | 68.2 |
| | | 2.0E | 78.4 | 1.0E | 100.1 | 2.0E | 122.5 | 4.0E | 276.3 |
| 120.0 | 679.99 | 1.0M | 13.7 | 1.5M | 22.4 | 0.5M | 48.7 | 0.1M | 68.2 |
| | | 2.0E | 78.6 | 1.0E | 108.8 | 2.0E | 119.4 | 4.0E | 271.8 |
| 125.0 | 679.99 | 1.0M | 13.7 | 1.5M | 22.4 | 0.5M | 48.7 | 0.1M | 68.2 |
| | | 2.0E | 79.3 | 1.0E | 119.6 | 4.0E | 278.7 | 2.0E | 328.5 |
| 130.0 | 679.99 | 1.0M | 13.7 | 1.5M | 22.4 | 0.5M | 48.7 | 0.1M | 68.2 |
| | | 2.0E | 81.2 | 1.0E | 131.2 | 4.0E | 445.8 | 8.0E | 463.3 |
| 135.0 | 679.99 | 1.0M | 18.6 | 0.5M | 70.9 | 2.0E | 84.4 | 1.0E | 138.2 |
| | | 4.0E | 465.1 | 8.0E | 475.5 | 5000.0E | 1351.7 | | |
| 140.0 | 679.99 | 1.0M | 18.6 | 0.5M | 70.9 | 2.0E | 88.6 | 1.0E | 141.7 |
| 145.0 | 679.99 | 1.0M | 18.6 | 0.5M | 70.9 | 2.0E | 94.0 | 1.0E | 146.5 |
| 150.0 | 679.99 | 1.0M | 18.6 | 0.5M | 70.9 | 2.0E | 101.0 | 1.0E | 155.8 |
| 155.0 | 679.99 | 1.0M | 1.6 | 1.5M | 1.9 | 1.0M | 18.1 | 0.5M | 45.6 |
| | | 0.1M | 66.4 | 2.0E | 113.1 | 1.0E | 156.8 | 4.0E | 371.2 |
| 160.0 | 679.99 | 1.0M | 1.6 | 1.5M | 1.9 | 1.0M | 18.1 | 0.5M | 45.6 |
| | | 0.1M | 66.4 | 2.0E | 127.3 | 1.0E | 148.1 | 4.0E | 367.2 |
| 165.0 | 679.99 | 1.0M | 1.6 | 1.5M | 1.9 | 1.0M | 18.1 | 0.5M | 45.6 |
| | | 0.1M | 66.4 | 2.0E | 145.4 | 4.0E | 387.7 | 2.0E | 543.4 |
| 170.0 | 679.99 | 1.0M | 1.6 | 1.5M | 1.9 | 1.0M | 18.1 | 0.5M | 45.6 |
| | | 0.1M | 66.4 | 2.0E | 168.1 | 4.0E | 413.3 | 2.0E | 496.6 |
| 175.0 | 679.99 | 4.0E | 14.3 | 2.0E | 182.0 | 4.0E | 414.1 | 2.0E | 459.0 |
| 180.0 | 679.99 | 4.0E | 14.8 | 2.0E | 181.6 | 4.0E | 438.5 | 2.0E | 449.9 |
| 185.0 | 679.99 | 4.0E | 15.4 | 2.0E | 186.3 | 4.0E | 430.4 | 1.0E | 512.8 |
| 190.0 | 679.99 | 4.0E | 16.1 | 2.0E | 191.1 | 4.0E | 418.0 | 1.0E | 474.2 |
| 195.0 | 679.99 | 4.0E | 17.1 | 2.0E | 195.6 | 4.0E | 407.7 | 1.0E | 464.2 |
| 200.0 | 679.99 | 4.0E | 18.4 | 2.0E | 197.2 | 4.0E | 246.9 | 8.0E | 376.0 |

PACIFIC STAR MEDIA CORPORATION

WPBS

CONYERS, GEORGIA

DISTANCES TO WEBS CONTOURS

| Azimuth | Radiation (mV/m at one km) | Distances to Contours in km: Contour levels in mV/m. | |
|---------|----------------------------------|---|-------|
| | | 0.500 | 0.250 |
| 70.0 | 679.99 | 61.24 | 80.15 |
| 75.0 | 679.99 | 60.40 | 79.30 |
| 80.0 | 679.99 | 59.72 | 78.62 |
| 85.0 | 679.99 | 58.91 | 77.81 |
| 90.0 | 679.99 | 34.48 | 44.64 |
| 95.0 | 679.99 | 34.48 | 44.64 |
| 100.0 | 679.99 | 34.48 | 44.64 |
| 105.0 | 679.99 | 34.48 | 44.64 |
| 110.0 | 679.99 | 34.48 | 44.64 |
| 115.0 | 679.99 | 34.51 | 48.01 |
| 120.0 | 679.99 | 34.51 | 48.01 |
| 125.0 | 679.99 | 34.51 | 48.01 |
| 130.0 | 679.99 | 34.51 | 48.01 |
| 135.0 | 679.99 | 34.51 | 48.01 |
| 140.0 | 679.99 | 34.51 | 48.01 |
| 145.0 | 679.99 | 34.51 | 48.01 |
| 150.0 | 679.99 | 34.51 | 48.01 |
| 155.0 | 679.99 | 34.51 | 46.59 |
| 160.0 | 679.99 | 34.51 | 46.59 |
| 165.0 | 679.99 | 34.51 | 46.59 |
| 170.0 | 679.99 | 34.51 | 46.59 |
| 175.0 | 679.99 | 56.23 | 75.13 |
| 180.0 | 679.99 | 56.39 | 75.29 |
| 185.0 | 679.99 | 56.59 | 75.49 |
| 190.0 | 679.99 | 56.86 | 75.76 |
| 195.0 | 679.99 | 57.20 | 76.10 |
| 200.0 | 679.99 | 57.63 | 76.53 |
| 205.0 | 679.99 | 58.18 | 77.09 |
| 210.0 | 679.99 | 58.90 | 77.80 |