

TABLE 2
FIELD STRENGTH MEASUREMENTS
10 KW DAY NON-DIRECTIONAL
WLIM(AM) 1580 KILOHERTZ
PATCHOGUE, NEW YORK
MAY 2007

RADIAL 5 DEGREES TRUE

<u>Point Number</u>	<u>Distance km</u>	<u>Date/Time (local) 5/5/2007</u>	<u>Field mv/m</u>
1	0.712	1609	420
2	1.06	1618	300
3	1.51	1622	140
4	1.65	1626	116
5	2.04	1630	86.0
6	2.30	1636	44.5
7	2.44	1710	65.5
8	2.54	1645	30.0
9	2.68	1653	49.0
10	3.00	1659	29.0
11	3.53	1726	17.1
12	4.17	1730	15.3
13	4.44	1733	16.6
14	5.85	1747	3.45
15	7.27	1757	3.98
16	8.70	1807	3.53
17	9.59	1816	3.80
18	11.20	1824	1.90
19	11.90	1831	1.70
20	14.80	1840	1.05
21	17.10	1849	0.81
22	19.00	1904	0.53

TABLE 2

WLIM - PAGE TWO

RADIAL 5 DEGREES TRUE

<u>Point Number</u>	<u>Distance km</u>	<u>Date/Time (local)</u> 5/7/2007	<u>Field mv/m</u>
23	53.50	1618	0.55
24	54.30	1606	0.87
25	55.20	1624	0.62

TABLE 3
FIELD STRENGTH MEASUREMENTS
10 KW DAY NON-DIRECTIONAL
WLIM(AM) 1580 KILOHERTZ
PATCHOGUE, NEW YORK
MAY 2007

RADIAL 25 DEGREES TRUE

<u>Point Number</u>	<u>Distance km</u>	<u>Date/Time (local)</u>	<u>Field mv/m</u>
		5/6/2007	
1	3.51	1045	22.6
2	3.85	1040	14.2
3	4.68	1025	5.60
4	4.97	1019	6.20
5	5.83	1014	6.30
6	6.76	1007	4.90
7	8.20	1000	2.04
8	10.30	950	1.95
9	11.20	943	1.30
10	12.20	931	1.23
11	13.80	920	0.93
12	17.70	907	0.60
13	19.00	900	0.43
14	20.20	852	0.70
		5/7/2007	
15	56.60	1704	0.45
16	58.20	1658	0.28
17	59.40	1654	0.15
18	61.00	1647	0.20

TABLE 4
FIELD STRENGTH MEASUREMENTS
10 KW DAY NON-DIRECTIONAL
WLIM(AM) 1580 KILOHERTZ
PATCHOGUE, NEW YORK
MAY 2007

RADIAL 219 DEGREES TRUE

<u>Point Number</u>	<u>Distance km</u>	<u>Date/Time (local) 5/8/2007</u>	<u>Field mv/m</u>
1	3.39	830	29.2
2	4.01	834	17.3
3	4.88	839	9.00
4	5.62	844	7.20
5	6.20	852	6.89
6	7.70	900	5.13
7	9.21	907	3.09
8	10.40	913	3.15
9	20.50	953	2.40
10	21.00	958	2.03
11	21.40	1002	2.15

TABLE 5
FIELD STRENGTH MEASUREMENTS
10 KW DAY NON-DIRECTIONAL
WLIM(AM) 1580 KILOHERTZ
PATCHOGUE, NEW YORK
MAY 2007

RADIAL 239 DEGREES TRUE

<u>Point Number</u>	<u>Distance km</u>	<u>Date/Time (local) 5/5/2007</u>	<u>Field mv/m</u>
1	0.436	1441	1300
2	0.776	1437	478
3	1.02	1432	283
4	1.37	1426	126
5	1.73	1422	94.0
6	1.93	1418	58.0
7	2.05	1414	45.9
8	2.15	1410	57.5
9	2.40	1404	58.5
10	2.73	1359	38.0
11	3.00	1353	39.4
12	3.51	1348	26.2
13	3.69	1343	26.3
14	4.35	1311	26.5
15	5.48	1255	12.3
16	6.18	1156	11.5
17	7.63	1146	3.30
18	9.28	1135	3.42
19	9.83	1127	2.90
20	10.60	1119	1.85
21	11.80	1112	1.82
22	12.80	1055	1.98

TABLE 5

WLIM - PAGE TWO

RADIAL 239 DEGREES TRUE

<u>Point Number</u>	<u>Distance km</u>	<u>Date/Time (local)</u>	<u>Field mv/m</u>
23	16.70	1032	1.30
24	34.30	929	1.09
25	36.30	937	1.02
26	37.30	941	1.04
27	38.30	945	1.08

TABLE 6
FIELD STRENGTH MEASUREMENTS
10 KW DAY NON-DIRECTIONAL
WLIM(AM) 1580 KILOHERTZ
PATCHOGUE, NEW YORK
MAY 2007

RADIAL 305 DEGREES TRUE

<u>Point Number</u>	<u>Distance km</u>	<u>Date/Time (local)</u>	<u>Field mv/m</u>
		5/6/2007	
1	3.58	1108	17.0
2	4.64	1120	11.6
3	6.03	1131	6.60
4	6.89	1137	5.20
5	7.72	1145	3.47
6	8.25	1151	4.50
7	8.76	1211	3.40
8	9.92	1218	2.65
9	11.00	1227	2.20
10	13.30	1238	0.98
11	14.80	1249	1.49
12	16.70	1257	0.81
13	19.00	1308	0.55
14	22.00	1320	0.30
		5/7/2007	
15	49.80	1853	0.80
16	51.40	1900	0.45
17	52.30	1907	0.20
18	53.80	1921	0.23

TABLE 7

FIELD STRENGTH MEASUREMENTS

10 KW DAY NON-DIRECTIONAL

WLIM(AM) 1580 KILOHERTZ

PATCHOGUE, NEW YORK

MAY 2007

RADIAL 325 DEGREES TRUE

<u>Point Number</u>	<u>Distance km</u>	<u>Date/Time (local)</u>	<u>Field mv/m</u>
		5/5/2007	
1	0.747	1507	500
2	0.836	1514	321
3	1.13	1519	221
4	1.65	1525	101
5	1.72	1528	111
6	2.09	1538	80.5
7	2.31	1535	49.0
8	2.41	1542	44.9
9	2.59	1547	30.9
10	2.70	1550	32.4
11	2.76	1554	29.5
		5/6/2007	
12	3.38	1716	16.5
13	3.72	1712	20.8
14	4.65	1705	13.2
15	5.64	1659	9.10
16	6.49	1653	5.20
17	7.34	1646	5.20
18	8.36	1639	4.25
19	9.64	1629	3.30
20	10.70	1622	1.90

TABLE 7

WLIM - PAGE TWO

RADIAL 325 DEGREES TRUE

<u>Point Number</u>	<u>Distance km</u>	<u>Date/Time (local) 5/6/2007</u>	<u>Field mv/m</u>
21	12.90	1608	1.01
22	15.20	1557	1.20
23	16.90	1548	0.61
24	18.90	1420	0.55
25	21.00	1413	0.28
26	23.20	1357	0.61
27	46.60	1759	0.57
28	47.70	1818	0.47
29	48.70	1825	0.22

TABLE 8

FIELD STRENGTH MEASUREMENTS

10 KW DAY NON-DIRECTIONAL

WLIM(AM) 1580 KILOHERTZ

PATCHOGUE, NEW YORK

MAY 2007

RADIAL 345 DEGREES TRUE

<u>Point Number</u>	<u>Distance km</u>	<u>Date/Time (local)</u>	<u>Field mv/m</u>
		5/6/2007	
1	3.11	1721	32.3
2	3.63	1728	22.9
3	5.03	1740	12.1
4	5.22	1735	11.0
5	7.80	1750	4.40
6	8.69	1800	2.80
7	9.04	1756	3.70
8	10.10	1808	3.60
9	12.40	1817	1.47
10	13.90	1829	0.91
11	16.20	1844	1.17
12	19.30	1855	0.75
		5/7/2007	
13	41.90	1305	1.00
14	43.90	1311	0.86
15	45.30	1317	0.60