



## Exhibit 12

### Separation Requirements

REFERENCE 40 51 53.0 N. 98 23 47.0 W.		CH# 227D - 93.3 MHz, Pwr= 0.25 kW, HAAT= 89.0 M, COR= 665.5 M Average Protected F(50-50)= 12.2 km Omni -directional							DISPLAY DATES DATA 10-08-09 SEARCH 10-09-09	
CH CITY	CALL	TYPE ANT STATE	AZI. <--	DIST FILE #	LAT. LNG.	Pwr(kW) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*OUT* (Overlap in km)	
227D Grand Island	K227BQ	LIC C NE	164.0 344.0	9.1 BLFT20090928AIC	40 47 11.0 98 22 00.0	0.250	42.6 666	12.4 Legacy Communications, LLC	-43.9*	
228C1 Columbus	KKOT	LIC CN NE	38.3 218.8	96.2 BLH19910822KC	41 32 28.0 97 40 45.0	100.000 299	105.0 808	72.3 Three Eagles Of Columbus,	4.2	
226C1 Lexington	KRVN-FM	LIC CX NE	261.4 80.5	119.0 BLH20070301ABA	40 41 48.0 99 47 18.0	100.000 271	106.1 1031	73.1 Nebraska Rural Radio Assoc	29.2	
280D Hastings	K280FG	LIC C NE	193.3 13.2	29.5 BLFT20070716ABT	40 36 23.0 98 28 36.0	0.250	0.0 627	0.0 Radio 74 Internationale	9.5R 20.0M	
224C2 Albion	KUSO	LIC C NE	28.6 209.1	122.6 BLH20000518AAA	41 49 50.0 97 41 12.0	50.000 150	5.8 689	50.8 Flood Communications, L.L.C.	70.7	

Terrain database is USGS 03 SEC, R= 73.215 qualifying spacings or FCC minimum spacings in KM, M= Margin in KM  
 Contour distances are on direct line to and from reference station. Reference Zone = 2, Co to 3rd adjacent.  
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
 Incoming contour overlap is ignored.  
 "\*"affixed to 'IN' or 'OUT' values = site inside protected contour.  
 "<" = Contour Overlap