



KGDP_CP
Authorized
Freq: 660 kHz
Class: B
Latitude: 35-27-10 N
Longitude: 118-56-40 W
Power: 5 kW
RMS: 685.977 mV/m @ 1km
Towers: 4
Augs: 0

KGDP_Pro
Proposed
Freq: 660 kHz
Class: B
Latitude: 35-27-10 N
Longitude: 118-56-40 W
Power: 8 kW
RMS: 850.213 mV/m @1km
Towers: 4
Augs: 0



Authorized and Proposed Daytime 0.5 mV/m Contour For KGDP, Oildale, California

September 2006




Authorized and Proposed Daytime 5 mV/m Contour For KGDP, Oildale, California

September 2006

KGDP_CP
Authorized
Freq: 660 kHz
Class: B
Latitude: 35-27-10 N
Longitude: 118-56-40 W
Power: 5 kW
RMS: 685.977 mV/m @1km
Towers: 4
Augs: 0

KGDP_Pro
Proposed
Freq: 660 kHz
Class: B
Latitude: 35-27-10 N
Longitude: 118-56-40 W
Power: 8 kW
RMS: 850.213 mV/m @1km
Towers: 4
Augs: 0




Authorized and Proposed Daytime 1V/m Contour For KGDP, Oildale, California

September 2006

KGDP_CP
Authorized
Freq: 660 kHz
Class: B
Latitude: 35-27-10 N
Longitude: 118-56-40 W
Power: 5 kW
RMS: 693.632 mV/m @1km
Towers: 4
Augs: 0

KGDP_Pro
Proposed
Freq: 660 kHz
Class: B
Latitude: 35-27-10 N
Longitude: 118-56-40 W
Power: 6 kW
RMS: 762.953 mV/m @1km
Towers: 4
Augs: 0




Authorized and Proposed Nighttime Interference free (36.7 mV/m) Contour For KGDP, Oildale, California

September 2006

KGDP_CP
Proposed
Freq: 660 kHz
Class: B
Latitude: 35-27-10 N
Longitude: 118-56-40 W
Power: 5 kW
RMS: 693.632 mV/m @1km
Towers: 4
Augs: 0

KGDP_Pro
Proposed
Freq: 660 kHz
Class: B
Latitude: 35-27-10 N
Longitude: 118-56-40 W
Power: 6 kW
RMS: 762.953 mV/m @1km
Towers: 4
Augs: 0



Authorized and Proposed Nighttime 1 V/m Contour For KGDP, Oildale, California

September 2006