

MINOR CHANGE APPLICATION
SEA-COMM, INC.
WBNE (FM) RADIO STATION
CH 229C3 - 93.7 MHZ - 11.0 KW
TOPSAIL BEACH, NORTH CAROLINA
February 2006

EXHIBIT A

§73.215 Compliance

The WBNE antenna location is shortspaced to the authorized facilities of WLQB, Channel 228A, Ocean Isle Beach, North Carolina and the outstanding permit for station WRSN, Channel 230C, Cary, North Carolina. Sea-comm proposes to use the provisions of §73.215 of the Commission's rules to address these shortspaced situations. The shortages comply with §73.215(e) of the Commission's rules.

Exhibit A2 specifically demonstrates that there will be no prohibited overlap between the proposed WBNE and the authorized WLQB and WRSN. The contours of both WLQB and WRSN are based on their authorized values, as each was authorized pursuant to §73.215 of the rules. Attached as Exhibits A3 through A6 are the tabulated distances to the protected and interfering contours, along the pertinent arcs of the proposed WBNE and the authorized WLQB and WRSN. Further, attached as Exhibit A7 are the tabulated and protected contours of the proposed facility, in 10 degree increments. Again, there is no prohibited overlap between the facilities.

MINOR CHANGE APPLICATION
SEA-COMM, INC.
WBNE (FM) RADIO STATION
CH 229C3 - 93.7 MHZ - 11.0 KW
TOPSAIL BEACH, NORTH CAROLINA
February 2006

EXHIBIT A1

Clearance Study for WBNE Topsail Beach, North Carolina
Using Proposed Site as Reference

REFERENCE	CLASS = C3	DISPLAY DATES
34 25 04 N.	Current	DATA 02-17-06
77 43 21 W.	Spacings	SEARCH 02-19-06
----- Channel 229 - 93.7 MHz -----		

Call	Channel	Location	Power	Azi	Dist	FCC	Margin
Lat.	Lng.	Ant		HAAT			
ALOPEN	ALL 229C3	Topsail Beach	NC	82.1	7.42	153.0	-145.58
	34 25 37	77 38 33	25.000 kW		100 M		
> Reserved for WBNE per MB Docket # 05-16							
WBNE	LIC-N 229A	Wrightsville Beach	NC	209.4	14.86	142.0	-127.14
	34 18 04	77 48 07	6.000 kW		100 M		
	Sea-comm, Inc.		BLH-20001215AAO				
* WLQB	LIC-Z 228A	Ocean Isle Beach	NC	228.8	82.63	89.0	-6.37
	33 55 37	78 23 48	ZCN 6.000 kW		100 M		
	Qantum Of Myrtle Beach Lic.		BLH-19990204KC				
* WRSN.C	CP -Z 230C	Cary	NC	325.6	175.09	176.0	-0.91
	35 42 50	78 49 04	ZCX 100.000 kW		453 M		
	Capstar TX Limited Partnership		BPH-20051003BFZ				
WKXSFM	LIC 231A	Leland	NC	228.0	44.27	42.0	2.27
	34 09 03	78 04 48	C 5.000 kW		41 M		
	Cumulus Licensing LLC		BMLH-20011012ABC				
WZKB	LIC 232A	Wallace	NC	326.2	45.53	42.0	3.53
	34 45 29	78 00 00	CN 3.300 kW		90 M		
	Christian Listening Network		BMLH-19920601KE				
WERO	LIC 227C	Washington	NC	15.8	109.31	96.0	13.31
	35 21 55	77 23 38	CN 100.000 kW		543 M		
	NM Licensing, LLC		BLH-19791206AF				
WRQR	LIC 283A	Wilmington	NC	216.2	34.54	12.0	22.54
	34 10 00	77 56 40	C 3.100 kW		137 M		
	NM Licensing, LLC		BLH-19990629KC				
WRSN	LIC-D 230C	Burlington	NC	321.4	207.78	176.0	31.78
	35 52 15	79 09 40	DEN 100.000 kW		385 M		
	Capstar TX Limited Partnership		BLH-19940523KB				
WJXYFM	LIC 230A	Conway	SC	238.8	123.88	89.0	34.88
	33 50 07	78 52 06	CN 3.700 kW		128 M		
	Cumulus Licensing LLC		BLH-19960529KB				
WXJY	LIC 229A	Georgetown	SC	229.1	193.64	142.0	51.64
	33 16 05	79 17 49	CX 6.000 kW		96 M		
	Cumulus Licensing LLC		BLH-20031114AIW				

* Note: This shortage is addressed under §73.215 of the rules, see Exhibit A.

WBNE Proposed
Latitude: 34-25-04 N
Longitude: 077-43-21 W
ERP: 11.00 kW
Channel: 229C3
Frequency: 93.7 MHz
AMSL Height: 156.97 m

WLQB
BLH-19990204KC
Latitude: 33-55-37 N
Longitude: 078-23-48 W
ERP: 6.00 kW
Channel: 228A
Frequency: 93.5 MHz
AMSL Height: 106.0 m

WRSN.C
BPH-20051003BFZ
Latitude: 35-42-50 N
Longitude: 078-49-04 W
ERP: 100.00 kW
Channel: 230C
Frequency: 93.9 MHz
AMSL Height: 557.0 m

Graham Brock, Inc. - Broadcast Technical Consultants

EXHIBIT A2
MINOR CHANGE APPLICATION
SEA-COMM, INC.
WBNE RADIO STATION
CH 229C3 - 93.7 MHz - 11.0 KW
TOPSAIL BEACH, NORTH CAROLINA
February 2006

WBNE 60 dBu (50/50)



WBNE 54 dBu (50/10)

WLQB 60 dBu (50/50)

WLQB 54 dBu (50/10)

WRSN CP 54 dBu (50/10)

WRSN CP 60 dBu (50/50)



MINOR CHANGE APPLICATION
SEA-COMM, INC.
WBNE (FM) RADIO STATION
CH 229C3 - 93.7 MHZ - 11.0 KW
TOPSAIL BEACH, NORTH CAROLINA
February 2006

EXHIBIT A3

WBNE - Proposed
Channel = 229C3
Max ERP = 11 kW
RCAMSL = 156.972 M
N. Lat = 34 25 04
W. Lng = 77 43 21

WLQB - BLH-19990204KC
Channel = 228A
Max ERP = 6 kW
RCAMSL = 106 M
N. Lat = 33 55 37
W. Lng = 78 23 48

Protected
60 dBu

Interfering
54 dBu

30 Second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
215.0	011.0000	0146.5	038.6	060.1	001.2150	0100.4	046.1	46.1
216.0	011.0000	0146.6	038.6	059.4	001.2150	0100.3	045.9	46.3
217.0	011.0000	0146.7	038.6	058.6	001.2150	0100.3	045.6	46.4
218.0	011.0000	0146.9	038.7	057.8	001.2150	0100.2	045.3	46.5
219.0	011.0000	0147.0	038.7	057.0	001.2150	0100.2	045.1	46.5
220.0	011.0000	0147.1	038.7	056.2	001.2150	0100.2	044.9	46.6
221.0	011.0000	0147.2	038.7	055.4	001.2150	0100.3	044.7	46.7
222.0	011.0000	0147.2	038.7	054.5	001.2150	0100.3	044.5	46.8
223.0	011.0000	0147.2	038.7	053.7	001.2150	0100.3	044.4	46.8
224.0	011.0000	0147.2	038.7	052.8	001.2150	0100.3	044.3	46.9
225.0	011.0000	0147.3	038.7	051.9	001.2150	0100.3	044.1	46.9
226.0	011.0000	0147.4	038.7	051.1	001.2150	0100.2	044.1	46.9
227.0	011.0000	0147.6	038.7	050.2	001.2150	0099.9	044.0	47.0
228.0	011.0000	0147.8	038.8	049.3	001.2335	0099.7	043.9	47.0
229.0	011.0000	0148.0	038.8	048.4	001.2576	0099.5	043.9	47.1
230.0	011.0000	0148.4	038.8	047.5	001.2821	0099.5	043.9	47.2
231.0	011.0000	0148.7	038.9	046.7	001.3068	0099.2	043.9	47.3
232.0	011.0000	0149.2	038.9	045.8	001.3319	0098.8	043.9	47.3
233.0	011.0000	0149.6	039.0	044.9	001.3571	0098.5	043.9	47.4
234.0	011.0000	0150.0	039.0	044.0	001.3825	0098.2	044.0	47.4
235.0	011.0000	0150.2	039.1	043.1	001.4079	0098.1	044.1	47.4
236.0	011.0000	0150.2	039.1	042.3	001.4332	0098.1	044.2	47.4
237.0	011.0000	0150.3	039.1	041.4	001.4585	0098.2	044.4	47.5
238.0	011.0000	0150.6	039.1	040.5	001.4839	0098.2	044.5	47.5
239.0	011.0000	0151.0	039.2	039.7	001.5190	0098.4	044.7	47.5
240.0	011.0000	0151.4	039.2	038.8	001.5702	0098.6	044.9	47.6
241.0	011.0000	0151.6	039.2	038.0	001.6213	0098.7	045.1	47.7
242.0	011.0000	0151.8	039.3	037.2	001.6720	0098.7	045.3	47.7
243.0	011.0000	0152.1	039.3	036.4	001.7227	0098.6	045.6	47.7
244.0	011.0000	0152.4	039.3	035.6	001.7736	0098.6	045.9	47.7
245.0	011.0000	0152.8	039.4	034.9	001.8248	0098.4	046.2	47.7
246.0	011.0000	0153.5	039.5	034.1	001.8768	0098.2	046.5	47.7
247.0	011.0000	0154.3	039.5	033.3	001.9290	0098.3	046.8	47.8
248.0	011.0000	0155.0	039.6	032.5	001.9807	0098.3	047.1	47.7
249.0	011.0000	0155.5	039.7	031.8	002.0308	0098.5	047.4	47.7
250.0	011.0000	0155.8	039.7	031.1	002.0787	0098.7	047.8	47.7
251.0	011.0000	0155.9	039.7	030.5	002.1246	0098.7	048.3	47.6
252.0	011.0000	0155.8	039.7	029.9	002.1685	0098.7	048.7	47.6
253.0	011.0000	0155.6	039.7	029.3	002.2103	0098.3	049.2	47.4
254.0	011.0000	0155.3	039.7	028.8	002.2500	0098.3	049.7	47.3
255.0	011.0000	0154.8	039.6	028.3	002.2874	0097.8	050.3	47.1

MINOR CHANGE APPLICATION
SEA-COMM, INC.
WBNE (FM) RADIO STATION
CH 229C3 - 93.7 MHZ - 11.0 KW
TOPSAIL BEACH, NORTH CAROLINA
February 2006

EXHIBIT A4

WLQB - BLH-19990204KC
Channel = 228A
Max ERP = 6 kW
RCAMSL = 106 M
N. Lat = 33 55 37
W. Lng = 78 23 48

WBNE - Proposed
Channel = 229C3
Max ERP = 11 kW
RCAMSL = 156.972 M
N. Lat = 34 25 04
W. Lng = 77 43 21

Protected
60 dBu

Interfering
54 dBu

30 Second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
020.0	002.9400	0096.3	023.7	239.2	011.0000	0151.0	062.9	52.4
021.0	002.8566	0096.4	023.5	238.9	011.0000	0151.0	062.7	52.4
022.0	002.7744	0096.5	023.4	238.5	011.0000	0150.6	062.6	52.5
023.0	002.6934	0096.8	023.3	238.1	011.0000	0150.6	062.4	52.5
024.0	002.6136	0097.0	023.1	237.7	011.0000	0150.6	062.3	52.6
025.0	002.5350	0097.1	023.0	237.3	011.0000	0150.3	062.2	52.6
026.0	002.4576	0097.2	022.8	237.0	011.0000	0150.3	062.2	52.6
027.0	002.3814	0097.4	022.7	236.6	011.0000	0150.3	062.1	52.6
028.0	002.3064	0097.8	022.6	236.2	011.0000	0150.2	062.0	52.6
029.0	002.2326	0098.3	022.4	235.8	011.0000	0150.2	061.9	52.7
030.0	002.1600	0098.7	022.3	235.4	011.0000	0150.2	061.9	52.7
031.0	002.0886	0098.7	022.1	235.1	011.0000	0150.2	061.9	52.7
032.0	002.0184	0098.5	021.9	234.7	011.0000	0150.2	061.9	52.7
033.0	001.9494	0098.3	021.7	234.3	011.0000	0150.0	061.9	52.7
034.0	001.8816	0098.2	021.6	233.9	011.0000	0150.0	062.0	52.6
035.0	001.8150	0098.4	021.4	233.5	011.0000	0149.6	062.0	52.6
036.0	001.7496	0098.6	021.2	233.1	011.0000	0149.6	062.1	52.6
037.0	001.6854	0098.7	021.0	232.7	011.0000	0149.6	062.1	52.6
038.0	001.6224	0098.7	020.9	232.4	011.0000	0149.2	062.2	52.5
039.0	001.5606	0098.6	020.6	232.0	011.0000	0149.2	062.3	52.5
040.0	001.5000	0098.4	020.4	231.6	011.0000	0149.2	062.5	52.4
041.0	001.4702	0098.2	020.3	231.3	011.0000	0148.7	062.5	52.4
042.0	001.4406	0098.1	020.2	231.0	011.0000	0148.7	062.6	52.4
043.0	001.4113	0098.1	020.1	230.6	011.0000	0148.7	062.6	52.3
044.0	001.3824	0098.2	020.0	230.3	011.0000	0148.4	062.7	52.3
045.0	001.3537	0098.5	019.9	230.0	011.0000	0148.4	062.7	52.3
046.0	001.3254	0098.8	019.9	229.7	011.0000	0148.4	062.8	52.3
047.0	001.2974	0099.2	019.8	229.3	011.0000	0148.0	062.8	52.2
048.0	001.2696	0099.5	019.7	229.0	011.0000	0148.0	062.9	52.2
049.0	001.2421	0099.7	019.6	228.7	011.0000	0148.0	063.0	52.2
050.0	001.2150	0099.9	019.5	228.4	011.0000	0147.8	063.1	52.2
051.0	001.2150	0100.2	019.6	228.1	011.0000	0147.8	063.1	52.2
052.0	001.2150	0100.3	019.6	227.8	011.0000	0147.8	063.1	52.2
053.0	001.2150	0100.3	019.6	227.5	011.0000	0147.6	063.1	52.1
054.0	001.2150	0100.3	019.6	227.2	011.0000	0147.6	063.1	52.1
055.0	001.2150	0100.3	019.6	226.8	011.0000	0147.6	063.2	52.1
056.0	001.2150	0100.2	019.6	226.5	011.0000	0147.6	063.2	52.1
057.0	001.2150	0100.2	019.6	226.2	011.0000	0147.4	063.3	52.1
058.0	001.2150	0100.2	019.6	225.9	011.0000	0147.4	063.4	52.0
059.0	001.2150	0100.3	019.6	225.6	011.0000	0147.4	063.4	52.0
060.0	001.2150	0100.4	019.6	225.3	011.0000	0147.3	063.5	52.0

MINOR CHANGE APPLICATION
SEA-COMM, INC.
WBNE (FM) RADIO STATION
CH 229C3 - 93.7 MHZ - 11.0 KW
TOPSAIL BEACH, NORTH CAROLINA
February 2006

EXHIBIT A5

WBNE - Proposed
Channel = 229C3
Max ERP = 11 kW
RCAMSL = 156.972 M
N. Lat = 34 25 04
W. Lng = 77 43 21

WRSN CP - BPH-20051003BFZ
Channel = 230C
Max ERP = 100 kW
RCAMSL = 557 M
N. Lat = 35 42 50
W. Lng = 78 49 04

Protected
60 dBu

Interfering
54 dBu

30 Second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
310.0	011.0000	0153.7	039.5	149.5	097.7391	0445.4	137.3	50.4
311.0	011.0000	0153.7	039.5	149.2	097.8038	0445.4	137.1	50.4
312.0	011.0000	0153.6	039.5	148.9	097.8692	0445.4	136.9	50.5
313.0	011.0000	0153.6	039.5	148.6	097.9350	0445.4	136.7	50.5
314.0	011.0000	0153.6	039.5	148.4	098.0012	0446.3	136.5	50.6
315.0	011.0000	0153.6	039.5	148.1	098.0678	0446.3	136.3	50.7
316.0	011.0000	0153.6	039.5	147.8	098.1352	0446.3	136.2	50.7
317.0	011.0000	0153.4	039.4	147.5	098.2032	0446.3	136.1	50.7
318.0	011.0000	0153.3	039.4	147.2	098.2714	0447.5	136.0	50.8
319.0	011.0000	0153.2	039.4	146.9	098.3399	0447.5	135.9	50.8
320.0	011.0000	0153.2	039.4	146.7	098.4084	0447.5	135.8	50.8
321.0	011.0000	0153.2	039.4	146.4	098.4773	0448.6	135.7	50.9
322.0	011.0000	0153.0	039.4	146.1	098.5464	0448.6	135.7	50.9
323.0	011.0000	0152.7	039.4	145.8	098.6158	0448.6	135.7	50.9
324.0	011.0000	0152.4	039.3	145.5	098.6852	0449.5	135.7	50.9
325.0	011.0000	0152.0	039.3	145.2	098.7545	0449.5	135.7	50.9
326.0	011.0000	0151.7	039.2	144.9	098.8236	0449.5	135.8	50.9
327.0	011.0000	0151.5	039.2	144.6	098.8926	0449.5	135.8	50.9
328.0	011.0000	0151.3	039.2	144.3	098.9615	0450.3	135.9	50.9
329.0	011.0000	0151.2	039.2	144.1	099.0303	0450.3	135.9	50.9
330.0	011.0000	0151.2	039.2	143.8	099.0990	0450.3	136.0	50.9
331.0	011.0000	0151.1	039.2	143.5	099.1675	0451.1	136.1	50.9
332.0	011.0000	0151.1	039.2	143.2	099.2357	0451.1	136.2	50.9
333.0	011.0000	0151.0	039.2	142.9	099.3037	0451.1	136.3	50.9
334.0	011.0000	0151.0	039.2	142.6	099.3715	0451.1	136.4	50.8
335.0	011.0000	0151.0	039.2	142.3	099.4389	0451.8	136.6	50.8
336.0	011.0000	0151.0	039.2	142.1	099.5059	0451.8	136.7	50.8
337.0	011.0000	0151.0	039.2	141.8	099.5725	0451.8	136.9	50.7
338.0	011.0000	0151.0	039.2	141.5	099.6387	0451.8	137.1	50.7
339.0	011.0000	0151.0	039.2	141.2	099.7044	0452.3	137.3	50.7
340.0	011.0000	0151.0	039.2	141.0	099.7696	0452.3	137.5	50.6
341.0	011.0000	0151.0	039.2	140.7	099.8343	0452.3	137.7	50.6
342.0	011.0000	0151.0	039.2	140.4	099.8983	0452.7	137.9	50.5
343.0	011.0000	0151.0	039.2	140.2	099.9617	0452.7	138.2	50.4
344.0	011.0000	0151.0	039.2	139.9	100.0000	0452.7	138.5	50.4
345.0	011.0000	0151.0	039.2	139.6	100.0000	0452.7	138.8	50.3
346.0	011.0000	0151.0	039.2	139.4	100.0000	0453.0	139.1	50.2
347.0	011.0000	0151.0	039.2	139.1	100.0000	0453.0	139.4	50.2
348.0	011.0000	0151.0	039.2	138.9	100.0000	0453.0	139.7	50.1
349.0	011.0000	0151.0	039.2	138.6	100.0000	0453.0	140.0	50.0
350.0	011.0000	0151.0	039.2	138.4	100.0000	0453.4	140.4	49.9

MINOR CHANGE APPLICATION
SEA-COMM, INC.
WBNE (FM) RADIO STATION
CH 229C3 - 93.7 MHZ - 11.0 KW
TOPSAIL BEACH, NORTH CAROLINA
February 2006

EXHIBIT A6

WRSN CP - BPH-20051003BFZ
Channel = 230C
Max ERP = 100 kW
RCAMSL = 557 M
N. Lat = 35 42 50
W. Lng = 78 49 04

WBNE - Proposed
Channel = 229C3
Max ERP = 11 kW
RCAMSL = 156.972 M
N. Lat = 34 25 04
W. Lng = 77 43 21

Protected
60 dBu

Interfering
54 dBu

30 Second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
125.0	100.0000	0439.4	082.7	341.6	011.0000	0151.0	101.7	40.7
126.0	100.0000	0440.6	082.7	340.9	011.0000	0151.0	100.8	40.9
127.0	100.0000	0441.9	082.8	340.3	011.0000	0151.0	099.9	41.2
128.0	100.0000	0443.3	082.9	339.6	011.0000	0151.0	099.0	41.4
129.0	100.0000	0444.8	083.1	338.9	011.0000	0151.0	098.2	41.6
130.0	100.0000	0446.4	083.2	338.2	011.0000	0151.0	097.4	41.8
131.0	100.0000	0448.1	083.3	337.5	011.0000	0151.0	096.6	42.0
132.0	100.0000	0449.8	083.4	336.7	011.0000	0151.0	095.9	42.2
133.0	100.0000	0451.4	083.5	336.0	011.0000	0151.0	095.2	42.4
134.0	100.0000	0452.7	083.6	335.2	011.0000	0151.0	094.6	42.6
135.0	100.0000	0453.5	083.7	334.3	011.0000	0151.0	094.0	42.7
136.0	100.0000	0453.8	083.7	333.5	011.0000	0151.0	093.6	42.9
137.0	100.0000	0453.7	083.7	332.6	011.0000	0151.0	093.2	43.0
138.0	100.0000	0453.4	083.7	331.8	011.0000	0151.1	092.8	43.1
139.0	100.0000	0453.0	083.6	330.9	011.0000	0151.1	092.5	43.2
140.0	100.0000	0452.7	083.6	330.0	011.0000	0151.2	092.3	43.2
141.0	099.7601	0452.3	083.6	329.1	011.0000	0151.2	092.1	43.3
142.0	099.5206	0451.8	083.5	328.2	011.0000	0151.3	092.0	43.3
143.0	099.2813	0451.1	083.4	327.3	011.0000	0151.5	092.0	43.3
144.0	099.0423	0450.3	083.4	326.4	011.0000	0151.7	092.0	43.4
145.0	098.8036	0449.5	083.3	325.5	011.0000	0152.0	092.0	43.3
146.0	098.5652	0448.6	083.2	324.6	011.0000	0152.0	092.1	43.3
147.0	098.3271	0447.5	083.1	323.7	011.0000	0152.4	092.3	43.3
148.0	098.0892	0446.3	083.0	322.8	011.0000	0152.7	092.5	43.2
149.0	097.8517	0445.4	082.9	321.9	011.0000	0153.0	092.8	43.2
150.0	097.6144	0444.7	082.8	321.1	011.0000	0153.2	093.1	43.1
151.0	097.4959	0444.3	082.8	320.2	011.0000	0153.2	093.4	43.0
152.0	097.3774	0443.8	082.7	319.3	011.0000	0153.2	093.7	42.9
153.0	097.2590	0443.0	082.6	318.5	011.0000	0153.3	094.1	42.8
154.0	097.1407	0442.0	082.6	317.7	011.0000	0153.3	094.6	42.7
155.0	097.0225	0441.1	082.5	316.9	011.0000	0153.4	095.1	42.5
156.0	096.9043	0440.4	082.4	316.1	011.0000	0153.6	095.7	42.4
157.0	096.7862	0439.9	082.4	315.3	011.0000	0153.6	096.2	42.2
158.0	096.6682	0439.6	082.3	314.5	011.0000	0153.6	096.8	42.1
159.0	096.5503	0439.1	082.3	313.7	011.0000	0153.6	097.5	41.9
160.0	096.4324	0438.5	082.2	313.0	011.0000	0153.6	098.2	41.7
161.0	095.5897	0438.0	082.1	312.3	011.0000	0153.6	099.0	41.5
162.0	094.7508	0437.6	082.0	311.6	011.0000	0153.6	099.8	41.3
163.0	093.9155	0437.4	081.9	311.0	011.0000	0153.7	100.6	41.1
164.0	093.0839	0437.3	081.8	310.3	011.0000	0153.7	101.5	40.9
165.0	092.2560	0437.4	081.7	309.7	011.0000	0153.7	102.4	40.6

MINOR CHANGE APPLICATION
SEA-COMM, INC.
WBNE (FM) RADIO STATION
CH 229C3 - 93.7 MHZ - 11.0 KW
TOPSAIL BEACH, NORTH CAROLINA
February 2006

EXHIBIT A7

Predicted contour:

N. Lat. = 34 25 04 - Tabulated Protected and Interfering Contour Data
W. Lng. = 77 43 21 - WBNE Radio Station - Topsail Beach, North Carolina

HAAT and Distance to Contour - FCC Method - 30 Arc Second terrain database
Azi. HAAT ERP kW dBk Field 60-F5 40-F1 54-F1 100-F1

000	151.0	11.0000	10.41	1.000	39.15	104.58	58.35	3.91
010	151.0	11.0000	10.41	1.000	39.15	104.58	58.35	3.91
020	151.0	11.0000	10.41	1.000	39.15	104.58	58.35	3.91
030	151.0	11.0000	10.41	1.000	39.15	104.58	58.35	3.91
040	150.8	11.0000	10.41	1.000	39.14	104.56	58.33	3.90
050	147.5	11.0000	10.41	1.000	38.74	104.07	57.85	3.86
060	146.8	11.0000	10.41	1.000	38.64	103.95	57.74	3.85
070	147.6	11.0000	10.41	1.000	38.75	104.08	57.87	3.86
080	153.1	11.0000	10.41	1.000	39.40	104.89	58.65	3.93
090	154.0	11.0000	10.41	1.000	39.51	105.02	58.78	3.94
100	154.1	11.0000	10.41	1.000	39.52	105.04	58.79	3.94
110	154.8	11.0000	10.41	1.000	39.61	105.14	58.89	3.95
120	155.0	11.0000	10.41	1.000	39.63	105.17	58.92	3.96
130	155.1	11.0000	10.41	1.000	39.64	105.18	58.93	3.96
140	155.2	11.0000	10.41	1.000	39.66	105.21	58.96	3.96
150	155.0	11.0000	10.41	1.000	39.64	105.18	58.93	3.96
160	154.0	11.0000	10.41	1.000	39.52	105.03	58.78	3.94
170	153.3	11.0000	10.41	1.000	39.43	104.92	58.67	3.93
180	152.0	11.0000	10.41	1.000	39.27	104.73	58.49	3.92
190	150.9	11.0000	10.41	1.000	39.14	104.57	58.34	3.90
200	148.8	11.0000	10.41	1.000	38.90	104.26	58.04	3.88
210	146.2	11.0000	10.41	1.000	38.58	103.88	57.67	3.85
220	147.1	11.0000	10.41	1.000	38.69	104.01	57.79	3.86
230	148.4	11.0000	10.41	1.000	38.84	104.19	57.97	3.87
240	151.4	11.0000	10.41	1.000	39.20	104.64	58.40	3.91
250	155.8	11.0000	10.41	1.000	39.72	105.29	59.03	3.96
260	153.6	11.0000	10.41	1.000	39.47	104.96	58.72	3.94
270	152.1	11.0000	10.41	1.000	39.29	104.75	58.51	3.92
280	153.4	11.0000	10.41	1.000	39.45	104.94	58.70	3.94
290	153.8	11.0000	10.41	1.000	39.49	104.99	58.75	3.94
300	153.4	11.0000	10.41	1.000	39.44	104.93	58.69	3.94
310	153.7	11.0000	10.41	1.000	39.48	104.98	58.74	3.94
320	153.2	11.0000	10.41	1.000	39.42	104.91	58.66	3.93
330	151.2	11.0000	10.41	1.000	39.18	104.61	58.38	3.91
340	151.0	11.0000	10.41	1.000	39.15	104.58	58.35	3.91
350	151.0	11.0000	10.41	1.000	39.15	104.58	58.35	3.91

AMSL= 156.972 M