

Distance to FM Contour

Study: NORTHWAY COMMUNICATIONS INC
Site: NORTHWAY COMMUNICATIONS INC site

Latitude: N45-58-36.00
Longitude: W90-28-00.00

| True Radial Bearing (Degrees) | Average Elevation (meters) | Radiation Center Height Above Average Terrain (meters) | Effective Radiated Power (KW) | (dBKW) | Distance to Contour 60.0 dBu F(50,50) (km) |
|--|----------------------------------|---|--|--------|---|
| 0.00 | 478.90 | 21.10 | 0.12 | -9.21 | 5.90 |
| 30.00 | 495.60 | 4.40 | 0.12 | -9.21 | 5.90 |
| 60.00 | 471.47 | 28.53 | 0.12 | -9.21 | 5.90 |
| 90.00 | 468.00 | 32.00 | 0.12 | -9.21 | 6.07 |
| 120.00 | 467.08 | 32.92 | 0.12 | -9.21 | 6.15 |
| 150.00 | 460.07 | 39.93 | 0.12 | -9.21 | 6.74 |
| 180.00 | 454.72 | 45.28 | 0.12 | -9.21 | 7.20 |
| 210.00 | 452.57 | 47.43 | 0.12 | -9.21 | 7.38 |
| 240.00 | 459.17 | 40.83 | 0.12 | -9.21 | 6.82 |
| 270.00 | 468.05 | 31.95 | 0.12 | -9.21 | 6.06 |
| 300.00 | 480.34 | 19.66 | 0.12 | -9.21 | 5.90 |
| 330.00 | 475.67 | 24.33 | 0.12 | -9.21 | 5.90 |

| | | |
|--------------------------|--------------|-------------|
| Radiation Center (AGL): | 30.0 meters | 98.4 feet |
| Radiation Center (AMSL): | 500.0 meters | 1640.4 feet |
| Radiation Center (HAAT): | 30.7 meters | 100.7 feet |
| Average Terrain (AMSL): | 469.3 meters | 1539.7 feet |
| Ground AMSL: | 470.0 meters | 1542.0 feet |

Peak ERP: 0.1 KW
Frequency: 98 MHz
Antenna:
Orientation: 0.00°
Downtilt: 0.00°

Area within 60.0 dBu F(50,50) Contour is 126.574 km

Detailed Terrain Data

Study: NORTHWAY COMMUNICATIONS INC
Site: NORTHWAY COMMUNICATIONS INC site
Radial 1 of 12, 0.0 degrees true

Latitude: N45-58-36.00
Longitude: W90-28-00.00

| Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) |
|-----------------|--------------|-------------|-----------------|--------------|-------------|-----------------|--------------|-------------|
| 1 | 3.00 | 470.00 | 2 | 3.13 | 483.00 | 3 | 3.26 | 482.00 |
| 4 | 3.39 | 482.00 | 5 | 3.52 | 481.00 | 6 | 3.65 | 480.00 |
| 7 | 3.78 | 479.00 | 8 | 3.91 | 475.00 | 9 | 4.04 | 475.00 |
| 10 | 4.17 | 472.00 | 11 | 4.30 | 472.00 | 12 | 4.43 | 472.00 |
| 13 | 4.56 | 472.00 | 14 | 4.69 | 472.00 | 15 | 4.82 | 472.00 |
| 16 | 4.95 | 472.00 | 17 | 5.08 | 472.00 | 18 | 5.21 | 472.00 |
| 19 | 5.34 | 472.00 | 20 | 5.47 | 472.00 | 21 | 5.60 | 472.00 |
| 22 | 5.73 | 472.00 | 23 | 5.86 | 472.00 | 24 | 5.99 | 472.00 |
| 25 | 6.12 | 472.00 | 26 | 6.25 | 472.00 | 27 | 6.38 | 472.00 |
| 28 | 6.51 | 471.00 | 29 | 6.64 | 469.00 | 30 | 6.77 | 468.00 |
| 31 | 6.90 | 468.00 | 32 | 7.03 | 468.00 | 33 | 7.16 | 467.00 |
| 34 | 7.29 | 467.00 | 35 | 7.42 | 467.00 | 36 | 7.55 | 466.00 |
| 37 | 7.68 | 467.00 | 38 | 7.81 | 467.00 | 39 | 7.94 | 468.00 |
| 40 | 8.07 | 468.00 | 41 | 8.20 | 468.00 | 42 | 8.33 | 469.00 |
| 43 | 8.46 | 470.00 | 44 | 8.59 | 470.00 | 45 | 8.72 | 471.00 |
| 46 | 8.85 | 472.00 | 47 | 8.98 | 472.00 | 48 | 9.11 | 472.00 |
| 49 | 9.24 | 472.00 | 50 | 9.37 | 472.00 | 51 | 9.50 | 472.00 |
| 52 | 9.63 | 472.00 | 53 | 9.76 | 472.00 | 54 | 9.89 | 472.00 |
| 55 | 10.02 | 472.00 | 56 | 10.15 | 474.00 | 57 | 10.28 | 475.00 |
| 58 | 10.41 | 480.00 | 59 | 10.54 | 481.00 | 60 | 10.67 | 484.00 |
| 61 | 10.80 | 485.00 | 62 | 10.93 | 487.00 | 63 | 11.06 | 487.00 |
| 64 | 11.19 | 487.00 | 65 | 11.32 | 487.00 | 66 | 11.45 | 487.00 |
| 67 | 11.58 | 487.00 | 68 | 11.71 | 486.00 | 69 | 11.84 | 486.00 |
| 70 | 11.97 | 487.00 | 71 | 12.10 | 487.00 | 72 | 12.23 | 487.00 |
| 73 | 12.36 | 487.00 | 74 | 12.49 | 487.00 | 75 | 12.62 | 487.00 |
| 76 | 12.75 | 486.00 | 77 | 12.88 | 486.00 | 78 | 13.01 | 486.00 |
| 79 | 13.14 | 486.00 | 80 | 13.27 | 486.00 | 81 | 13.40 | 486.00 |
| 82 | 13.53 | 487.00 | 83 | 13.66 | 487.00 | 84 | 13.79 | 488.00 |
| 85 | 13.92 | 488.00 | 86 | 14.05 | 488.00 | 87 | 14.18 | 489.00 |
| 88 | 14.31 | 496.00 | 89 | 14.44 | 503.00 | 90 | 14.57 | 503.00 |
| 91 | 14.70 | 500.00 | 92 | 14.83 | 495.00 | 93 | 14.96 | 488.00 |
| 94 | 15.09 | 487.00 | 95 | 15.22 | 487.00 | 96 | 15.35 | 488.00 |
| 97 | 15.48 | 488.00 | 98 | 15.61 | 488.00 | 99 | 15.74 | 488.00 |
| 100 | 15.87 | 489.00 | | | | | | |

Detailed Terrain Data

Study: NORTHWAY COMMUNICATIONS INC
Site: NORTHWAY COMMUNICATIONS INC site
Radial 2 of 12, 30.0 degrees true

Latitude: N45-58-36.00
Longitude: W90-28-00.00

| Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) |
|-----------------|--------------|-------------|-----------------|--------------|-------------|-----------------|--------------|-------------|
| 1 | 3.00 | 486.00 | 2 | 3.13 | 486.00 | 3 | 3.26 | 487.00 |
| 4 | 3.39 | 487.00 | 5 | 3.52 | 487.00 | 6 | 3.65 | 487.00 |
| 7 | 3.78 | 487.00 | 8 | 3.91 | 487.00 | 9 | 4.04 | 487.00 |
| 10 | 4.17 | 487.00 | 11 | 4.30 | 487.00 | 12 | 4.43 | 487.00 |
| 13 | 4.56 | 487.00 | 14 | 4.69 | 487.00 | 15 | 4.82 | 488.00 |
| 16 | 4.95 | 487.00 | 17 | 5.08 | 491.00 | 18 | 5.21 | 495.00 |
| 19 | 5.34 | 503.00 | 20 | 5.47 | 496.00 | 21 | 5.60 | 492.00 |
| 22 | 5.73 | 488.00 | 23 | 5.86 | 488.00 | 24 | 5.99 | 488.00 |
| 25 | 6.12 | 488.00 | 26 | 6.25 | 488.00 | 27 | 6.38 | 488.00 |
| 28 | 6.51 | 488.00 | 29 | 6.64 | 488.00 | 30 | 6.77 | 488.00 |
| 31 | 6.90 | 488.00 | 32 | 7.03 | 488.00 | 33 | 7.16 | 488.00 |
| 34 | 7.29 | 488.00 | 35 | 7.42 | 488.00 | 36 | 7.55 | 487.00 |
| 37 | 7.68 | 487.00 | 38 | 7.81 | 487.00 | 39 | 7.94 | 487.00 |
| 40 | 8.07 | 487.00 | 41 | 8.20 | 487.00 | 42 | 8.33 | 488.00 |
| 43 | 8.46 | 488.00 | 44 | 8.59 | 488.00 | 45 | 8.72 | 488.00 |
| 46 | 8.85 | 488.00 | 47 | 8.98 | 488.00 | 48 | 9.11 | 490.00 |
| 49 | 9.24 | 490.00 | 50 | 9.37 | 493.00 | 51 | 9.50 | 495.00 |
| 52 | 9.63 | 497.00 | 53 | 9.76 | 498.00 | 54 | 9.89 | 500.00 |
| 55 | 10.02 | 501.00 | 56 | 10.15 | 502.00 | 57 | 10.28 | 502.00 |
| 58 | 10.41 | 503.00 | 59 | 10.54 | 503.00 | 60 | 10.67 | 504.00 |
| 61 | 10.80 | 507.00 | 62 | 10.93 | 508.00 | 63 | 11.06 | 511.00 |
| 64 | 11.19 | 510.00 | 65 | 11.32 | 511.00 | 66 | 11.45 | 508.00 |
| 67 | 11.58 | 505.00 | 68 | 11.71 | 503.00 | 69 | 11.84 | 501.00 |
| 70 | 11.97 | 501.00 | 71 | 12.10 | 502.00 | 72 | 12.23 | 503.00 |
| 73 | 12.36 | 503.00 | 74 | 12.49 | 503.00 | 75 | 12.62 | 503.00 |
| 76 | 12.75 | 503.00 | 77 | 12.88 | 503.00 | 78 | 13.01 | 503.00 |
| 79 | 13.14 | 503.00 | 80 | 13.27 | 503.00 | 81 | 13.40 | 503.00 |
| 82 | 13.53 | 503.00 | 83 | 13.66 | 503.00 | 84 | 13.79 | 503.00 |
| 85 | 13.92 | 503.00 | 86 | 14.05 | 503.00 | 87 | 14.18 | 503.00 |
| 88 | 14.31 | 503.00 | 89 | 14.44 | 503.00 | 90 | 14.57 | 503.00 |
| 91 | 14.70 | 503.00 | 92 | 14.83 | 503.00 | 93 | 14.96 | 503.00 |
| 94 | 15.09 | 503.00 | 95 | 15.22 | 503.00 | 96 | 15.35 | 503.00 |
| 97 | 15.48 | 503.00 | 98 | 15.61 | 497.00 | 99 | 15.74 | 495.00 |
| 100 | 15.87 | 495.00 | | | | | | |

Detailed Terrain Data

Study: NORTHWAY COMMUNICATIONS INC
Site: NORTHWAY COMMUNICATIONS INC site
Radial 3 of 12, 60.0 degrees true

Latitude: N45-58-36.00
Longitude: W90-28-00.00

| Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) |
|-----------------|--------------|-------------|-----------------|--------------|-------------|-----------------|--------------|-------------|
| 1 | 3.00 | 480.00 | 2 | 3.13 | 478.00 | 3 | 3.26 | 476.00 |
| 4 | 3.39 | 474.00 | 5 | 3.52 | 472.00 | 6 | 3.65 | 472.00 |
| 7 | 3.78 | 472.00 | 8 | 3.91 | 472.00 | 9 | 4.04 | 473.00 |
| 10 | 4.17 | 474.00 | 11 | 4.30 | 474.00 | 12 | 4.43 | 474.00 |
| 13 | 4.56 | 472.00 | 14 | 4.69 | 472.00 | 15 | 4.82 | 474.00 |
| 16 | 4.95 | 475.00 | 17 | 5.08 | 477.00 | 18 | 5.21 | 477.00 |
| 19 | 5.34 | 478.00 | 20 | 5.47 | 477.00 | 21 | 5.60 | 474.00 |
| 22 | 5.73 | 473.00 | 23 | 5.86 | 473.00 | 24 | 5.99 | 472.00 |
| 25 | 6.12 | 472.00 | 26 | 6.25 | 472.00 | 27 | 6.38 | 472.00 |
| 28 | 6.51 | 471.00 | 29 | 6.64 | 471.00 | 30 | 6.77 | 467.00 |
| 31 | 6.90 | 464.00 | 32 | 7.03 | 463.00 | 33 | 7.16 | 467.00 |
| 34 | 7.29 | 472.00 | 35 | 7.42 | 472.00 | 36 | 7.55 | 472.00 |
| 37 | 7.68 | 472.00 | 38 | 7.81 | 472.00 | 39 | 7.94 | 472.00 |
| 40 | 8.07 | 472.00 | 41 | 8.20 | 470.00 | 42 | 8.33 | 469.00 |
| 43 | 8.46 | 467.00 | 44 | 8.59 | 466.00 | 45 | 8.72 | 468.00 |
| 46 | 8.85 | 472.00 | 47 | 8.98 | 472.00 | 48 | 9.11 | 468.00 |
| 49 | 9.24 | 462.00 | 50 | 9.37 | 457.00 | 51 | 9.50 | 457.00 |
| 52 | 9.63 | 455.00 | 53 | 9.76 | 454.00 | 54 | 9.89 | 455.00 |
| 55 | 10.02 | 456.00 | 56 | 10.15 | 458.00 | 57 | 10.28 | 460.00 |
| 58 | 10.41 | 462.00 | 59 | 10.54 | 463.00 | 60 | 10.67 | 465.00 |
| 61 | 10.80 | 466.00 | 62 | 10.93 | 468.00 | 63 | 11.06 | 466.00 |
| 64 | 11.19 | 468.00 | 65 | 11.32 | 466.00 | 66 | 11.45 | 467.00 |
| 67 | 11.58 | 470.00 | 68 | 11.71 | 472.00 | 69 | 11.84 | 472.00 |
| 70 | 11.97 | 488.00 | 71 | 12.10 | 472.00 | 72 | 12.23 | 471.00 |
| 73 | 12.36 | 472.00 | 74 | 12.49 | 479.00 | 75 | 12.62 | 488.00 |
| 76 | 12.75 | 487.00 | 77 | 12.88 | 488.00 | 78 | 13.01 | 485.00 |
| 79 | 13.14 | 485.00 | 80 | 13.27 | 486.00 | 81 | 13.40 | 484.00 |
| 82 | 13.53 | 481.00 | 83 | 13.66 | 478.00 | 84 | 13.79 | 475.00 |
| 85 | 13.92 | 475.00 | 86 | 14.05 | 474.00 | 87 | 14.18 | 473.00 |
| 88 | 14.31 | 472.00 | 89 | 14.44 | 472.00 | 90 | 14.57 | 472.00 |
| 91 | 14.70 | 472.00 | 92 | 14.83 | 472.00 | 93 | 14.96 | 471.00 |
| 94 | 15.09 | 471.00 | 95 | 15.22 | 470.00 | 96 | 15.35 | 469.00 |
| 97 | 15.48 | 470.00 | 98 | 15.61 | 471.00 | 99 | 15.74 | 472.00 |
| 100 | 15.87 | 473.00 | | | | | | |

Detailed Terrain Data

Study: NORTHWAY COMMUNICATIONS INC
Site: NORTHWAY COMMUNICATIONS INC site
Radial 4 of 12, 90.0 degrees true

Latitude: N45-58-36.00
Longitude: W90-28-00.00

| Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) |
|-----------------|--------------|-------------|-----------------|--------------|-------------|-----------------|--------------|-------------|
| 1 | 3.00 | 474.00 | 2 | 3.13 | 480.00 | 3 | 3.26 | 487.00 |
| 4 | 3.39 | 487.00 | 5 | 3.52 | 479.00 | 6 | 3.65 | 469.00 |
| 7 | 3.78 | 463.00 | 8 | 3.91 | 458.00 | 9 | 4.04 | 451.00 |
| 10 | 4.17 | 445.00 | 11 | 4.30 | 445.00 | 12 | 4.43 | 449.00 |
| 13 | 4.56 | 457.00 | 14 | 4.69 | 459.00 | 15 | 4.82 | 461.00 |
| 16 | 4.95 | 464.00 | 17 | 5.08 | 468.00 | 18 | 5.21 | 472.00 |
| 19 | 5.34 | 472.00 | 20 | 5.47 | 472.00 | 21 | 5.60 | 472.00 |
| 22 | 5.73 | 472.00 | 23 | 5.86 | 473.00 | 24 | 5.99 | 474.00 |
| 25 | 6.12 | 475.00 | 26 | 6.25 | 474.00 | 27 | 6.38 | 473.00 |
| 28 | 6.51 | 472.00 | 29 | 6.64 | 472.00 | 30 | 6.77 | 471.00 |
| 31 | 6.90 | 470.00 | 32 | 7.03 | 470.00 | 33 | 7.16 | 470.00 |
| 34 | 7.29 | 470.00 | 35 | 7.42 | 470.00 | 36 | 7.55 | 471.00 |
| 37 | 7.68 | 470.00 | 38 | 7.81 | 470.00 | 39 | 7.94 | 470.00 |
| 40 | 8.07 | 470.00 | 41 | 8.20 | 468.00 | 42 | 8.33 | 468.00 |
| 43 | 8.46 | 467.00 | 44 | 8.59 | 466.00 | 45 | 8.72 | 465.00 |
| 46 | 8.85 | 465.00 | 47 | 8.98 | 466.00 | 48 | 9.11 | 466.00 |
| 49 | 9.24 | 466.00 | 50 | 9.37 | 466.00 | 51 | 9.50 | 466.00 |
| 52 | 9.63 | 465.00 | 53 | 9.76 | 464.00 | 54 | 9.89 | 462.00 |
| 55 | 10.02 | 461.00 | 56 | 10.15 | 459.00 | 57 | 10.28 | 459.00 |
| 58 | 10.41 | 461.00 | 59 | 10.54 | 461.00 | 60 | 10.67 | 461.00 |
| 61 | 10.80 | 462.00 | 62 | 10.93 | 462.00 | 63 | 11.06 | 463.00 |
| 64 | 11.19 | 463.00 | 65 | 11.32 | 463.00 | 66 | 11.45 | 463.00 |
| 67 | 11.58 | 464.00 | 68 | 11.71 | 464.00 | 69 | 11.84 | 464.00 |
| 70 | 11.97 | 464.00 | 71 | 12.10 | 464.00 | 72 | 12.23 | 466.00 |
| 73 | 12.36 | 468.00 | 74 | 12.49 | 470.00 | 75 | 12.62 | 471.00 |
| 76 | 12.75 | 472.00 | 77 | 12.88 | 471.00 | 78 | 13.01 | 472.00 |
| 79 | 13.14 | 472.00 | 80 | 13.27 | 472.00 | 81 | 13.40 | 472.00 |
| 82 | 13.53 | 472.00 | 83 | 13.66 | 472.00 | 84 | 13.79 | 472.00 |
| 85 | 13.92 | 472.00 | 86 | 14.05 | 472.00 | 87 | 14.18 | 472.00 |
| 88 | 14.31 | 472.00 | 89 | 14.44 | 473.00 | 90 | 14.57 | 473.00 |
| 91 | 14.70 | 473.00 | 92 | 14.83 | 473.00 | 93 | 14.96 | 473.00 |
| 94 | 15.09 | 473.00 | 95 | 15.22 | 473.00 | 96 | 15.35 | 473.00 |
| 97 | 15.48 | 472.00 | 98 | 15.61 | 472.00 | 99 | 15.74 | 472.00 |
| 100 | 15.87 | 471.00 | | | | | | |

Detailed Terrain Data

Study: NORTHWAY COMMUNICATIONS INC
Site: NORTHWAY COMMUNICATIONS INC site
Radial 5 of 12, 120.0 degrees true

Latitude: N45-58-36.00
Longitude: W90-28-00.00

| Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) |
|-----------------|--------------|-------------|-----------------|--------------|-------------|-----------------|--------------|-------------|
| 1 | 3.00 | 472.00 | 2 | 3.13 | 472.00 | 3 | 3.26 | 472.00 |
| 4 | 3.39 | 457.00 | 5 | 3.52 | 445.00 | 6 | 3.65 | 445.00 |
| 7 | 3.78 | 451.00 | 8 | 3.91 | 459.00 | 9 | 4.04 | 457.00 |
| 10 | 4.17 | 466.00 | 11 | 4.30 | 472.00 | 12 | 4.43 | 472.00 |
| 13 | 4.56 | 474.00 | 14 | 4.69 | 477.00 | 15 | 4.82 | 478.00 |
| 16 | 4.95 | 478.00 | 17 | 5.08 | 477.00 | 18 | 5.21 | 475.00 |
| 19 | 5.34 | 475.00 | 20 | 5.47 | 475.00 | 21 | 5.60 | 475.00 |
| 22 | 5.73 | 475.00 | 23 | 5.86 | 474.00 | 24 | 5.99 | 474.00 |
| 25 | 6.12 | 475.00 | 26 | 6.25 | 476.00 | 27 | 6.38 | 477.00 |
| 28 | 6.51 | 477.00 | 29 | 6.64 | 475.00 | 30 | 6.77 | 474.00 |
| 31 | 6.90 | 472.00 | 32 | 7.03 | 472.00 | 33 | 7.16 | 472.00 |
| 34 | 7.29 | 472.00 | 35 | 7.42 | 471.00 | 36 | 7.55 | 471.00 |
| 37 | 7.68 | 471.00 | 38 | 7.81 | 470.00 | 39 | 7.94 | 469.00 |
| 40 | 8.07 | 468.00 | 41 | 8.20 | 468.00 | 42 | 8.33 | 467.00 |
| 43 | 8.46 | 466.00 | 44 | 8.59 | 466.00 | 45 | 8.72 | 465.00 |
| 46 | 8.85 | 465.00 | 47 | 8.98 | 464.00 | 48 | 9.11 | 463.00 |
| 49 | 9.24 | 462.00 | 50 | 9.37 | 461.00 | 51 | 9.50 | 459.00 |
| 52 | 9.63 | 458.00 | 53 | 9.76 | 455.00 | 54 | 9.89 | 454.00 |
| 55 | 10.02 | 451.00 | 56 | 10.15 | 453.00 | 57 | 10.28 | 456.00 |
| 58 | 10.41 | 456.00 | 59 | 10.54 | 456.00 | 60 | 10.67 | 456.00 |
| 61 | 10.80 | 456.00 | 62 | 10.93 | 456.00 | 63 | 11.06 | 456.00 |
| 64 | 11.19 | 457.00 | 65 | 11.32 | 459.00 | 66 | 11.45 | 464.00 |
| 67 | 11.58 | 467.00 | 68 | 11.71 | 470.00 | 69 | 11.84 | 472.00 |
| 70 | 11.97 | 472.00 | 71 | 12.10 | 472.00 | 72 | 12.23 | 472.00 |
| 73 | 12.36 | 472.00 | 74 | 12.49 | 466.00 | 75 | 12.62 | 464.00 |
| 76 | 12.75 | 463.00 | 77 | 12.88 | 461.00 | 78 | 13.01 | 460.00 |
| 79 | 13.14 | 461.00 | 80 | 13.27 | 463.00 | 81 | 13.40 | 464.00 |
| 82 | 13.53 | 469.00 | 83 | 13.66 | 468.00 | 84 | 13.79 | 469.00 |
| 85 | 13.92 | 470.00 | 86 | 14.05 | 470.00 | 87 | 14.18 | 470.00 |
| 88 | 14.31 | 471.00 | 89 | 14.44 | 472.00 | 90 | 14.57 | 472.00 |
| 91 | 14.70 | 472.00 | 92 | 14.83 | 472.00 | 93 | 14.96 | 472.00 |
| 94 | 15.09 | 472.00 | 95 | 15.22 | 472.00 | 96 | 15.35 | 472.00 |
| 97 | 15.48 | 472.00 | 98 | 15.61 | 472.00 | 99 | 15.74 | 472.00 |
| 100 | 15.87 | 472.00 | | | | | | |

Detailed Terrain Data

Study: NORTHWAY COMMUNICATIONS INC
Site: NORTHWAY COMMUNICATIONS INC site
Radial 6 of 12, 150.0 degrees true

Latitude: N45-58-36.00
Longitude: W90-28-00.00

| Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) |
|-----------------|--------------|-------------|-----------------|--------------|-------------|-----------------|--------------|-------------|
| 1 | 3.00 | 472.00 | 2 | 3.13 | 472.00 | 3 | 3.26 | 471.00 |
| 4 | 3.39 | 470.00 | 5 | 3.52 | 467.00 | 6 | 3.65 | 463.00 |
| 7 | 3.78 | 461.00 | 8 | 3.91 | 458.00 | 9 | 4.04 | 452.00 |
| 10 | 4.17 | 445.00 | 11 | 4.30 | 449.00 | 12 | 4.43 | 455.00 |
| 13 | 4.56 | 458.00 | 14 | 4.69 | 461.00 | 15 | 4.82 | 462.00 |
| 16 | 4.95 | 463.00 | 17 | 5.08 | 464.00 | 18 | 5.21 | 464.00 |
| 19 | 5.34 | 466.00 | 20 | 5.47 | 468.00 | 21 | 5.60 | 470.00 |
| 22 | 5.73 | 471.00 | 23 | 5.86 | 472.00 | 24 | 5.99 | 474.00 |
| 25 | 6.12 | 475.00 | 26 | 6.25 | 474.00 | 27 | 6.38 | 475.00 |
| 28 | 6.51 | 475.00 | 29 | 6.64 | 473.00 | 30 | 6.77 | 469.00 |
| 31 | 6.90 | 460.00 | 32 | 7.03 | 457.00 | 33 | 7.16 | 458.00 |
| 34 | 7.29 | 457.00 | 35 | 7.42 | 454.00 | 36 | 7.55 | 451.00 |
| 37 | 7.68 | 452.00 | 38 | 7.81 | 455.00 | 39 | 7.94 | 456.00 |
| 40 | 8.07 | 457.00 | 41 | 8.20 | 462.00 | 42 | 8.33 | 468.00 |
| 43 | 8.46 | 472.00 | 44 | 8.59 | 472.00 | 45 | 8.72 | 466.00 |
| 46 | 8.85 | 465.00 | 47 | 8.98 | 464.00 | 48 | 9.11 | 464.00 |
| 49 | 9.24 | 464.00 | 50 | 9.37 | 464.00 | 51 | 9.50 | 464.00 |
| 52 | 9.63 | 461.00 | 53 | 9.76 | 457.00 | 54 | 9.89 | 456.00 |
| 55 | 10.02 | 456.00 | 56 | 10.15 | 456.00 | 57 | 10.28 | 456.00 |
| 58 | 10.41 | 455.00 | 59 | 10.54 | 455.00 | 60 | 10.67 | 455.00 |
| 61 | 10.80 | 456.00 | 62 | 10.93 | 457.00 | 63 | 11.06 | 456.00 |
| 64 | 11.19 | 456.00 | 65 | 11.32 | 456.00 | 66 | 11.45 | 454.00 |
| 67 | 11.58 | 449.00 | 68 | 11.71 | 448.00 | 69 | 11.84 | 452.00 |
| 70 | 11.97 | 457.00 | 71 | 12.10 | 459.00 | 72 | 12.23 | 460.00 |
| 73 | 12.36 | 462.00 | 74 | 12.49 | 462.00 | 75 | 12.62 | 459.00 |
| 76 | 12.75 | 458.00 | 77 | 12.88 | 457.00 | 78 | 13.01 | 457.00 |
| 79 | 13.14 | 457.00 | 80 | 13.27 | 456.00 | 81 | 13.40 | 456.00 |
| 82 | 13.53 | 456.00 | 83 | 13.66 | 456.00 | 84 | 13.79 | 457.00 |
| 85 | 13.92 | 457.00 | 86 | 14.05 | 457.00 | 87 | 14.18 | 456.00 |
| 88 | 14.31 | 456.00 | 89 | 14.44 | 455.00 | 90 | 14.57 | 454.00 |
| 91 | 14.70 | 454.00 | 92 | 14.83 | 454.00 | 93 | 14.96 | 455.00 |
| 94 | 15.09 | 456.00 | 95 | 15.22 | 457.00 | 96 | 15.35 | 456.00 |
| 97 | 15.48 | 457.00 | 98 | 15.61 | 457.00 | 99 | 15.74 | 457.00 |
| 100 | 15.87 | 458.00 | | | | | | |

Detailed Terrain Data

Study: NORTHWAY COMMUNICATIONS INC
Site: NORTHWAY COMMUNICATIONS INC site
Radial 7 of 12, 180.0 degrees true

Latitude: N45-58-36.00
Longitude: W90-28-00.00

| Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) |
|-----------------|--------------|-------------|-----------------|--------------|-------------|-----------------|--------------|-------------|
| 1 | 3.00 | 454.00 | 2 | 3.13 | 454.00 | 3 | 3.26 | 455.00 |
| 4 | 3.39 | 455.00 | 5 | 3.52 | 457.00 | 6 | 3.65 | 456.00 |
| 7 | 3.78 | 456.00 | 8 | 3.91 | 456.00 | 9 | 4.04 | 456.00 |
| 10 | 4.17 | 456.00 | 11 | 4.30 | 456.00 | 12 | 4.43 | 461.00 |
| 13 | 4.56 | 461.00 | 14 | 4.69 | 461.00 | 15 | 4.82 | 458.00 |
| 16 | 4.95 | 456.00 | 17 | 5.08 | 456.00 | 18 | 5.21 | 456.00 |
| 19 | 5.34 | 456.00 | 20 | 5.47 | 456.00 | 21 | 5.60 | 456.00 |
| 22 | 5.73 | 456.00 | 23 | 5.86 | 456.00 | 24 | 5.99 | 456.00 |
| 25 | 6.12 | 457.00 | 26 | 6.25 | 457.00 | 27 | 6.38 | 458.00 |
| 28 | 6.51 | 458.00 | 29 | 6.64 | 459.00 | 30 | 6.77 | 459.00 |
| 31 | 6.90 | 459.00 | 32 | 7.03 | 460.00 | 33 | 7.16 | 460.00 |
| 34 | 7.29 | 459.00 | 35 | 7.42 | 458.00 | 36 | 7.55 | 455.00 |
| 37 | 7.68 | 454.00 | 38 | 7.81 | 452.00 | 39 | 7.94 | 447.00 |
| 40 | 8.07 | 445.00 | 41 | 8.20 | 447.00 | 42 | 8.33 | 450.00 |
| 43 | 8.46 | 457.00 | 44 | 8.59 | 457.00 | 45 | 8.72 | 456.00 |
| 46 | 8.85 | 457.00 | 47 | 8.98 | 457.00 | 48 | 9.11 | 457.00 |
| 49 | 9.24 | 457.00 | 50 | 9.37 | 457.00 | 51 | 9.50 | 457.00 |
| 52 | 9.63 | 457.00 | 53 | 9.76 | 457.00 | 54 | 9.89 | 457.00 |
| 55 | 10.02 | 457.00 | 56 | 10.15 | 457.00 | 57 | 10.28 | 457.00 |
| 58 | 10.41 | 457.00 | 59 | 10.54 | 457.00 | 60 | 10.67 | 457.00 |
| 61 | 10.80 | 457.00 | 62 | 10.93 | 456.00 | 63 | 11.06 | 456.00 |
| 64 | 11.19 | 456.00 | 65 | 11.32 | 456.00 | 66 | 11.45 | 456.00 |
| 67 | 11.58 | 458.00 | 68 | 11.71 | 459.00 | 69 | 11.84 | 463.00 |
| 70 | 11.97 | 463.00 | 71 | 12.10 | 463.00 | 72 | 12.23 | 457.00 |
| 73 | 12.36 | 456.00 | 74 | 12.49 | 451.00 | 75 | 12.62 | 448.00 |
| 76 | 12.75 | 447.00 | 77 | 12.88 | 443.00 | 78 | 13.01 | 441.00 |
| 79 | 13.14 | 441.00 | 80 | 13.27 | 441.00 | 81 | 13.40 | 441.00 |
| 82 | 13.53 | 441.00 | 83 | 13.66 | 441.00 | 84 | 13.79 | 450.00 |
| 85 | 13.92 | 451.00 | 86 | 14.05 | 451.00 | 87 | 14.18 | 453.00 |
| 88 | 14.31 | 456.00 | 89 | 14.44 | 453.00 | 90 | 14.57 | 447.00 |
| 91 | 14.70 | 447.00 | 92 | 14.83 | 449.00 | 93 | 14.96 | 451.00 |
| 94 | 15.09 | 453.00 | 95 | 15.22 | 454.00 | 96 | 15.35 | 458.00 |
| 97 | 15.48 | 459.00 | 98 | 15.61 | 459.00 | 99 | 15.74 | 458.00 |
| 100 | 15.87 | 457.00 | | | | | | |

Detailed Terrain Data

Study: NORTHWAY COMMUNICATIONS INC
Site: NORTHWAY COMMUNICATIONS INC site
Radial 8 of 12, 210.0 degrees true

Latitude: N45-58-36.00
Longitude: W90-28-00.00

| Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) |
|-----------------|--------------|-------------|-----------------|--------------|-------------|-----------------|--------------|-------------|
| 1 | 3.00 | 471.00 | 2 | 3.13 | 471.00 | 3 | 3.26 | 471.00 |
| 4 | 3.39 | 470.00 | 5 | 3.52 | 469.00 | 6 | 3.65 | 469.00 |
| 7 | 3.78 | 469.00 | 8 | 3.91 | 468.00 | 9 | 4.04 | 468.00 |
| 10 | 4.17 | 466.00 | 11 | 4.30 | 466.00 | 12 | 4.43 | 465.00 |
| 13 | 4.56 | 464.00 | 14 | 4.69 | 462.00 | 15 | 4.82 | 460.00 |
| 16 | 4.95 | 459.00 | 17 | 5.08 | 457.00 | 18 | 5.21 | 457.00 |
| 19 | 5.34 | 456.00 | 20 | 5.47 | 456.00 | 21 | 5.60 | 456.00 |
| 22 | 5.73 | 456.00 | 23 | 5.86 | 455.00 | 24 | 5.99 | 455.00 |
| 25 | 6.12 | 455.00 | 26 | 6.25 | 455.00 | 27 | 6.38 | 455.00 |
| 28 | 6.51 | 455.00 | 29 | 6.64 | 454.00 | 30 | 6.77 | 454.00 |
| 31 | 6.90 | 453.00 | 32 | 7.03 | 452.00 | 33 | 7.16 | 451.00 |
| 34 | 7.29 | 451.00 | 35 | 7.42 | 451.00 | 36 | 7.55 | 452.00 |
| 37 | 7.68 | 452.00 | 38 | 7.81 | 452.00 | 39 | 7.94 | 453.00 |
| 40 | 8.07 | 453.00 | 41 | 8.20 | 455.00 | 42 | 8.33 | 457.00 |
| 43 | 8.46 | 456.00 | 44 | 8.59 | 456.00 | 45 | 8.72 | 455.00 |
| 46 | 8.85 | 454.00 | 47 | 8.98 | 454.00 | 48 | 9.11 | 455.00 |
| 49 | 9.24 | 456.00 | 50 | 9.37 | 456.00 | 51 | 9.50 | 456.00 |
| 52 | 9.63 | 457.00 | 53 | 9.76 | 454.00 | 54 | 9.89 | 448.00 |
| 55 | 10.02 | 446.00 | 56 | 10.15 | 444.00 | 57 | 10.28 | 442.00 |
| 58 | 10.41 | 441.00 | 59 | 10.54 | 441.00 | 60 | 10.67 | 441.00 |
| 61 | 10.80 | 441.00 | 62 | 10.93 | 441.00 | 63 | 11.06 | 441.00 |
| 64 | 11.19 | 441.00 | 65 | 11.32 | 441.00 | 66 | 11.45 | 441.00 |
| 67 | 11.58 | 441.00 | 68 | 11.71 | 441.00 | 69 | 11.84 | 441.00 |
| 70 | 11.97 | 440.00 | 71 | 12.10 | 438.00 | 72 | 12.23 | 439.00 |
| 73 | 12.36 | 441.00 | 74 | 12.49 | 445.00 | 75 | 12.62 | 444.00 |
| 76 | 12.75 | 443.00 | 77 | 12.88 | 446.00 | 78 | 13.01 | 450.00 |
| 79 | 13.14 | 454.00 | 80 | 13.27 | 457.00 | 81 | 13.40 | 457.00 |
| 82 | 13.53 | 456.00 | 83 | 13.66 | 456.00 | 84 | 13.79 | 456.00 |
| 85 | 13.92 | 457.00 | 86 | 14.05 | 449.00 | 87 | 14.18 | 443.00 |
| 88 | 14.31 | 438.00 | 89 | 14.44 | 440.00 | 90 | 14.57 | 442.00 |
| 91 | 14.70 | 444.00 | 92 | 14.83 | 445.00 | 93 | 14.96 | 448.00 |
| 94 | 15.09 | 450.00 | 95 | 15.22 | 451.00 | 96 | 15.35 | 452.00 |
| 97 | 15.48 | 454.00 | 98 | 15.61 | 455.00 | 99 | 15.74 | 455.00 |
| 100 | 15.87 | 455.00 | | | | | | |

Detailed Terrain Data

Study: NORTHWAY COMMUNICATIONS INC
Site: NORTHWAY COMMUNICATIONS INC site
Radial 9 of 12, 240.0 degrees true

Latitude: N45-58-36.00
Longitude: W90-28-00.00

| Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) |
|-----------------|--------------|-------------|-----------------|--------------|-------------|-----------------|--------------|-------------|
| 1 | 3.00 | 472.00 | 2 | 3.13 | 472.00 | 3 | 3.26 | 472.00 |
| 4 | 3.39 | 472.00 | 5 | 3.52 | 472.00 | 6 | 3.65 | 471.00 |
| 7 | 3.78 | 470.00 | 8 | 3.91 | 467.00 | 9 | 4.04 | 464.00 |
| 10 | 4.17 | 460.00 | 11 | 4.30 | 457.00 | 12 | 4.43 | 454.00 |
| 13 | 4.56 | 451.00 | 14 | 4.69 | 451.00 | 15 | 4.82 | 451.00 |
| 16 | 4.95 | 451.00 | 17 | 5.08 | 451.00 | 18 | 5.21 | 451.00 |
| 19 | 5.34 | 451.00 | 20 | 5.47 | 451.00 | 21 | 5.60 | 451.00 |
| 22 | 5.73 | 451.00 | 23 | 5.86 | 452.00 | 24 | 5.99 | 453.00 |
| 25 | 6.12 | 457.00 | 26 | 6.25 | 458.00 | 27 | 6.38 | 458.00 |
| 28 | 6.51 | 458.00 | 29 | 6.64 | 459.00 | 30 | 6.77 | 459.00 |
| 31 | 6.90 | 459.00 | 32 | 7.03 | 459.00 | 33 | 7.16 | 459.00 |
| 34 | 7.29 | 459.00 | 35 | 7.42 | 458.00 | 36 | 7.55 | 457.00 |
| 37 | 7.68 | 457.00 | 38 | 7.81 | 456.00 | 39 | 7.94 | 452.00 |
| 40 | 8.07 | 452.00 | 41 | 8.20 | 452.00 | 42 | 8.33 | 453.00 |
| 43 | 8.46 | 452.00 | 44 | 8.59 | 454.00 | 45 | 8.72 | 455.00 |
| 46 | 8.85 | 456.00 | 47 | 8.98 | 455.00 | 48 | 9.11 | 457.00 |
| 49 | 9.24 | 457.00 | 50 | 9.37 | 457.00 | 51 | 9.50 | 458.00 |
| 52 | 9.63 | 459.00 | 53 | 9.76 | 459.00 | 54 | 9.89 | 459.00 |
| 55 | 10.02 | 459.00 | 56 | 10.15 | 458.00 | 57 | 10.28 | 458.00 |
| 58 | 10.41 | 455.00 | 59 | 10.54 | 454.00 | 60 | 10.67 | 457.00 |
| 61 | 10.80 | 462.00 | 62 | 10.93 | 461.00 | 63 | 11.06 | 461.00 |
| 64 | 11.19 | 462.00 | 65 | 11.32 | 462.00 | 66 | 11.45 | 462.00 |
| 67 | 11.58 | 461.00 | 68 | 11.71 | 461.00 | 69 | 11.84 | 458.00 |
| 70 | 11.97 | 457.00 | 71 | 12.10 | 457.00 | 72 | 12.23 | 457.00 |
| 73 | 12.36 | 457.00 | 74 | 12.49 | 459.00 | 75 | 12.62 | 460.00 |
| 76 | 12.75 | 462.00 | 77 | 12.88 | 463.00 | 78 | 13.01 | 466.00 |
| 79 | 13.14 | 467.00 | 80 | 13.27 | 469.00 | 81 | 13.40 | 471.00 |
| 82 | 13.53 | 471.00 | 83 | 13.66 | 471.00 | 84 | 13.79 | 471.00 |
| 85 | 13.92 | 471.00 | 86 | 14.05 | 472.00 | 87 | 14.18 | 469.00 |
| 88 | 14.31 | 467.00 | 89 | 14.44 | 462.00 | 90 | 14.57 | 457.00 |
| 91 | 14.70 | 456.00 | 92 | 14.83 | 456.00 | 93 | 14.96 | 457.00 |
| 94 | 15.09 | 457.00 | 95 | 15.22 | 456.00 | 96 | 15.35 | 456.00 |
| 97 | 15.48 | 457.00 | 98 | 15.61 | 454.00 | 99 | 15.74 | 452.00 |
| 100 | 15.87 | 451.00 | | | | | | |

Detailed Terrain Data

Study: NORTHWAY COMMUNICATIONS INC
Site: NORTHWAY COMMUNICATIONS INC site
Radial 10 of 12, 270.0 degrees true

Latitude: N45-58-36.00
Longitude: W90-28-00.00

| Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) |
|-----------------|--------------|-------------|-----------------|--------------|-------------|-----------------|--------------|-------------|
| 1 | 3.00 | 456.00 | 2 | 3.13 | 456.00 | 3 | 3.26 | 457.00 |
| 4 | 3.39 | 456.00 | 5 | 3.52 | 457.00 | 6 | 3.65 | 454.00 |
| 7 | 3.78 | 451.00 | 8 | 3.91 | 451.00 | 9 | 4.04 | 451.00 |
| 10 | 4.17 | 451.00 | 11 | 4.30 | 451.00 | 12 | 4.43 | 451.00 |
| 13 | 4.56 | 452.00 | 14 | 4.69 | 458.00 | 15 | 4.82 | 466.00 |
| 16 | 4.95 | 471.00 | 17 | 5.08 | 472.00 | 18 | 5.21 | 472.00 |
| 19 | 5.34 | 472.00 | 20 | 5.47 | 472.00 | 21 | 5.60 | 473.00 |
| 22 | 5.73 | 473.00 | 23 | 5.86 | 474.00 | 24 | 5.99 | 475.00 |
| 25 | 6.12 | 477.00 | 26 | 6.25 | 478.00 | 27 | 6.38 | 480.00 |
| 28 | 6.51 | 481.00 | 29 | 6.64 | 478.00 | 30 | 6.77 | 477.00 |
| 31 | 6.90 | 475.00 | 32 | 7.03 | 472.00 | 33 | 7.16 | 472.00 |
| 34 | 7.29 | 471.00 | 35 | 7.42 | 470.00 | 36 | 7.55 | 469.00 |
| 37 | 7.68 | 470.00 | 38 | 7.81 | 472.00 | 39 | 7.94 | 474.00 |
| 40 | 8.07 | 476.00 | 41 | 8.20 | 477.00 | 42 | 8.33 | 478.00 |
| 43 | 8.46 | 482.00 | 44 | 8.59 | 485.00 | 45 | 8.72 | 485.00 |
| 46 | 8.85 | 487.00 | 47 | 8.98 | 487.00 | 48 | 9.11 | 487.00 |
| 49 | 9.24 | 487.00 | 50 | 9.37 | 487.00 | 51 | 9.50 | 487.00 |
| 52 | 9.63 | 477.00 | 53 | 9.76 | 472.00 | 54 | 9.89 | 472.00 |
| 55 | 10.02 | 472.00 | 56 | 10.15 | 472.00 | 57 | 10.28 | 472.00 |
| 58 | 10.41 | 472.00 | 59 | 10.54 | 472.00 | 60 | 10.67 | 472.00 |
| 61 | 10.80 | 472.00 | 62 | 10.93 | 473.00 | 63 | 11.06 | 474.00 |
| 64 | 11.19 | 475.00 | 65 | 11.32 | 474.00 | 66 | 11.45 | 475.00 |
| 67 | 11.58 | 473.00 | 68 | 11.71 | 472.00 | 69 | 11.84 | 466.00 |
| 70 | 11.97 | 461.00 | 71 | 12.10 | 457.00 | 72 | 12.23 | 456.00 |
| 73 | 12.36 | 456.00 | 74 | 12.49 | 456.00 | 75 | 12.62 | 456.00 |
| 76 | 12.75 | 456.00 | 77 | 12.88 | 457.00 | 78 | 13.01 | 457.00 |
| 79 | 13.14 | 453.00 | 80 | 13.27 | 450.00 | 81 | 13.40 | 448.00 |
| 82 | 13.53 | 449.00 | 83 | 13.66 | 450.00 | 84 | 13.79 | 451.00 |
| 85 | 13.92 | 452.00 | 86 | 14.05 | 453.00 | 87 | 14.18 | 454.00 |
| 88 | 14.31 | 455.00 | 89 | 14.44 | 457.00 | 90 | 14.57 | 459.00 |
| 91 | 14.70 | 462.00 | 92 | 14.83 | 466.00 | 93 | 14.96 | 472.00 |
| 94 | 15.09 | 472.00 | 95 | 15.22 | 472.00 | 96 | 15.35 | 475.00 |
| 97 | 15.48 | 487.00 | 98 | 15.61 | 485.00 | 99 | 15.74 | 487.00 |
| 100 | 15.87 | 484.00 | | | | | | |

Detailed Terrain Data

Study: NORTHWAY COMMUNICATIONS INC
Site: NORTHWAY COMMUNICATIONS INC site
Radial 11 of 12, 300.0 degrees true

Latitude: N45-58-36.00
Longitude: W90-28-00.00

| Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) |
|-----------------|--------------|-------------|-----------------|--------------|-------------|-----------------|--------------|-------------|
| 1 | 3.00 | 459.00 | 2 | 3.13 | 457.00 | 3 | 3.26 | 455.00 |
| 4 | 3.39 | 452.00 | 5 | 3.52 | 451.00 | 6 | 3.65 | 451.00 |
| 7 | 3.78 | 452.00 | 8 | 3.91 | 456.00 | 9 | 4.04 | 461.00 |
| 10 | 4.17 | 470.00 | 11 | 4.30 | 474.00 | 12 | 4.43 | 475.00 |
| 13 | 4.56 | 477.00 | 14 | 4.69 | 479.00 | 15 | 4.82 | 479.00 |
| 16 | 4.95 | 478.00 | 17 | 5.08 | 473.00 | 18 | 5.21 | 468.00 |
| 19 | 5.34 | 465.00 | 20 | 5.47 | 464.00 | 21 | 5.60 | 465.00 |
| 22 | 5.73 | 469.00 | 23 | 5.86 | 474.00 | 24 | 5.99 | 481.00 |
| 25 | 6.12 | 484.00 | 26 | 6.25 | 487.00 | 27 | 6.38 | 487.00 |
| 28 | 6.51 | 487.00 | 29 | 6.64 | 487.00 | 30 | 6.77 | 487.00 |
| 31 | 6.90 | 487.00 | 32 | 7.03 | 487.00 | 33 | 7.16 | 487.00 |
| 34 | 7.29 | 487.00 | 35 | 7.42 | 486.00 | 36 | 7.55 | 485.00 |
| 37 | 7.68 | 485.00 | 38 | 7.81 | 483.00 | 39 | 7.94 | 482.00 |
| 40 | 8.07 | 483.00 | 41 | 8.20 | 485.00 | 42 | 8.33 | 486.00 |
| 43 | 8.46 | 487.00 | 44 | 8.59 | 488.00 | 45 | 8.72 | 487.00 |
| 46 | 8.85 | 488.00 | 47 | 8.98 | 487.00 | 48 | 9.11 | 487.00 |
| 49 | 9.24 | 487.00 | 50 | 9.37 | 487.00 | 51 | 9.50 | 487.00 |
| 52 | 9.63 | 488.00 | 53 | 9.76 | 487.00 | 54 | 9.89 | 487.00 |
| 55 | 10.02 | 487.00 | 56 | 10.15 | 487.00 | 57 | 10.28 | 487.00 |
| 58 | 10.41 | 488.00 | 59 | 10.54 | 487.00 | 60 | 10.67 | 487.00 |
| 61 | 10.80 | 488.00 | 62 | 10.93 | 479.00 | 63 | 11.06 | 474.00 |
| 64 | 11.19 | 472.00 | 65 | 11.32 | 472.00 | 66 | 11.45 | 472.00 |
| 67 | 11.58 | 470.00 | 68 | 11.71 | 470.00 | 69 | 11.84 | 470.00 |
| 70 | 11.97 | 468.00 | 71 | 12.10 | 463.00 | 72 | 12.23 | 466.00 |
| 73 | 12.36 | 472.00 | 74 | 12.49 | 481.00 | 75 | 12.62 | 498.00 |
| 76 | 12.75 | 503.00 | 77 | 12.88 | 503.00 | 78 | 13.01 | 503.00 |
| 79 | 13.14 | 503.00 | 80 | 13.27 | 502.00 | 81 | 13.40 | 502.00 |
| 82 | 13.53 | 501.00 | 83 | 13.66 | 499.00 | 84 | 13.79 | 498.00 |
| 85 | 13.92 | 496.00 | 86 | 14.05 | 493.00 | 87 | 14.18 | 492.00 |
| 88 | 14.31 | 491.00 | 89 | 14.44 | 490.00 | 90 | 14.57 | 489.00 |
| 91 | 14.70 | 486.00 | 92 | 14.83 | 483.00 | 93 | 14.96 | 480.00 |
| 94 | 15.09 | 479.00 | 95 | 15.22 | 476.00 | 96 | 15.35 | 473.00 |
| 97 | 15.48 | 472.00 | 98 | 15.61 | 472.00 | 99 | 15.74 | 470.00 |
| 100 | 15.87 | 466.00 | | | | | | |

Detailed Terrain Data

Study: NORTHWAY COMMUNICATIONS INC
Site: NORTHWAY COMMUNICATIONS INC site
Radial 12 of 12, 330.0 degrees true

Latitude: N45-58-36.00
Longitude: W90-28-00.00

| Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) | Point Number | Dist (km) | Elev (m) |
|-----------------|--------------|-------------|-----------------|--------------|-------------|-----------------|--------------|-------------|
| 1 | 3.00 | 469.00 | 2 | 3.13 | 470.00 | 3 | 3.26 | 470.00 |
| 4 | 3.39 | 470.00 | 5 | 3.52 | 469.00 | 6 | 3.65 | 468.00 |
| 7 | 3.78 | 467.00 | 8 | 3.91 | 465.00 | 9 | 4.04 | 463.00 |
| 10 | 4.17 | 461.00 | 11 | 4.30 | 461.00 | 12 | 4.43 | 463.00 |
| 13 | 4.56 | 465.00 | 14 | 4.69 | 467.00 | 15 | 4.82 | 468.00 |
| 16 | 4.95 | 469.00 | 17 | 5.08 | 471.00 | 18 | 5.21 | 472.00 |
| 19 | 5.34 | 476.00 | 20 | 5.47 | 479.00 | 21 | 5.60 | 480.00 |
| 22 | 5.73 | 478.00 | 23 | 5.86 | 474.00 | 24 | 5.99 | 473.00 |
| 25 | 6.12 | 473.00 | 26 | 6.25 | 474.00 | 27 | 6.38 | 474.00 |
| 28 | 6.51 | 474.00 | 29 | 6.64 | 475.00 | 30 | 6.77 | 475.00 |
| 31 | 6.90 | 475.00 | 32 | 7.03 | 475.00 | 33 | 7.16 | 475.00 |
| 34 | 7.29 | 475.00 | 35 | 7.42 | 476.00 | 36 | 7.55 | 479.00 |
| 37 | 7.68 | 479.00 | 38 | 7.81 | 479.00 | 39 | 7.94 | 480.00 |
| 40 | 8.07 | 480.00 | 41 | 8.20 | 481.00 | 42 | 8.33 | 481.00 |
| 43 | 8.46 | 481.00 | 44 | 8.59 | 482.00 | 45 | 8.72 | 482.00 |
| 46 | 8.85 | 483.00 | 47 | 8.98 | 484.00 | 48 | 9.11 | 485.00 |
| 49 | 9.24 | 486.00 | 50 | 9.37 | 487.00 | 51 | 9.50 | 487.00 |
| 52 | 9.63 | 487.00 | 53 | 9.76 | 487.00 | 54 | 9.89 | 487.00 |
| 55 | 10.02 | 485.00 | 56 | 10.15 | 482.00 | 57 | 10.28 | 478.00 |
| 58 | 10.41 | 472.00 | 59 | 10.54 | 473.00 | 60 | 10.67 | 472.00 |
| 61 | 10.80 | 479.00 | 62 | 10.93 | 487.00 | 63 | 11.06 | 487.00 |
| 64 | 11.19 | 487.00 | 65 | 11.32 | 488.00 | 66 | 11.45 | 488.00 |
| 67 | 11.58 | 486.00 | 68 | 11.71 | 486.00 | 69 | 11.84 | 488.00 |
| 70 | 11.97 | 472.00 | 71 | 12.10 | 472.00 | 72 | 12.23 | 472.00 |
| 73 | 12.36 | 472.00 | 74 | 12.49 | 472.00 | 75 | 12.62 | 472.00 |
| 76 | 12.75 | 472.00 | 77 | 12.88 | 472.00 | 78 | 13.01 | 472.00 |
| 79 | 13.14 | 472.00 | 80 | 13.27 | 471.00 | 81 | 13.40 | 470.00 |
| 82 | 13.53 | 469.00 | 83 | 13.66 | 469.00 | 84 | 13.79 | 468.00 |
| 85 | 13.92 | 467.00 | 86 | 14.05 | 466.00 | 87 | 14.18 | 470.00 |
| 88 | 14.31 | 472.00 | 89 | 14.44 | 472.00 | 90 | 14.57 | 480.00 |
| 91 | 14.70 | 488.00 | 92 | 14.83 | 487.00 | 93 | 14.96 | 488.00 |
| 94 | 15.09 | 482.00 | 95 | 15.22 | 472.00 | 96 | 15.35 | 472.00 |
| 97 | 15.48 | 472.00 | 98 | 15.61 | 471.00 | 99 | 15.74 | 469.00 |
| 100 | 15.87 | 468.00 | | | | | | |