

MINOR CHANGE APPLICATION
ARSO RADIO CORPORATION
W285DL FM TRANSLATOR STATION
CH 285D - 104.9 MHZ - 0.25 KW (DA)
HORMIGUEROS, PUERTO RICO
May 2007

EXHIBIT B1

Interference Review for W285DL Hormigueros, Puerto Rico
Using Proposed Site as Reference

REFERENCE CH# 285D - 104.9 MHz, Pwr= 0.25 kW, HAAT=158.0M, COR= 257.9 M DISPLAY DATES
 17 59 37.0 N. Average Protected F(50-50)= 16.4 km DATA 05-16-07
 67 10 27.0 W. SEARCH 05-17-07

CH CITY	CALL	TYPE ANT STATE	AZI. <--	DIST FILE #	LAT. LNG.	Pwr(kW) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap in km)	*OUT*
285D Hormigueros	W285DL	LIC DVN PR	44.9 224.9	12.63 BLFT-19971231TC	18 04 27.0 67 05 23.0	0.099 158	19.4 237	5.6 Arso Radio Corporation	-21.28*	-40.50
1 288A Aguada	WFDT	LIC CX PR	358.7 178.7	35.67 BLH-20020924AAE	18 18 57.0 67 10 54.0	3.000 304	3.3 357	42.9 Arso Radio Corporation	12.43	-8.28*
286B Ponce	WIOC	LIC CN PR	90.2 270.4	57.72 BLH-19990225KF	17 59 27.0 66 37 45.0	47.000 -61	44.3 35	35.7 Cadena Estereotempo, Inc.	10.43	15.28
231B Mayaguez	WNOD	LIC C PR	48.1 228.2	26.26 BMLH-19990720KA	18 09 05.0 66 59 20.0	25.000 597	75.0 896	50.3 WNOD, Inc.	11.8R	14.5M
283D Anasco	AP5178	APP DC PR	359.0 179.0	37.02 BNPFT-20030311ASB	18 19 41.0 67 10 50.0	0.010	0.0 277	3.7 West Coast Broadcasting	17.04	32.23
284B San Juan	WKAQ-FM	LIC CN PR	74.0 254.3	116.96 BLH-19961118KC	18 16 51.0 66 06 38.0	50.000 372	79.8 592	66.6 Univision Radio Puerto Rico	27.87	30.96

Note 1: This is the station which is being translated, and therefore, the interference is not considered.

Terrain database is NGDC 30 SEC

ERP and HAAT on direct-line with reference station.

Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)

***affixed to 'IN' or 'OUT' values = site inside protected contour.

Graham Brock, Inc. - Broadcast Technical Consultants

W285DL - Proposed
 Latitude: 17-59-37 N
 Longitude: 067-10-27 W
 ERP: 0.25 kW
 Channel: 285D
 AMSL Height: 257.9 m

WKAQ-FM
 BLH-19961118KC
 Latitude: 18-16-51 N
 Longitude: 066-06-38 W
 ERP: 50.00 kW
 Channel: 284B
 AMSL Height: 592.0 m

WIOC
 BLH-19990225KF
 Latitude: 17-59-27 N
 Longitude: 066-37-45 W
 ERP: 47.00 kW
 Channel: 286B
 AMSL Height: 35.0 m


W285DL 48 dBu (50/10)

WKAQ-FM 54 dBu

WIOC 54 dBu

W285DL 60 dBu

EXHIBIT B2
MINOR CHANGE APPLICATION
ARSO RADIO CORPORATION
W285DL FM TRANSLATOR
CH 285D - 104.9 MHZ - 0.250 KW (DA)
HORMIGUEROS, PUERTO RICO
 May 2007



MINOR CHANGE APPLICATION
ARSO RADIO CORPORATION
W285DL FM TRANSLATOR STATION
CH 285D - 104.9 MHZ - 0.25 KW (DA)
HORMIGUEROS, PUERTO RICO
May 2007

EXHIBIT B3

Predicted Contour:

N. Lat. = 17 59 37 - Tabulated Protected and Interfering Contour Data
W. Lng. = 67 10 27 - W285DL FM Translator - Hormigueros, Puerto Rico

Azi.	HAAT	ERP kW	dBk	Field	60-F5	34-F1	40-F1	48-F1	54-F1	94-F1	100-F1
000	232.3	0.2450	-6.11	0.990	19.85	78.93	61.25	41.57	29.45	1.95	1.10
010	225.6	0.2450	-6.11	0.990	19.56	78.20	60.57	40.95	29.04	1.94	1.10
020	230.2	0.2247	-6.48	0.948	19.33	77.55	60.03	40.54	28.71	1.88	1.05
030	208.8	0.1877	-7.27	0.867	17.58	72.72	55.75	36.88	26.24	1.69	0.96
040	191.6	0.1419	-8.48	0.753	15.58	67.00	50.66	32.96	23.52	1.61	0.84
050	180.6	0.0952	-10.21	0.617	13.69	60.62	45.02	29.04	20.61	1.37	0.68
060	205.2	0.0545	-12.63	0.467	12.70	56.99	42.14	26.95	18.96	1.03	0.52
070	233.2	0.0210	-16.77	0.290	10.76	49.57	35.93	22.71	15.35	0.64	0.32
080	230.0	0.0036	-24.44	0.120	6.68	32.33	23.00	13.55	9.72	0.27	0.13
090	176.5	0.0004	-33.98	0.040	3.04	15.75	10.99	6.86	4.70	0.09	0.04
100	194.0	0.0002	-36.48	0.030	2.58	13.94	9.99	6.15	4.09	0.07	0.03
110	228.0	0.0002	-36.48	0.030	2.72	15.47	10.81	6.63	4.35	0.07	0.03
120	240.6	0.0002	-36.48	0.030	2.75	15.99	11.10	6.81	4.43	0.07	0.03
130	246.9	0.0002	-37.23	0.027	2.58	15.35	10.78	6.55	4.22	0.06	0.03
140	250.0	0.0002	-36.62	0.030	2.73	16.18	11.22	6.86	4.43	0.07	0.03
150	253.4	0.0003	-34.89	0.036	3.16	18.37	12.41	7.74	5.09	0.08	0.04
160	256.1	0.0004	-34.20	0.039	3.36	19.33	12.96	8.15	5.39	0.09	0.04
170	257.3	0.0004	-33.98	0.040	3.42	19.65	13.14	8.29	5.49	0.09	0.04
180	257.5	0.0004	-33.98	0.040	3.42	19.65	13.15	8.29	5.49	0.09	0.04
190	257.5	0.0004	-33.98	0.040	3.42	19.65	13.15	8.29	5.49	0.09	0.04
200	257.4	0.0004	-33.98	0.040	3.42	19.65	13.15	8.29	5.49	0.09	0.04
210	256.9	0.0004	-34.20	0.039	3.36	19.36	12.98	8.16	5.40	0.09	0.04
220	256.3	0.0003	-34.89	0.036	3.17	18.49	12.48	7.79	5.12	0.08	0.04
230	256.5	0.0003	-35.92	0.032	2.90	17.26	11.81	7.28	4.73	0.07	0.04
240	255.8	0.0002	-36.48	0.030	2.77	16.57	11.43	7.01	4.51	0.07	0.03
250	255.0	0.0002	-36.48	0.030	2.77	16.54	11.41	6.99	4.51	0.07	0.03
260	255.9	0.0002	-36.48	0.030	2.77	16.57	11.43	7.01	4.51	0.07	0.03
270	257.1	0.0002	-36.48	0.030	2.77	16.61	11.46	7.02	4.52	0.07	0.03
280	257.7	0.0004	-33.98	0.040	3.42	19.66	13.15	8.29	5.49	0.09	0.04
290	257.9	0.0036	-24.44	0.120	7.05	34.25	24.25	14.33	10.29	0.27	0.13
300	257.9	0.0210	-16.77	0.290	11.29	51.79	37.73	23.79	16.30	0.64	0.32
310	257.9	0.0545	-12.63	0.467	14.18	62.31	47.19	30.01	21.35	1.03	0.52
320	257.8	0.0952	-10.21	0.617	16.37	69.19	53.16	34.70	24.54	1.37	0.68
330	256.8	0.1419	-8.48	0.753	18.17	74.21	57.39	38.28	26.99	1.50	0.84
340	253.8	0.1877	-7.27	0.867	19.40	77.58	60.24	40.73	28.74	1.74	0.96
350	247.7	0.2247	-6.48	0.948	20.05	79.36	61.74	42.01	29.70	1.89	1.05

AMSL= 257.9 M