

MINOR CHANGE APPLICATION /
ONE STEP UPGRADE
CUMULUS LICENSING LLC
KDVV (FM) RADIO STATION
CH 262C - 100.3 MHZ - 100.0 KW
TOPEKA, KANSAS
September 2010

EXHIBIT B

Channel 262C at the proposed/existing KDVV antenna location will be shortspaced to one other FM station: KVWF, Channel 263C3, Augusta, Kansas. The relevant distance between the stations is shown on Exhibit B1. Cumulus proposes to use the provisions of §73.215 of the Commission's rules to address this shortspace. The shortage to this station complies with §73.215(e) of the Commission's rules. Compliance with §73.215 will be met by operating with less than maximum Class C facilities.

Exhibit B2 specifically demonstrates that there will be no prohibited overlap between the proposed KDVV and authorized KVWF. The contours of KVWF are based on its licensed facilities, since the station was authorized pursuant to §73.215 of the rules. Attached as Exhibits B3 and B4 are the tabulated distances to the protected and interfering contours along the pertinent arcs of the proposed KDVV and authorized KVWF. Further, attached as Exhibit B5 are the tabulated and protected contours of the proposed facility, in ten degree increments. Again, there is no prohibited overlap between the facilities.

MINOR CHANGE APPLICATION /
ONE STEP UPGRADE
CUMULUS LICENSING LLC
KDVV (FM) RADIO STATION
CH 262C - 100.3 MHZ - 100.0 KW
TOPEKA, KANSAS
September 2010


EXHIBIT B1

Clearance Study for KDVV, Topeka, Kansas
Using Proposed/Existing Site as Reference

REFERENCE		CLASS = C	DISPLAY DATES
38 57 15.0 N.			DATA 09-16-10
95 54 43.0 W.	Current	Spacings to 3rd Adj.	SEARCH 09-16-10
----- Channel 262 - 100.3 MHz -----			

Call	Channel	Location	Ant	Azi	Dist	FCC	Margin
	Lat.	Lng.		Power	HAAT		
KDVV	LIC 262C0 38 57 15.0	Topeka 95 54 43.0	CN	KS 0.0 100.000 kW	0.0 300 M	290.0	-290.0
	Cumulus Licensing LLC			BLH-19890718KB			
* KVWF	LIC-N 263C3 37 44 13.0	Augusta 97 09 25.0	NCX	KS 219.1 25.000 kW	173.5 84 M	176.0	-2.5
	Connoisseur Media, LLC			BLH-20060412ACR			
KNZS	LIC 262C3 37 55 41.0	Arlington 98 17 58.0	CX	KS 242.0 14.500 kW	237.5 135 M	237.0	0.53
	Ad Astra Per Aspera Broad.			BLH-20080813AAZ			
KCVJ	LIC 262A 38 03 43.0	Osceola 93 33 24.0	C	MO 115.1 6.000 kW	228.1 86 M	226.0	2.1
	Lake Area Educational Broad.			BLED-20040512AEE			
KKWK	LIC-N 261C2 39 57 28.0	Cameron 94 06 55.0	NCN	MO 53.5 50.000 kW	190.6 150 M	188.0	2.6
	Cameron/ Bethany License			BLH-19950414KB			
KCLY	LIC-N 265C2 39 28 03.0	Clay Center 97 03 45.0	NCX	KS 300.3 35.500 kW	114.6 177 M	105.0	9.6
	Taylor Communications, Inc			BLH-20070608AAJ			
KGEX	LIC 259C0 39 01 20.0	Kansas City 94 30 49.0	C	MO 86.0 100.000 kW	121.4 335 M	105.0	16.4
	Entercom Kansas City Lic.			BLH-20030602CHV			
KZEN	LIC 262C 41 32 28.0	Central City 97 40 45.0	CN	NE 333.0 100.000 kW	324.2 562 M	290.0	34.2
	Three Eagles Of Columbus			BLH-19850726KH			
KLHM-LP	LIC 264L1 39 45 00.0	St. Joseph 94 50 25.0		MO 45.8 0.089 kW	127.8 32 M	93.0	34.8
	Lighthouse Radio Ministry			BLL-20040708ACE			
KSKG	LIC 260C1 38 47 36.0	Salina 97 31 33.0	CX	KS 263.2 100.000 kW	141.2 174 M	105.0	36.2
	Eagle Communications, Inc.			BMLH-20090520AGH			

* Note: This shortspace is addressed pursuant to §73.215, see Exhibit B.



MINOR CHANGE APPLICATION /
ONE STEP UPGRADE
CUMULUS LICENSING LLC
KDVV (FM) RADIO STATION
CH 262C - 100.3 MHZ - 100.0 KW
TOPEKA, KANSAS
September 2010

EXHIBIT B3

KDVV - Proposed
Channel = 262C
Max ERP = 100 kW
RCAMSL = 790.6 M
N. Lat = 38 57 15
W. Lng = 95 54 43

KVWF - BLH-20060412ACR
Channel = 263C3
Max ERP = 25 kW
RCAMSL = 493 M
N. Lat = 37 44 13
W. Lng = 97 09 25

Protected
60 dBu

Interfering
54 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
200.0	100.0000	0413.3	080.7	053.7	025.0000	0092.3	100.9	42.3
201.0	100.0000	0412.4	080.7	053.0	025.0000	0092.4	100.2	42.4
202.0	100.0000	0411.9	080.6	052.3	025.0000	0092.4	099.5	42.6
203.0	100.0000	0411.6	080.6	051.6	025.0000	0092.4	098.8	42.8
204.0	100.0000	0411.4	080.6	050.9	025.0000	0092.3	098.2	42.9
205.0	100.0000	0411.6	080.6	050.1	025.0000	0092.1	097.5	43.0
206.0	100.0000	0411.7	080.6	049.4	025.0000	0091.9	096.9	43.2
207.0	100.0000	0411.6	080.6	048.6	025.0000	0091.9	096.4	43.3
208.0	100.0000	0411.2	080.6	047.8	025.0000	0091.7	095.9	43.4
209.0	100.0000	0410.9	080.6	047.0	025.0000	0091.5	095.5	43.5
210.0	100.0000	0410.6	080.5	046.2	025.0000	0091.2	095.1	43.6
211.0	100.0000	0410.1	080.5	045.4	025.0000	0090.9	094.7	43.7
212.0	100.0000	0409.5	080.5	044.6	025.0000	0090.9	094.4	43.7
213.0	100.0000	0408.8	080.4	043.7	025.0000	0090.6	094.2	43.8
214.0	100.0000	0407.9	080.3	042.9	025.0000	0090.3	094.0	43.8
215.0	100.0000	0406.7	080.3	042.0	025.0000	0090.1	093.9	43.8
216.0	100.0000	0405.7	080.2	041.2	025.0000	0090.1	093.8	43.9
217.0	100.0000	0404.9	080.1	040.3	025.0000	0090.0	093.7	43.9
218.0	100.0000	0404.4	080.1	039.5	025.0000	0089.8	093.7	43.9
219.0	100.0000	0404.1	080.1	038.6	025.0000	0089.8	093.7	43.9
220.0	100.0000	0404.0	080.1	037.8	025.0000	0089.6	093.7	43.9
221.0	100.0000	0403.9	080.0	036.9	025.0000	0089.3	093.8	43.8
222.0	100.0000	0403.8	080.0	036.1	025.0000	0088.6	093.9	43.8
223.0	100.0000	0404.0	080.1	035.2	025.0000	0087.9	094.1	43.7
224.0	100.0000	0404.4	080.1	034.4	025.0000	0087.4	094.2	43.6
225.0	100.0000	0404.9	080.1	033.5	025.0000	0087.4	094.4	43.6
226.0	100.0000	0405.2	080.1	032.7	025.0000	0087.1	094.7	43.5
227.0	100.0000	0405.6	080.2	031.9	025.0000	0086.9	095.0	43.4
228.0	100.0000	0406.4	080.2	031.1	025.0000	0086.5	095.3	43.3
229.0	100.0000	0407.4	080.3	030.2	025.0000	0086.3	095.7	43.2
230.0	100.0000	0408.2	080.4	029.4	025.0000	0086.2	096.1	43.1
231.0	100.0000	0408.9	080.4	028.7	025.0000	0086.2	096.5	43.0
232.0	100.0000	0409.4	080.5	027.9	025.0000	0086.2	097.0	42.9
233.0	100.0000	0409.5	080.5	027.1	025.0000	0086.2	097.6	42.8
234.0	100.0000	0409.2	080.4	026.4	025.0000	0086.3	098.3	42.6
235.0	100.0000	0408.6	080.4	025.7	025.0000	0086.3	099.0	42.5

MINOR CHANGE APPLICATION /
ONE STEP UPGRADE
CUMULUS LICENSING LLC
KDVV (FM) RADIO STATION
CH 262C - 100.3 MHZ - 100.0 KW
TOPEKA, KANSAS
September 2010

EXHIBIT B4

KVWF - BLH-20060412ACR
Channel = 263C3
Max ERP = 25 kW
RCAMSL = 493 M
N. Lat = 37 44 13
W. Lng = 97 09 25

KDVV - Proposed
Channel = 262C
Max ERP = 100 kW
RCAMSL = 790.6 M
N. Lat = 38 57 15
W. Lng = 95 54 43

Protected
60 dBu

Interfering
54 dBu

30 second terrain database

Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Azimuth (degrees)	ERP (kW)	HAAT (m)	Dist (km)	Actual (dBu)
022.0	025.0000	0086.2	036.6	223.4	100.0000	0404.0	138.7	49.0
023.0	025.0000	0086.3	036.6	223.1	100.0000	0404.0	138.5	49.0
024.0	025.0000	0086.4	036.7	222.9	100.0000	0404.0	138.2	49.1
025.0	025.0000	0086.4	036.7	222.6	100.0000	0404.0	138.0	49.1
026.0	025.0000	0086.3	036.6	222.4	100.0000	0403.8	137.9	49.2
027.0	025.0000	0086.2	036.6	222.1	100.0000	0403.8	137.7	49.2
028.0	025.0000	0086.2	036.6	221.9	100.0000	0403.8	137.6	49.2
029.0	025.0000	0086.2	036.6	221.6	100.0000	0403.8	137.4	49.3
030.0	025.0000	0086.3	036.6	221.3	100.0000	0403.9	137.3	49.3
031.0	025.0000	0086.5	036.7	221.1	100.0000	0403.9	137.1	49.4
032.0	025.0000	0086.9	036.7	220.8	100.0000	0403.9	137.0	49.4
033.0	025.0000	0087.1	036.8	220.6	100.0000	0403.9	136.8	49.4
034.0	025.0000	0087.4	036.9	220.3	100.0000	0404.0	136.7	49.5
035.0	025.0000	0087.9	036.9	220.0	100.0000	0404.0	136.5	49.5
036.0	025.0000	0088.6	037.1	219.8	100.0000	0404.0	136.3	49.5
037.0	025.0000	0089.3	037.2	219.5	100.0000	0404.1	136.2	49.6
038.0	025.0000	0089.6	037.3	219.2	100.0000	0404.1	136.1	49.6
039.0	025.0000	0089.8	037.3	218.9	100.0000	0404.1	136.1	49.6
040.0	025.0000	0090.0	037.3	218.7	100.0000	0404.1	136.1	49.6
041.0	025.0000	0090.1	037.3	218.4	100.0000	0404.4	136.1	49.6
042.0	025.0000	0090.1	037.4	218.1	100.0000	0404.4	136.1	49.6
043.0	025.0000	0090.3	037.4	217.8	100.0000	0404.4	136.1	49.6
044.0	025.0000	0090.6	037.4	217.6	100.0000	0404.4	136.1	49.6
045.0	025.0000	0090.9	037.5	217.3	100.0000	0404.9	136.2	49.6
046.0	025.0000	0091.2	037.6	217.0	100.0000	0404.9	136.2	49.6
047.0	025.0000	0091.5	037.6	216.7	100.0000	0404.9	136.3	49.6
048.0	025.0000	0091.7	037.6	216.5	100.0000	0405.7	136.4	49.6
049.0	025.0000	0091.9	037.7	216.2	100.0000	0405.7	136.5	49.6
050.0	025.0000	0092.1	037.7	215.9	100.0000	0405.7	136.6	49.5
051.0	025.0000	0092.3	037.7	215.6	100.0000	0405.7	136.7	49.5
052.0	025.0000	0092.4	037.8	215.4	100.0000	0406.7	136.9	49.5
053.0	025.0000	0092.4	037.8	215.1	100.0000	0406.7	137.1	49.4
054.0	025.0000	0092.3	037.8	214.9	100.0000	0406.7	137.3	49.4
055.0	025.0000	0092.3	037.7	214.6	100.0000	0406.7	137.6	49.3
056.0	025.0000	0092.3	037.7	214.3	100.0000	0407.9	137.8	49.3
057.0	025.0000	0092.3	037.7	214.1	100.0000	0407.9	138.1	49.2

MINOR CHANGE APPLICATION /
ONE STEP UPGRADE
CUMULUS LICENSING LLC
KDVV (FM) RADIO STATION
CH 262C - 100.3 MHZ - 100.0 KW
TOPEKA, KANSAS
September 2010

EXHIBIT B5

Predicted contours:

North Latitude = 38 57 15.0 - Tabulated Protected and Interfering Contours
 West Longitude = 95 54 43.0 - KDVV Radio Station, Topeka, Kansas

HAAT and Distance to Contour - NGDC 30 second terrain database								
Azi.	HAAT	ERP kW	dBk	Field	60-F5	40-F1	54-F1	100-F1
000	486.9	100.0000	20.00	1.000	85.92	189.77	128.09	12.47
010	488.2	100.0000	20.00	1.000	86.00	189.86	128.23	12.48
020	496.9	100.0000	20.00	1.000	86.54	190.50	129.15	12.55
030	486.5	100.0000	20.00	1.000	85.89	189.74	128.04	12.47
040	472.6	100.0000	20.00	1.000	85.01	188.72	126.52	12.35
050	457.9	100.0000	20.00	1.000	84.00	187.60	124.87	12.23
060	459.1	100.0000	20.00	1.000	84.09	187.69	125.00	12.24
070	452.2	100.0000	20.00	1.000	83.59	187.16	124.23	12.17
080	443.4	100.0000	20.00	1.000	82.95	186.45	123.23	12.08
090	449.1	100.0000	20.00	1.000	83.36	186.91	123.88	12.14
100	454.8	100.0000	20.00	1.000	83.77	187.36	124.51	12.20
110	452.5	100.0000	20.00	1.000	83.61	187.18	124.26	12.17
120	462.3	100.0000	20.00	1.000	84.31	187.94	125.36	12.27
130	460.2	100.0000	20.00	1.000	84.16	187.77	125.12	12.25
140	457.3	100.0000	20.00	1.000	83.96	187.55	124.80	12.22
150	447.9	100.0000	20.00	1.000	83.28	186.82	123.75	12.13
160	436.0	100.0000	20.00	1.000	82.41	185.84	122.40	11.99
170	432.9	100.0000	20.00	1.000	82.19	185.59	122.06	11.96
180	426.1	100.0000	20.00	1.000	81.69	185.02	121.29	11.88
190	422.5	100.0000	20.00	1.000	81.42	184.72	120.89	11.84
200	413.3	100.0000	20.00	1.000	80.74	183.94	119.85	11.72
210	410.6	100.0000	20.00	1.000	80.54	183.71	119.54	11.69
220	404.0	100.0000	20.00	1.000	80.05	183.16	118.79	11.61
230	408.2	100.0000	20.00	1.000	80.37	183.51	119.27	11.66
240	405.8	100.0000	20.00	1.000	80.19	183.31	118.99	11.63
250	420.8	100.0000	20.00	1.000	81.30	184.58	120.70	11.82
260	432.8	100.0000	20.00	1.000	82.18	185.58	122.04	11.96
270	445.9	100.0000	20.00	1.000	83.13	186.66	123.52	12.11
280	441.5	100.0000	20.00	1.000	82.81	186.30	123.02	12.06
290	436.4	100.0000	20.00	1.000	82.44	185.88	122.45	12.00
300	447.0	100.0000	20.00	1.000	83.21	186.75	123.64	12.12
310	465.9	100.0000	20.00	1.000	84.56	188.21	125.76	12.30
320	472.4	100.0000	20.00	1.000	84.99	188.70	126.49	12.35
330	474.7	100.0000	20.00	1.000	85.15	188.88	126.76	12.37
340	476.8	100.0000	20.00	1.000	85.28	189.03	126.99	12.39
350	482.2	100.0000	20.00	1.000	85.63	189.43	127.58	12.43

AMSL= 790.6 M