

N. Lat. = 42-38-13.0 W. Lng. = 73-59-43.0
HAAT and Distance to Contour,
FCC OET,TV 3.2 - 16.1, 130 pts - GLOBE 30 SEC

WRGB, wrgb Licensee, LLC, BXLCDT-20110721A

Azi.	AV EL	HAAT	ERP kw	dBk	Field	47-F5
000	105.7	444.3	14.0000	11.46	1.000	92.98
045	95.3	454.7	14.0000	11.46	1.000	93.72
090	75.4	474.6	14.0000	11.46	1.000	95.14
135	131.7	418.3	14.0000	11.46	1.000	91.14
180	348.9	201.1	14.0000	11.46	1.000	73.98
225	470.4	79.6	14.0000	11.46	1.000	55.81
270	380.4	169.6	14.0000	11.46	1.000	70.87
315	336.8	213.2	14.0000	11.46	1.000	75.10

Ave El= 243.06 M HAAT= 306.94 M AMSL= 550 M

N. Lat. = 42-49-42.2 W. Lng. = 72-36-00.3
 HAAT and Distance to Contour,
 FCC, FM 2-10 Mi, 51 pts Method - GLOBE 30 SEC

Distance to CH 6 Interference Contour - Corrected Coordinates

Azi.	AV EL	HAAT	ERP kw	dBk	Field	65-F1
000	237.4	91.6	6.3550	8.03	1.000	22.02
045	198.6	130.4	2.3415	3.69	0.607	20.48
090	233.0	96.0	4.9101	6.91	0.879	21.14
135	125.8	203.2	5.4964	7.40	0.930	31.81
180	274.1	54.9	6.2285	7.94	0.990	16.63
225	353.6	-24.6	5.6033	7.48	0.939	11.67
270	468.2	-139.2	5.1361	7.11	0.899	11.42
315	377.2	-48.2	1.4520	1.62	0.478	8.31

Ave El= 283.49 M HAAT= 45.51 M AMSL= 329 M

N. Lat. = 42-49-44.0 W. Lng. = 72-35-52.0
 HAAT and Distance to Contour,
 FCC, FM 2-10 Mi, 51 pts Method - GLOBE 30 SEC

WVBA, Vermont Public Radio, BLED20121011ACE - Existing

Azi.	AV EL	HAAT	ERP kw	dBk	Field	65-F1
000	241.9	63.1	1.9136	2.82	0.458	12.83
045	203.0	102.0	3.3556	5.26	0.607	19.76
090	235.2	69.8	7.0484	8.48	0.879	19.55
135	121.1	183.9	7.8901	8.97	0.930	33.16
180	275.8	29.2	8.9410	9.51	0.990	13.03
225	349.3	-44.3	8.0521	9.06	0.939	12.71
270	464.1	-159.1	7.3728	8.68	0.899	12.45
315	371.8	-66.8	2.0843	3.19	0.478	9.15

Ave El= 282.78 M HAAT= 22.22 M AMSL= 305 M