

Exhibit 12

Non-Interference Compliance

Regarding W235AX/W288BX (facility ID 157477) proposed modification

Exhibit 12 Contents

This exhibit demonstrates that the proposed facility complies with contour overlap and interference protection provisions in all of the applicable rule sections and that this application for a construction permit is in full compliance with 47 C.F.R. § 74.1204.

Please note that should any actual real world interference occur, the applicant acknowledges that it will promptly suspend operation of this translator in accordance with 47 C.F.R. § 74.1203.

Page 2 of this exhibit is an explanation of the method used to demonstrate compliance with contour overlap and interference provisions based on 47 C.F.R. § 74.1204(d), which states:

[A]n application otherwise precluded by this section will be accepted if it can be demonstrated that no actual interference will occur due to intervening terrain, lack of population or such other factors as may be applicable.

Page 3 of this exhibit contains the tabulated data from the interference analysis performed utilizing the computer program FM Cont from V-Soft and the current FM database provided by V-Soft.

Page 4 of this exhibit is a portion of a USGS 1:24,000 scale 7.5 minute quadrangle at full scale with the calculated area of interference overlaid. The sheet includes the quadrangle name and measurement scale at the bottom-left corner (note: "Mt" refers to meters). The area of interference was calculated using the free space equation and 120 radials.

Compliance with 47 C.F.R. § 74.1204(d)

In this proposal the worst case interfering contour is with WZZK on the third adjacent channel. WZZK has a signal at the proposed site of 62.5 dbu resulting in a U/D interfering contour of 102.5 dbu. (The proposal also shows overlap with station WRTR. However the WRTR signal is much stronger, 84.8 dBu.)

FCC 02-244 at Section II.A.5 states that "when demonstrating that 'no actual interference will occur due to . . . other factors,' pursuant to Section 74.1204(d), an applicant may use the undesired-to-desired signal ratio method." The undesired-to-desired ratio for second and third adjacent stations required by §74.1204(a) is 40 dB. Since the protected contour strength within the area of the proposed site is 62.5 dBu, the proposed translator's worst-case interfering contour 102.5 dBu. This contour is calculated to extend a maximum of 167 m from the transmit antenna.

The interfering contour of the proposed translator was calculated for 120 radials and plotted on the pertinent portion of a USGS quadrangle (page 4 of this exhibit). As demonstrated on the quadrangle, there are no populated structures or highways within the area of interference (Note: FCC 02-244 at Section II.A.6 states that USGS quadrangles "have been recognized as acceptable to demonstrate lack of population"). Hence, in accordance with 47 C.F.R. § 74.1204(d) and the clarification provided by the FCC in the decision Re: Living Way Ministries (FCC 02-244), a lack of population has been demonstrated within the area of interference and this application is therefore in full compliance with 47 C.F.R. § 74.1204.

Note: The quadrangle indicates the presence of a county road in the area of interference. It is apparent that this is not a major road, e.g. interstate highway, as described in the Living Way decision and therefore "lack of population" is demonstrated.

Antenna Make: BEX

Antenna Model: TFC2K

CORAGL: 134 m

Maximum ERP: 0.01 kW

Interfering Contour: 102.5 dBu

Max Int. Contour Distance: 167 m

TTI, Inc.
 Translator channel study ch 287 W235AX/W288BX

REFERENCE	CH# 287D - 105.3 MHz, Pwr= 0.01 kW, HAAT=0.0M, COR= 253 M	DISPLAY DATES
33 09 36.0 N.	Average Protected F(50-50)= 3.2 km	DATA 12-01-07
87 30 54.0 W.		SEARCH 12-02-07

CH CITY	CALL	TYPE ANT STATE	AZI. <--	DIST FILE #	LAT. LNG.	Pwr(kW) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*OUT* (Overlap in km)
287C2 Selma	WBFZ	LIC ZE AL	166.2 346.4	101.42 BLH20010615AFL	32 16 18.0 87 15 28.0	50.000 150	132.3 194		27.22 Imani Communications Corpo
290C3 Brookwood	WRTR	LIC ZCX AL	17.8 197.8	9.10 BLH20050829ACW	33 14 17.0 87 29 06.0	25.000 82	3.8 178		-27.65*< Capstar Tx Limited Partner
287C2 Columbus Afb	WACR-FM	LIC NCX MS	298.2 117.5	121.28 BLH20070817AAQ	33 40 09.0 88 40 08.0	50.000 107	131.4 174		47.59 Urban Radio Licenses, Llc
288C2 Hoover	WENN	LIC ZCX AL	61.1 241.5	75.11 BLH20050829ACX	33 29 04.0 86 48 25.0	29.500 190	74.4 383		14.40 Capstar Tx Limited Partner
284C0 Birmingham	WZZK-FM	LIC C AL	61.1 241.5	75.11 BLH20030130AHE	33 29 04.0 86 48 25.0	100.000 404	11.8 597		-6.14*< Cox Radio, Inc.
286D Northport	W286AQ	LIC C AL	316.5 136.4	20.70 BLFT20070525AJB	33 17 42.0 87 40 06.0	0.010	9.8 206		2.30 Edgewater Broadcasting, In
286D Alabaster	W286BK	LIC C AL	74.7 255.1	69.91 BLFT20071022BXG	33 19 25.0 86 47 26.0	0.010	8.5 267		53.75 Way-fm Media Group, Inc.

 Terrain database is USGS 03 SEC
 ERP and HAAT on direct-line with reference station.
 Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, _= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)
 Incoming contour overlap is ignored.
 "***affixed to 'IN' or 'OUT' values = site inside protected contour.
 "<" = Contour Overlap