

JHT Ventures, Inc.  
1090 kHz, Bellville, Texas  
Seeks: Make Changes in Transmitter Site/Power


Exhibit: KNTH, Page: 1

Measurements for 195.0 degrees  
KNTH (AM), 1070 kHz, 10 kW, DA-D, Houston, Texas

Point Number	Distance		Field	Notes	Date	Time
-----	(km)	(mi)	(mV/m)	-----	-----	-----
1	1.42	0.88	461.000		7/20/2009	0914
2	2.22	1.38	176.000		7/20/2009	0921
3	2.52	1.57	180.000		7/20/2009	0926
4	3.08	1.91	128.000		7/20/2009	0934
5	4.07	2.53	86.000		7/20/2009	0941
6	4.70	2.92	72.000		7/20/2009	0950
7	5.10	3.17	56.000		7/20/2009	0958
8	6.47	4.02	53.000		7/20/2009	1009
9	8.16	5.07	42.000		7/20/2009	1016
10	10.26	6.38	23.000		7/20/2009	1024
11	12.34	7.67	28.000		7/20/2009	1031
12	15.67	9.74	12.000		7/20/2009	1040
13	18.41	11.44	14.000		7/20/2009	1047
14	21.43	13.32	6.300		7/20/2009	1054
15	21.43	13.32	6.300		7/20/2009	1054
16	24.60	15.29	6.000		7/20/2009	1106
17	27.60	17.15	6.500		7/20/2009	1158
18	30.37	18.87	4.100		7/20/2009	1123
19	36.25	22.52	3.800		7/20/2009	1137
20	39.79	24.72	2.800		7/20/2009	1149
21	42.80	26.59	2.200		7/20/2009	1158

# KNTH AM Measured Field Strength

Shown With Matching Conductivity Curves  
KNTH (AM) 1070 kHz, 10.0 kW, DA-D, Houston, Texas



JHT Ventures, Inc.  
1090 kHz, Bellville, Texas  
Seeks: Make Changes in Transmitter Site/Power


Exhibit: KNTH, Page: 3

Measurements for 240.0 degrees  
KNTH (AM), 1070 kHz, 10 kW, DA-D, Houston, Texas

Point Number	Distance		Field	Notes	Date	Time
-----	(km)	(mi)	(mV/m)	-----	-----	-----
1	0.80	0.50	61.000		10/30/2009	1505
2	1.25	0.78	58.000		10/28/2009	1500
3	1.86	1.16	49.000		10/30/2009	1018
4	2.48	1.54	36.000		10/30/2009	1023
5	3.31	2.06	22.000		10/30/2009	1031
6	4.39	2.73	11.500		10/28/2009	1324
7	5.53	3.44	6.500		10/28/2009	1320
8	6.79	4.22	8.600		10/28/2009	1316
9	7.61	4.73	9.000		10/28/2009	1309
10	8.51	5.29	7.200		10/28/2009	1304
11	10.11	6.28	4.400		10/28/2009	1259
12	12.46	7.74	2.000		10/28/2009	1254
13	13.93	8.66	2.800		10/28/2009	1247
14	15.64	9.72	2.400		10/28/2009	1239
15	17.61	10.94	2.600		10/28/2009	1146
16	19.31	12.00	5.600		10/28/2009	1154
17	20.76	12.90	3.300		10/28/2009	1205
18	23.43	14.56	1.400		10/28/2009	1212
19	25.02	15.55	1.100		10/28/2009	1218

# KNTH AM Measured Field Strength

Shown With Matching Conductivity Curves  
KNTH (AM), 1070 kHz, 10.0 kW, DA-D, Houston, Texas



JHT Ventures, Inc.  
1090 kHz, Bellville, Texas  
Seeks: Make Changes in Transmitter Site/Power

Exhibit: KNTH, Page: 5

Measurements for 260.0 degrees  
KNTH (AM), 1070 kHz, 10 kW, DA-D, Houston, Texas


Point Number	Distance		Field	Notes	Date	Time
-----	(km)	(mi)	(mV/m)			-----
1	0.90	0.56	88.000		10/28/2009	1503
2	1.23	0.76	84.000		10/28/2009	1500
3	1.88	1.17	77.000		10/28/2009	1457
4	2.53	1.57	66.000		10/28/2009	1447
5	3.29	2.04	49.000		10/28/2009	1447
6	4.31	2.68	31.000		10/28/2009	1441
7	5.25	3.26	25.000		10/28/2009	1438
8	6.45	4.01	18.000		10/28/2009	1434
9	7.15	4.44	21.500		10/28/2009	1430
10	8.15	5.06	18.500		10/28/2009	1008
11	9.96	6.19	7.100		10/30/2009	1002
12	10.91	6.78	5.900		10/30/2009	0956
13	13.34	8.29	5.200		10/30/2009	0954
14	16.02	9.95	4.600		10/30/2009	0938
15	18.00	11.18	2.600		10/30/2009	0933
16	20.56	12.78	4.000		10/30/2009	0927
17	22.47	13.96	1.500		10/30/2009	0920
18	23.94	14.88	1.300		10/30/2009	0914
19	26.46	16.44	2.800		10/30/2009	0901
20	28.35	17.62	1.600		10/30/2009	0856

# KNTH AM Measured Field Strength

Shown With Matching Conductivity Curves  
KNTH (AM), 1070 kHz, 10 kW, DA-D, Houston, Texas

## KNTH

Freq: 1070 kHz  
Azi: 260.0 deg  
Power: 10.0 kW  
Rad: 327.22 mV/m@1km  
 $e = 15$   
Exhibit: KNTH, Page: 6



JHT Ventures, Inc.  
1090 kHz, Bellville, Texas  
Seeks: Make Changes in Transmitter Site/Power


Exhibit: KNTH, Page: 7

Measurements for 280.0 degrees  
KNTH (AM), 1070 kHz, 10 kW, DA-D, Houston, Texas

Point Number	Distance		Field	Notes	Date	Time
	(km)	(mi)	(mV/m)			
-----	----	----	-----	-----	-----	-----
1	1.10	0.68	313.000		10/28/2009	1508
2	1.89	1.17	221.000		10/28/2009	1514
3	2.42	1.50	147.000		10/28/2009	1518
4	3.41	2.12	82.000		10/28/2009	1523
5	4.42	2.75	56.000		10/28/2009	1530
6	5.78	3.59	67.000		10/28/2009	1537
7	6.88	4.28	48.000		10/28/2009	1543
8	7.93	4.93	48.000		10/28/2009	1547
9	8.58	5.33	36.000		10/28/2009	1550
10	9.76	6.06	27.000		10/28/2009	1555
11	10.99	6.83	17.500		10/28/2009	1559
12	12.96	8.05	16.000		10/28/2009	1603
13	16.74	10.40	6.100		10/28/2009	1612
14	19.02	11.82	6.600		10/28/2009	1617
15	21.92	13.62	5.800		10/28/2009	1623
16	26.81	16.66	4.600		10/28/2009	1639
17	30.15	18.73	3.600		10/28/2009	1644
18	33.44	20.78	3.100		10/28/2009	1650
19	36.00	22.37	1.700		10/30/2009	0832

# KNTH AM Measured Field Strength

Shown With Matching Conductivity Curves  
KNTH (AM) 1070 kHz, 10.0 kW, DA-D, Houston, Texas





JHT Ventures, Inc.  
 1090 kHz, Bellville, Texas  
 Seeks: Make Changes in Transmitter Site/Power

Exhibit: KNTH, Page: 9

GROUND CONDUCTIVITY REPORT  
 Tabulation of Measured Radials Only  
 All Others Are Figure M-3  
 KNTH (AM), 1070 kHz, 10 kW, DA-D, Houston, Texas

Lat : 29-59-33.0 N  
 Lon : 95-28-23.0 W  
 Radius : 50.0

\* Includes measured conductivity data

185 deg:	6.47,	2.0*	24.60,	4.0*	42.80,	5.0*		
190 deg:	6.47,	2.0*	24.60,	4.0*	42.80,	5.0*		
195 deg:	6.47,	2.0*	24.60,	4.0*	42.80,	5.0*		
200 deg:	6.47,	2.0*	24.60,	4.0*	42.80,	5.0*		
205 deg:	6.47,	2.0*	24.60,	4.0*	42.80,	5.0*		
230 deg:	13.93,	3.0*	25.02,	5.0*				
235 deg:	13.93,	3.0*	25.02,	5.0*				
240 deg:	13.93,	3.0*	25.02,	5.0*				
245 deg:	13.93,	3.0*	25.02,	5.0*				
250 deg:	3.29,	1.0*	13.93,	3.0*	25.02,	5.0*	28.35,	3.0*
255 deg:	3.29,	1.0*	28.35,	3.0*				
260 deg:	3.29,	1.0*	28.35,	3.0*				
265 deg:	3.29,	1.0*	28.35,	3.0*				
270 deg:	3.29,	1.0*	4.42,	2.0*	28.35,	3.0*	36.00,	4.0*
275 deg:	4.42,	2.0*	36.00,	4.0*				
280 deg:	4.42,	2.0*	36.00,	4.0*				
285 deg:	4.42,	2.0*	36.00,	4.0*				
290 deg:	4.42,	2.0*	36.00,	4.0*				