

Paso Robles, CA K287BU  
Calvary Chapel Of Twin Falls, Inc.  
5 MHz, Pwr= 0.01 kW DA, HAAT= 111.  
Average Protected F(50-50)= 6.17  
Standard Directional

CH# 288D

CH# 288D - 105.5 MHz, Pwr= 0.01 kW DA, HAAT= 111.2 M, COR= 440 M

CH# 288D - 105.5 MHz, Pwr= 0.01 kW DA, HAAT= 111.2 M,  
Average Protected F(50-50)= 6.17 km

### DISPLAY DATES

DATA 03-22-17

SEARCH 03-27-17

CH CITY	CALL	TYPE	ANT STATE	AZI ---	DI ST FILE #	LAT LNG	PWR(kW) HAAT(M)	INT(km) COR(M)	PRO(km) LICENSEE	*IN* (Overlap	*OUT* in km)
287D Paso	K287BU Robles	LI C	DV_ CA	0.0 0.0	0.00 BLFT20160825AAL	35 37 35.0 120 42 43.0	0.010 112	8.9 440	6.2 Calvary	-15.0* Chapel	-15.0* Of Twin Fal
291B1 Santa	KWWV Margari ta	LI C	_CX CA	170.2 350.2	29.92 BLH20021018AAC	35 21 40.0 120 39 21.0	1.100 441	2.2 779	41.6 Dimes	25.8 Media	-11.7* Corporati on
288B1 San	KJWL Joaqui n	LI C	_CX CA	30.3 210.7	126.60 BMLH20050210ACX	36 36 28.0 119 59 49.0	25.000 100	115.5 160	46.5 One	3.4 Putt	49.4
287A Cambria	KCJZ	LI C	_CX CA	250.3 70.1	33.52 BLH20140620AAD	35 31 28.0 121 03 39.0	6.000 52	23.5 280	15.8 Adel man	7.8 Investments,	9.0 Lic
289B1 Lost	KQMX Hills	LI C	_CX CA	106.5 287.0	71.47 BLH20140924AAF	35 26 28.5 119 57 19.5	1.650 381	55.5 1039	42.6 Deportes	10.0 Y Musi ca	20.5 Comuni ca
285D San	K285EW Luis Obi spo	LI C	_C_ CA	179.3 359.3	25.85 BMLFT20050620ABQ	35 23 38.0 120 42 30.0	0.010 568	0.2 864	12.6 Calvary	23.4 Chapel	13.1 Of Twin Fal

Terrain database is NGDC 30 SEC , R= 73.215 qualifying spacings or FCC minimum Spacings in KM, M= Margin in KM  
In & Out distances between contours are shown at closest points. Reference zone= East Zone 2A, Co to 3rd adjacent.  
All separation margins (if shown) include rounding.  
Ant Column: (D= DA Standard, Z= DA 73.215, N= Not DA 73.215, \_= Omni), Polarization (C,H,V,E), Beamtilt(Y,N,X)  
\*\*\*affixed to 'IN' or 'OUT' values = site inside restricted contour.