

Exhibit 17.1

Compliance with Radiofrequency Radiation Guidelines


The RF Compliance Study for the proposed W284AH – Lansing, MI facility has been evaluated for human exposure to non-ionizing radiofrequency radiation at the transmitter site. The site will house multiple transmitters. The potential for human exposure to non-ionizing radiofrequency radiation at the proposed transmitter site has been evaluated with regards to the §1.1307(b)(3), five percent (5%) contribution rule, for multiple transmitter sites.

The proposed facility will operate on CH284D, 104.7 MHz with a maximum effective radiated power (ERP) of 0.25 kW circular polarization. The facility will operate with a two bay Bext TFC1K antenna mounted 95.4 meters above ground level (AGL). The spacing of the elements will be 1.0λ (wavelength). For purposes of this study, the elements have been identified as an EPA type 1 model as defined by V-Soft RFHaz software program.

To evaluate the total exposure to non-ionizing radio-frequency radiation with regards to the five percent contribution exclusion rule, it is necessary to establish 5.0% of the maximum permissible limit. 5.0% of the uncontrolled limit of $200 \mu\text{W}/\text{cm}^2$ results in $10 \mu\text{W}/\text{cm}^2$. Therefore if the resulting contribution is less than or equal to $10 \mu\text{W}/\text{cm}^2$ or 5.0%, the exposure is concluded to be within the guidelines of OET Bulletin No. 65 (Edition 97-01) and §1.1307(b)(3). Protection of the more restrictive uncontrolled limit implies protection of the controlled limit.

Inspection of the graph below indicates the maximum contribution for the uncontrolled environment is less than the $10 \mu\text{W}/\text{cm}^2$ (5.0%) limit as set forth by §1.1307(b)(3), therefore the facility is in compliance with FCC guidelines. §1.1307(b)(3) states that facilities contributing less than five percent of the exposure limit at locations with multiple transmitters are categorically excluded from responsibility for taking any corrective action in the areas where its contribution is less than five percent. Since this instant application meets the five percent exclusion test at all ground level areas, the impact of the proposed facility may be considered independently from other facilities operating at or nearby this site. It is believed the impact of the proposed operation should not be considered to be a factor at ground level as defined under §1.1307(b)(3).

In addition to the protection afforded by the proposed antenna height above ground, the facility is or will be properly marked with signs, and entry to the facility will be restricted by means of fencing with locked doors and/or gates if required. Any other means that may be required to protect employees and the general public will also be employed. In the event work is required in proximity to the antenna(s) such that the person or persons working in the area will be potentially exposed to fields in excess of the current guidelines, an agreement signed by all broadcast parties at the site will be in effect for the offending transmitter(s) to reduce power, or cease operation during the critical period.



MUNN-REESE, INC.

Broadcast Engineering Consultants
COLDWATER, MI 49036-0220
517-278-7339