

ENGINEERING STATEMENT – SECOND ADJACENT CHANNEL PROTECTION

KBFP-FM, Delano, CA, 287B, is second adjacent-channel to the proposed channel 285 LPFM facility and is located only 17 kilometers away from the proposed LPFM transmitter site. The 54 dBu F50,50 service contour extends well beyond the LPFM transmitter site. Using the well-established *Living Way Ministries* Methodology, no actual interference to any population is predicted to exist to KBFP-FM.

Note that a rule waiver of Section 73.807 for this second adjacent-channel protection using the well-established *Living Way Ministries* Methodology is respectfully requested if such a rule waiver is deemed necessary for protection to any station.

The F50,50 signal strength from KBFP-FM at the proposed LPFM transmitter site is 85 dBu (the “desired” signal). The second/third adjacent-channel protection is an undesired-to-desired (“U/D”) dB signal strength ratio of 40:1. Therefore, predicted interference to KBFP-FM from the proposed LPFM facility is a signal of greater than or equal to 125 dBu.

The proposed ERP is 50 watts and a Free Space Loss (“FSL”) 125 dBu signal extends 28 meters from the transmitting antenna. A vertical plane relative field pattern for the proposed Nicom BKG-77 two-bay halfwave-spaced antenna is attached. By adjusting for the vertical plane downward relative field values of the proposed antenna, it is herein demonstrated that the 125 dBu interfering signal (using a free space field determination) does not exist at any point at ground level.

Attached is an FSL study using the spreadsheet recommended by the FCC for these types of studies. The clearance is at least 3.9 meters to ground level and there are no homes or buildings within 28 meters (the worst-case study distance) of the proposed transmitter site that are more than one story tall. See the aerial photo of the site, attached. Therefore, pursuant to the LPFM rules, KBFP-FM is adequately protected by the proposed facility.

74.1204(d) Showing (or LPFM equivalent)


KFBA-LP, Bakersfield, TX 285L

ERP (kw)
Height of Antenna above Ground (m)
Translator's IX Contour

0.05
12
125
Nicom BKG77 2 bay (HW spaced)

<u>Depression Angle from Horizon</u>	<u>Antenna Relative Field</u>	<u>ERP (kw) from the Antenna RF</u>	<u>Dist. To IX Contour (m)</u>	<u>Height IX Contour Above Ground (m)</u>
0	1	0.0500	27.8923	12.000
5	0.988	0.0488	27.5576	9.598
10	0.952	0.0453	26.5535	7.389
15	0.881	0.0388	24.5732	5.640
20	0.791	0.0313	22.0628	4.454
25	0.686	0.0235	19.1341	3.914
30	0.577	0.0166	16.0939	3.953
35	0.463	0.0107	12.9142	4.593
40	0.354	0.0063	9.8739	5.653
45	0.256	0.0033	7.1404	6.951
50	0.174	0.0015	4.8533	8.282
55	0.11	0.0006	3.0682	9.487
60	0.061	0.0002	1.7014	10.527
65	0.028	0.0000	0.7810	11.292
70	0.007	0.0000	0.1952	11.817
75	0.004	0.0000	0.1116	11.892
80	0.008	0.0000	0.2231	11.780
85	0.008	0.0000	0.2231	11.778
90	0.009	0.0000	0.2510	11.749

Note: Input the ERP, Height of the antenna above Ground, the Calculated Translator IX contour, and the specified Antenna Relative Field Pat



TX station: BKG77/2 GENERIC

Site name: 1/2 WAVE SEPARATION

Frequency: 98.10 MHz

Vertical diagram at an azimuth of 0° degrees

Dep (°)	Er (%)	ERP (W)	Dep (°)	Er (%)	ERP (W)	Dep (°)	Er (%)	ERP (W)
0.0	100.0	914.2	30.0	57.7	304.2	60.0	6.1	3.4
0.5	100.0	913.7	30.5	56.5	292.0	60.5	5.7	3.0
1.0	99.9	912.9	31.0	55.3	280.1	61.0	5.3	2.6
1.5	99.9	911.6	31.5	54.2	268.5	61.5	5.0	2.3
2.0	99.8	910.0	32.0	53.0	257.2	62.0	4.6	1.9
2.5	99.7	908.1	32.5	51.9	246.3	62.5	4.3	1.7
3.0	99.5	905.7	33.0	50.8	235.6	63.0	3.9	1.4
3.5	99.4	903.0	33.5	49.6	225.3	63.5	3.6	1.2
4.0	99.2	899.9	34.0	48.5	215.3	64.0	3.3	1.0
4.5	99.0	896.5	34.5	47.4	205.5	64.5	3.1	0.9
5.0	98.8	892.7	35.0	46.3	196.1	65.0	2.8	0.7
5.5	98.5	887.7	35.5	45.2	186.5	65.5	2.5	0.6
6.0	98.2	882.4	36.0	44.0	177.3	66.0	2.3	0.5
6.5	97.9	876.7	36.5	42.9	168.4	66.5	2.0	0.4
7.0	97.6	870.7	37.0	41.8	159.8	67.0	1.8	0.3
7.5	97.2	864.3	37.5	40.7	151.5	67.5	1.6	0.2
8.0	96.9	857.7	38.0	39.6	143.5	68.0	1.4	0.2
8.5	96.5	850.8	38.5	38.5	135.8	68.5	1.2	0.1
9.0	96.1	843.5	39.0	37.5	128.5	69.0	1.0	0.1
9.5	95.6	836.0	39.5	36.4	121.4	69.5	0.9	0.1
10.0	95.2	828.2	40.0	35.4	114.6	70.0	0.7	0.0
10.5	94.5	817.1	40.5	34.4	107.9	70.5	0.6	0.0
11.0	93.9	805.8	41.0	33.3	101.5	71.0	0.4	0.0
11.5	93.2	794.4	41.5	32.3	95.4	71.5	0.3	0.0
12.0	92.5	782.7	42.0	31.3	89.5	72.0	0.2	0.0
12.5	91.8	770.9	42.5	30.3	84.0	72.5	0.1	0.0
13.0	91.1	759.0	43.0	29.3	78.7	73.0	0.0	0.0
13.5	90.4	746.9	43.5	28.4	73.6	73.5	0.1	0.0
14.0	89.6	734.6	44.0	27.4	68.8	74.0	0.2	0.0
14.5	88.9	722.3	44.5	26.5	64.3	74.5	0.3	0.0
15.0	88.1	709.8	45.0	25.6	59.9	75.0	0.4	0.0
15.5	87.3	696.2	45.5	24.7	55.8	75.5	0.4	0.0
16.0	86.4	682.5	46.0	23.8	51.9	76.0	0.5	0.0
16.5	85.5	668.7	46.5	23.0	48.2	76.5	0.5	0.0
17.0	84.6	655.0	47.0	22.1	44.7	77.0	0.6	0.0
17.5	83.8	641.2	47.5	21.3	41.5	77.5	0.6	0.0
18.0	82.8	627.4	48.0	20.5	38.4	78.0	0.7	0.0
18.5	81.9	613.7	48.5	19.7	35.4	78.5	0.7	0.0
19.0	81.0	599.9	49.0	18.9	32.7	79.0	0.7	0.0
19.5	80.1	586.2	49.5	18.2	30.1	79.5	0.7	0.1
20.0	79.1	572.5	50.0	17.4	27.7	80.0	0.8	0.1
20.5	78.1	557.6	50.5	16.7	25.5	80.5	0.8	0.1
21.0	77.1	542.9	51.0	16.0	23.4	81.0	0.8	0.1
21.5	76.0	528.2	51.5	15.3	21.4	81.5	0.8	0.1
22.0	75.0	513.7	52.0	14.6	19.6	82.0	0.8	0.1
22.5	73.9	499.3	52.5	14.0	17.9	82.5	0.8	0.1
23.0	72.8	485.1	53.0	13.3	16.3	83.0	0.8	0.1
23.5	71.8	471.1	53.5	12.7	14.8	83.5	0.9	0.1
24.0	70.7	457.2	54.0	12.1	13.4	84.0	0.9	0.1
24.5	69.6	443.5	54.5	11.5	12.2	84.5	0.9	0.1
25.0	68.6	429.9	55.0	11.0	11.0	85.0	0.8	0.1
25.5	67.5	416.4	55.5	10.4	9.9	85.5	0.9	0.1
26.0	66.4	403.0	56.0	9.9	8.9	86.0	0.9	0.1
26.5	65.3	389.8	56.5	9.3	8.0	86.5	0.9	0.1
27.0	64.2	376.9	57.0	8.8	7.1	87.0	0.9	0.1
27.5	63.1	364.2	57.5	8.3	6.4	87.5	0.9	0.1
28.0	62.0	351.7	58.0	7.9	5.6	88.0	0.9	0.1
28.5	60.9	339.4	58.5	7.4	5.0	88.5	0.9	0.1
29.0	59.8	327.4	59.0	7.0	4.4	89.0	0.9	0.1
29.5	58.8	315.7	59.5	6.5	3.9	89.5	0.9	0.1

Proposed Site

N 35 25 05.1 W 119 12 11.9

Google Earth

200 ft

