

EXHIBIT # 22

R.F. RADIATION COMPLIANCE STATEMENT
WBNI-FM
Channel 231 – 3.4 kW H & V
Roanoke, Indiana

July 2007

The proposed antenna is an ERI, type 3, LPX-4C-SP, 4-bay omni-directional antenna with 0.8 wavelength spacing. The antenna will have a center of radiation above ground level of 92 meters. Using the formulas expressed in the OET Bulletin, No. 65, August 1997, "Evaluating Compliance with F.C.C. Guidelines for Human Exposure to Radiofrequency Electromagnetic Fields", published by the Federal Communication Commission's Office of Science and Engineering, and then by applying a combination of the element and array pattern as defined in E.P.A. study PB85-245868 ("**Engineering Assessment of the Potential Impact of the Federal Radiation Protection Guidance on the AM, FM and TV Broadcast Services**") a total, head height, non-ionization radiation level of 0.8765 microwatts per square centimeter was calculated. This amounts to 0.087 percent of the maximum for a controlled area and 0.438 percent for an uncontrolled area.

WCYT has a license for an ERP of 0.125 kW and a construction permit at the same tower for 0.72 kW from an antenna height of center of 61 meters above ground. However, since the total ERP of the proposed antenna produces less than one percent of the maximum for an uncontrolled area at head height, additional analysis was deemed unnecessary. The applicant will protect workers on the tower by either reducing ERP or terminating transmission. An agreement is in effect with the other users of this tower at this location to reduce power or to terminate operations to protect workers from receiving in excess of the Commission's standard.

Consequently, it appears that the proposed FM station will be in full compliance with the Commission's rules and regulations with regard to human exposure to radiofrequency electromagnetic fields.