



Proposal Number **DCA-9773** Revision **2**
Date **13 May 2002**
Call Letters **KEYE-DT** Channel **43**
Location **Austin, TX**
Customer
Antenna Type **TFU-26GTH-R O6SP**


AZIMUTH PATTERN

RMS Gain at Main Lobe
Calculated / Measured

1.40 (1.46 dB)
Calculated

Frequency
Drawing #

647 MHz
TFU-O6SP




Remarks:



Proposal Number **DCA-9773** Revision **2**
Date **13 May 2002**
Call Letters **KEYE-DT** Channel **43**
Location **Austin, TX**
Customer
Antenna Type **TFU-26GTH-R O6SP**

ELEVATION PATTERN

RMS Gain at Main Lobe	23.5 (13.71 dB)	Beam Tilt	0.75 Degrees
RMS Gain at Horizontal	18.2 (12.60 dB)	Frequency	647.00 MHz
Calculated / Measured	Calculated	Drawing #	26G235075




Remarks:



Proposal Number **DCA-9773** Revision **2**
Date **13 May 2002**
Call Letters **KEYE-DT** Channel **43**
Location **Austin, TX**
Customer
Antenna Type **TFU-26GTH-R O6SP**

ELEVATION PATTERN

RMS Gain at Main Lobe	23.5 (13.71 dB)	Beam Tilt	0.75 Degrees
RMS Gain at Horizontal	18.2 (12.60 dB)	Frequency	647.00 MHz
Calculated / Measured	Calculated	Drawing #	26G235075



Remarks: