

EXHIBIT 7
(Page 1 of 1)

NONIONIZING RADIATION COMPLIANCE

Beach TV Properties, Inc.
Key West, FL

The proposed WCAY-LP Channel 33 facilities will fully comply with the current FCC Standard with regard to human exposure to nonionizing radiation. The proposed antenna will be the present Scala 4DR-16S directional antenna utilized by WCAY-LP on Channel 34, which is mounted at the 41 meter level on an existing 51 meter tower. Equation (2), found on Page 30 of Supplement A to FCC OET Bulletin No. 65, details the calculation technique used to determine the power density at the base of a TV broadcast tower. Assuming, as a worst case, 100% downward radiation and a maximum peak visual effective radiated power of 4.57 kilowatts and a maximum aural effective radiated power of 0.457 kilowatts, this equation predicts a worst case power density level at two meters above ground level of $50.2 \mu\text{W}/\text{cm}^2$. Since the permitted power density for uncontrolled exposure to nonionizing radiation on Channel 33 is $389.3 \mu\text{W}/\text{cm}^2$, this amounts to only 12.9% of the permitted level. Thus, the proposed WCAY-LP facilities will not yield power density levels near the ground which exceed the permitted level for uncontrolled exposure.

WCAY-LP will also take appropriate steps to insure that workers that must climb this tower will not be exposed to levels of nonionizing radiation that are in excess of the permitted level for controlled exposure. These steps will include the cessation of operation or a reduction in power, as appropriate, when work becomes necessary on this tower in the areas where the power density levels will be in excess of the permitted level for controlled exposure.