

**Exhibit 41:**

The antenna proposed in this modification is an Andrew ALP16M3-HSW-26 - an off the shelf directional antenna.

The antenna pattern is rotated 55 degrees with 0.75 degrees of electrical beam tilt.


Following is the table of the relative field values for this antenna (no rotation applied)

| <b>Degree</b> | <b>Value</b> | <b>Degree</b> | <b>Value</b> | <b>Degree</b> | <b>Value</b> | <b>Degree</b> | <b>Value</b> | <b>Degree</b> | <b>Value</b> | <b>Degree</b> | <b>Value</b> |
|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|---------------|--------------|
| <b>0</b>      | 1            | <b>10</b>     | 0.985        | <b>20</b>     | 0.951        | <b>30</b>     | 0.925        | <b>40</b>     | 0.929        | <b>50</b>     | 0.959        |
| <b>60</b>     | 0.99         | <b>70</b>     | 0.997        | <b>80</b>     | 0.975        | <b>90</b>     | 0.922        | <b>100</b>    | 0.845        | <b>110</b>    | 0.758        |
| <b>120</b>    | 0.68         | <b>130</b>    | 0.605        | <b>140</b>    | 0.51         | <b>150</b>    | 0.397        | <b>160</b>    | 0.302        | <b>170</b>    | 0.253        |
| <b>180</b>    | 0.241        | <b>190</b>    | 0.253        | <b>200</b>    | 0.302        | <b>210</b>    | 0.397        | <b>220</b>    | 0.51         | <b>230</b>    | 0.605        |
| <b>240</b>    | 0.68         | <b>250</b>    | 0.758        | <b>260</b>    | 0.845        | <b>270</b>    | 0.922        | <b>280</b>    | 0.975        | <b>290</b>    | 0.997        |
| <b>300</b>    | 0.99         | <b>310</b>    | 0.959        | <b>320</b>    | 0.929        | <b>330</b>    | 0.925        | <b>340</b>    | 0.951        | <b>350</b>    | 0.985        |

This antenna will be located within 61 meters of the antenna of KNDU(TV) – however because of the placement of the antenna for KNDU-DT below the KNDU antenna, no effect is expected due to the proximate operation of the antennas.

**AZIMUTH PATTERN****Type:****ALP-W****Channel:****26****Directivity:****Numeric****dBd****1.56****1.93****Location:****Richland, WA****Polarization:****Horizontal****Peak(s) at:**

Note: Pattern shape and directivity may vary with channel and mouting configuration.




**TABULATED DATA FOR AZIMUTH PATTERN  
FCC FILING FORMAT****Type: ALP-W****Polarization: Horizontal**

| <b>ANGLE</b> | <b>FIELD</b> | <b>ERP (kW)</b> | <b>ERP (dBk)</b> |
|--------------|--------------|-----------------|------------------|
| 0            | 1.000        | 32.972          | 15.182           |
| 10           | 0.985        | 31.991          | 15.050           |
| 20           | 0.951        | 29.820          | 14.745           |
| 30           | 0.925        | 28.212          | 14.504           |
| 40           | 0.929        | 28.457          | 14.542           |
| 50           | 0.959        | 30.324          | 14.818           |
| 60           | 0.990        | 32.316          | 15.094           |
| 70           | 0.997        | 32.775          | 15.155           |
| 80           | 0.975        | 31.344          | 14.962           |
| 90           | 0.922        | 28.029          | 14.476           |
| 100          | 0.845        | 23.543          | 13.719           |
| 110          | 0.758        | 18.945          | 12.775           |
| 120          | 0.680        | 15.246          | 11.832           |
| 130          | 0.605        | 12.069          | 10.817           |
| 140          | 0.510        | 8.576           | 9.333            |
| 150          | 0.397        | 5.197           | 7.157            |
| 160          | 0.302        | 3.007           | 4.782            |
| 170          | 0.253        | 2.111           | 3.244            |
| 180          | 0.241        | 1.915           | 2.822            |
| 190          | 0.253        | 2.111           | 3.244            |
| 200          | 0.302        | 3.007           | 4.782            |
| 210          | 0.397        | 5.197           | 7.157            |
| 220          | 0.510        | 8.576           | 9.333            |
| 230          | 0.605        | 12.069          | 10.817           |
| 240          | 0.680        | 15.246          | 11.832           |
| 250          | 0.758        | 18.945          | 12.775           |
| 260          | 0.845        | 23.543          | 13.719           |
| 270          | 0.922        | 28.029          | 14.476           |
| 280          | 0.975        | 31.344          | 14.962           |
| 290          | 0.997        | 32.775          | 15.155           |
| 300          | 0.990        | 32.316          | 15.094           |
| 310          | 0.959        | 30.324          | 14.818           |
| 320          | 0.929        | 28.457          | 14.542           |
| 330          | 0.925        | 28.212          | 14.504           |
| 340          | 0.951        | 29.820          | 14.745           |
| 350          | 0.985        | 31.991          | 15.050           |

ELEVATION PATTERN

|              |         |       |               |              |
|--------------|---------|-------|---------------|--------------|
| Type:        | ALP16M3 |       | Channel:      | 26           |
| Directivity: | Numeric | dBd   | Location:     | Richland, WA |
| Main Lobe:   | 16.59   | 12.20 | Beam Tilt:    | -0.75        |
| Horizontal:  | 12.85   | 11.09 | Polarization: | Horizontal   |

Relative Field



## TABULATED DATA FOR ELEVATION PATTERN

Type: ALP16M3

Polarization: Horizontal

| ANGLE | FIELD | dB     | ANGLE  | FIELD | dB     | ANGLE  | FIELD | dB     | ANGLE  | FIELD | dB     | ANGLE  | FIELD | dB     |
|-------|-------|--------|--------|-------|--------|--------|-------|--------|--------|-------|--------|--------|-------|--------|
| 5.00  | 0.126 | -17.99 | -6.75  | 0.113 | -18.90 | -27.00 | 0.043 | -27.33 | -50.50 | 0.055 | -25.19 | -74.00 | 0.206 | -13.72 |
| 4.75  | 0.061 | -24.36 | -7.00  | 0.155 | -16.19 | -27.50 | 0.035 | -29.12 | -51.00 | 0.065 | -23.74 | -74.50 | 0.195 | -14.20 |
| 4.50  | 0.022 | -33.15 | -7.25  | 0.185 | -14.68 | -28.00 | 0.022 | -33.15 | -51.50 | 0.070 | -23.10 | -75.00 | 0.183 | -14.75 |
| 4.25  | 0.090 | -20.96 | -7.50  | 0.201 | -13.94 | -28.50 | 0.009 | -40.92 | -52.00 | 0.069 | -23.22 | -75.50 | 0.170 | -15.39 |
| 4.00  | 0.159 | -15.97 | -7.75  | 0.204 | -13.83 | -29.00 | 0.001 | -60.00 | -52.50 | 0.063 | -24.01 | -76.00 | 0.157 | -16.08 |
| 3.75  | 0.221 | -13.13 | -8.00  | 0.194 | -14.24 | -29.50 | 0.003 | -50.46 | -53.00 | 0.053 | -25.51 | -76.50 | 0.144 | -16.83 |
| 3.50  | 0.270 | -11.37 | -8.25  | 0.175 | -15.16 | -30.00 | 0.000 | -40.00 | -53.50 | 0.041 | -27.74 | -77.00 | 0.131 | -17.65 |
| 3.25  | 0.304 | -10.34 | -8.50  | 0.149 | -16.54 | -30.50 | 0.006 | -44.44 | -54.00 | 0.034 | -29.37 | -77.50 | 0.118 | -18.56 |
| 3.00  | 0.320 | -9.90  | -8.75  | 0.125 | -18.06 | -31.00 | 0.013 | -37.72 | -54.50 | 0.037 | -28.64 | -78.00 | 0.106 | -19.49 |
| 2.75  | 0.317 | -9.99  | -9.00  | 0.112 | -19.02 | -31.50 | 0.017 | -35.39 | -55.00 | 0.048 | -26.38 | -78.50 | 0.094 | -20.54 |
| 2.50  | 0.296 | -10.57 | -9.25  | 0.121 | -18.38 | -32.00 | 0.017 | -35.39 | -55.50 | 0.060 | -24.44 | -79.00 | 0.083 | -21.62 |
| 2.25  | 0.264 | -11.58 | -9.50  | 0.146 | -16.71 | -32.50 | 0.024 | -32.40 | -56.00 | 0.070 | -23.10 | -79.50 | 0.073 | -22.73 |
| 2.00  | 0.233 | -12.65 | -9.75  | 0.179 | -14.97 | -33.00 | 0.043 | -27.33 | -56.50 | 0.075 | -22.50 | -80.00 | 0.064 | -23.88 |
| 1.75  | 0.231 | -12.71 | -10.00 | 0.211 | -13.51 | -33.50 | 0.072 | -22.85 | -57.00 | 0.074 | -22.62 | -80.50 | 0.056 | -25.04 |
| 1.50  | 0.274 | -11.24 | -10.50 | 0.258 | -11.77 | -34.00 | 0.103 | -19.74 | -57.50 | 0.068 | -23.35 | -81.00 | 0.049 | -26.20 |
| 1.25  | 0.359 | -8.90  | -11.00 | 0.270 | -11.37 | -34.50 | 0.132 | -17.59 | -58.00 | 0.056 | -25.04 | -81.50 | 0.042 | -27.54 |
| 1.00  | 0.465 | -6.65  | -11.50 | 0.246 | -12.18 | -35.00 | 0.154 | -16.25 | -58.50 | 0.040 | -27.96 | -82.00 | 0.037 | -28.64 |
| 0.75  | 0.580 | -4.74  | -12.00 | 0.197 | -14.11 | -35.50 | 0.165 | -15.65 | -59.00 | 0.020 | -33.98 | -82.50 | 0.032 | -29.90 |
| 0.50  | 0.692 | -3.20  | -12.50 | 0.135 | -17.39 | -36.00 | 0.162 | -15.81 | -59.50 | 0.005 | -46.02 | -83.00 | 0.027 | -31.37 |
| 0.25  | 0.794 | -2.00  | -13.00 | 0.077 | -22.27 | -36.50 | 0.147 | -16.65 | -60.00 | 0.024 | -32.40 | -83.50 | 0.024 | -32.40 |
| 0.00  | 0.880 | -1.11  | -13.50 | 0.033 | -29.63 | -37.00 | 0.120 | -18.42 | -60.50 | 0.045 | -26.94 | -84.00 | 0.021 | -33.56 |
| -0.25 | 0.945 | -0.49  | -14.00 | 0.009 | -40.92 | -37.50 | 0.088 | -21.11 | -61.00 | 0.063 | -24.01 | -84.50 | 0.018 | -34.89 |
| -0.50 | 0.986 | -0.12  | -14.50 | 0.000 | -40.00 | -38.00 | 0.057 | -24.88 | -61.50 | 0.077 | -22.27 | -85.00 | 0.016 | -35.92 |
| -0.75 | 1.000 | 0.00   | -15.00 | 0.012 | -38.42 | -38.50 | 0.042 | -27.54 | -62.00 | 0.088 | -21.11 | -85.50 | 0.014 | -37.08 |
| -1.00 | 0.987 | -0.11  | -15.50 | 0.025 | -32.04 | -39.00 | 0.050 | -26.02 | -62.50 | 0.093 | -20.63 | -86.00 | 0.012 | -38.42 |
| -1.25 | 0.947 | -0.48  | -16.00 | 0.033 | -29.63 | -39.50 | 0.063 | -24.01 | -63.00 | 0.093 | -20.63 | -86.50 | 0.010 | -40.00 |
| -1.50 | 0.883 | -1.08  | -16.50 | 0.030 | -30.46 | -40.00 | 0.069 | -23.22 | -63.50 | 0.089 | -21.01 | -87.00 | 0.009 | -40.92 |
| -1.75 | 0.796 | -1.98  | -17.00 | 0.014 | -37.08 | -40.50 | 0.065 | -23.74 | -64.00 | 0.082 | -21.72 | -87.50 | 0.007 | -43.10 |
| -2.00 | 0.694 | -3.17  | -17.50 | 0.013 | -37.72 | -41.00 | 0.053 | -25.51 | -64.50 | 0.073 | -22.73 | -88.00 | 0.006 | -44.44 |
| -2.25 | 0.582 | -4.71  | -18.00 | 0.042 | -27.54 | -41.50 | 0.035 | -29.12 | -65.00 | 0.066 | -23.61 | -88.50 | 0.004 | -47.96 |
| -2.50 | 0.465 | -6.65  | -18.50 | 0.065 | -23.74 | -42.00 | 0.014 | -37.08 | -65.50 | 0.065 | -23.74 | -89.00 | 0.003 | -50.46 |
| -2.75 | 0.354 | -9.02  | -19.00 | 0.075 | -22.50 | -42.50 | 0.008 | -41.94 | -66.00 | 0.073 | -22.73 | -89.50 | 0.001 | -60.00 |
| -3.00 | 0.260 | -11.70 | -19.50 | 0.069 | -23.22 | -43.00 | 0.025 | -32.04 | -66.50 | 0.089 | -21.01 | -90.00 | 0.000 | -40.00 |
| -3.25 | 0.206 | -13.72 | -20.00 | 0.056 | -25.04 | -43.50 | 0.036 | -28.87 | -67.00 | 0.110 | -19.17 |        |       |        |
| -3.50 | 0.203 | -13.85 | -20.50 | 0.068 | -23.35 | -44.00 | 0.041 | -27.74 | -67.50 | 0.131 | -17.65 |        |       |        |
| -3.75 | 0.235 | -12.60 | -21.00 | 0.113 | -18.94 | -44.50 | 0.039 | -28.18 | -68.00 | 0.153 | -16.31 |        |       |        |
| -4.00 | 0.272 | -11.31 | -21.50 | 0.164 | -15.70 | -45.00 | 0.033 | -29.63 | -68.50 | 0.173 | -15.24 |        |       |        |
| -4.25 | 0.300 | -10.46 | -22.00 | 0.207 | -13.68 | -45.50 | 0.024 | -32.40 | -69.00 | 0.191 | -14.38 |        |       |        |
| -4.50 | 0.311 | -10.14 | -22.50 | 0.231 | -12.73 | -46.00 | 0.017 | -35.39 | -69.50 | 0.206 | -13.72 |        |       |        |
| -4.75 | 0.304 | -10.36 | -23.00 | 0.232 | -12.69 | -46.50 | 0.016 | -35.92 | -70.00 | 0.218 | -13.23 |        |       |        |
| -5.00 | 0.280 | -11.06 | -23.50 | 0.211 | -13.51 | -47.00 | 0.018 | -34.89 | -70.50 | 0.227 | -12.88 |        |       |        |
| -5.25 | 0.240 | -12.41 | -24.00 | 0.173 | -15.24 | -47.50 | 0.017 | -35.39 | -71.00 | 0.232 | -12.69 |        |       |        |
| -5.50 | 0.188 | -14.52 | -24.50 | 0.124 | -18.13 | -48.00 | 0.012 | -38.42 | -71.50 | 0.234 | -12.62 |        |       |        |
| -5.75 | 0.129 | -17.82 | -25.00 | 0.077 | -22.27 | -48.50 | 0.002 | -53.98 | -72.00 | 0.234 | -12.62 |        |       |        |
| -6.00 | 0.065 | -23.74 | -25.50 | 0.042 | -27.54 | -49.00 | 0.011 | -39.17 | -72.50 | 0.230 | -12.77 |        |       |        |
| -6.25 | 0.019 | -34.42 | -26.00 | 0.035 | -29.12 | -49.50 | 0.027 | -31.37 | -73.00 | 0.224 | -13.00 |        |       |        |
| -6.50 | 0.062 | -24.15 | -26.50 | 0.042 | -27.54 | -50.00 | 0.042 | -27.54 | -73.50 | 0.216 | -13.31 |        |       |        |