

United States of America

FEDERAL COMMUNICATIONS COMMISSION FM BROADCAST STATION LICENSE

Authorizing Official:

Mary Houser

Official Mailing Address:

RINCON BROADCASTING LS LLC
C/O POINT BROADCASTING COMPANY
715 BROADWAY, SUITE 320

Facility Id: 61058

SANTA MONICA CA 90401

Call Sign: KSPE

License File Number: BLH-19890214KC

dicense file Nambel. 2211 19090211110

This license covers Permit No.: BPH-19850712WW

Supr Applications Examiner
Audio Division
Media Bureau
Grant Date: January 12, 1990

This license expires 3:00 a.m. local time, December 01, 1990.

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Callsign: KSPE License No.: BLH-19890214KC

Name of Licensee: RINCON BROADCASTING LS LLC

Station Location: CA-ELLWOOD

Frequency (MHz): 94.5

Channel: 233

Class: B

Hours of Operation: Unlimited

Transmitter: Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Transmitter output power:

Antenna type: Non-Directional

Description:

Antenna Coordinates: North Latitude: 34 deg 31 min 32 sec

West Longitude: 119 deg 57 min 28 sec

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective radiated power in the Horizontal Plane (kW):	.81	.81
Maximum effective radiated power (kW) :	.88	.88
Height of radiation center above ground (Meters):	24	24
Height of radiation center above mean sea level (Meters):	1252	1252
Height of radiation center above average terrain (Meters):	899	899

Antenna structure registration number: Not Required

Overall height of antenna structure above ground: 63 Meters

Obstruction marking and lighting specifications for antenna structure:

It is to be expressly understood that the issuance of these specifications is in no way to be considered as precluding additional or modified marking or lighting as may hereafter be required under the provisions of Section 303(q) of the Communications Act of 1934, as amended.

None Required

License No.: BLH-19890214KC

Special operating conditions or restrictions:

Callsign: KSPE

2. BEFORE PROGRAM TEST AUTHORITY IS AUTHORIZED BY THE COMMISSION, PERMITTEE SHALL SUBMIT DOCUMENTATION OF COMPLI-ANCE WITH THE FOLLOWING SPECIAL OPERATING CONDITION ALONG WITH THE FORM 302 APPLICATION FOR LICENSE AND THE REQUEST FOR PROGRAM TEST AUTHORITY: PERMITTEE SHALL, UPON COMPLETION COMPLETION OF CONSTRUCTION AND DURING THE EQUIPMENT TEST PERIOD, MAKE PROPER RF FIELD STRENGTH MEASUREMENTS THROUGH-OUT THE BROADCAST PEAK AREA TO DETERMINE IF THERE ARE ANY AREAS THAT EXCEED THE ANSI, EPA AND FCC SPECIFIED GUIDELINES FOR HUMAN EXPOSURE TO RADIOFREQUENCY RADIATION. APPROPRIATE WRITTEN WARNINGS SHALL BE POSTED WHILE THESE MEASUREMENTS ARE BEING TAKEN. IF NECESSARY, A FENCE MUST BE ERECTED AT SUCH DISTANCES AND IN SUCH A MANNER AS TO PREVENT THE EXPOSURE OF HUMANS TO RADIOFREQUENCY RADIATION IN EXCESS OF THE AMERICAN NATIONAL STANDARDS INSTITUTE GUIDELINES (OST BULLETIN NO. 65, OCTOBER 1985). THE FENCE MUST BE OF A TYPE WHICH WILL PRECLUDE CASUAL OR INADVERTENT ACCESS, AND MUST INCLUDE WARNING SIGNS AT APPROPRIATE INTERVALS WHICH DESCRIBE THE NATURE OF THE HAZARD. ANY AREA WITHIN THE FENCE FOUND TO EXCEED THE RECOMMENDED GUIDELINES MUST BE CLEARLY MARKED WITH APPROPRIATE VISUAL WARNING SIGNS. *****************

*** END OF AUTHORIZATION ***