

United States of America FEDERAL COMMUNICATIONS COMMISSION AM BROADCAST STATION LICENSE

Authorizing Official:

Official Mailing Address:

AUDACY LICENSE, LLC 2400 MARKET STREET 4TH FLOOR PHILADELPHIA PA 19103 Ann Gallagher Senior Engineer Audio Division Media Bureau

Grant Date: November 06, 2009

This license expires 3:00 a.m.

local time, October 01, 2013.

Facility Id: 33068

Call Sign: KXNT

License File Number: BMML-20090918ADD

License re-issued following a moment method proof of performance.

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset: Local Standard Time (Non-Advanced)

Jan.	6:45 AM	4:45 PM	Jul. 4:30 AM	7:00 PM
Feb.	6:30 AM	5:15 PM	Aug. 5:00 AM	6:30 PM
Mar.	5:45 AM	5:45 PM	Sep. 5:15 AM	5:45 PM
Apr.	5:00 AM	6:15 PM	Oct. 5:45 AM	5:00 PM
Мау	4:30 AM	6:45 PM	Nov. 6:15 AM	4:30 PM
Jun.	4:15 AM	7:00 PM	Dec. 6:45 AM	4:30 PM

Callsign: KXNT			License No.: BMML-20090918ADD							
Name of Licensee: AUDACY LICENSE, LLC										
Station Location: NORTH LAS VEGAS, NV										
Frequency (kHz): 840										
Station Class: B										
Antenna Coord	linates:									
	Day									
Latitude:	N 36 Deg 23 Min	53 Sec								
Longitude:	W 114 Deg 54 Min	57 Sec								
	Night									
Latitude:	N 36 Deg 23 Min	53 Sec								
Longitude:	W 114 Deg 54 Min									
Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.										
Nominal Power	(kW): Day: 50	.0 Night:	25.0							
Antenna Input	Power (kW): Day: 52.	.7 Night:	26.3							
Antenna Mode:	Day: DA	Night:	DA							
(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)										
Current (ampe	eres): Day: 32.4	5 Night:	22.95							
Resistance (ohms): Day: 50 Night: 50										
Antenna Registration Number(s):										
Day:										
Tower No.	ASRN									
1	None									
2	None									
3	None									
4	None									
Night:										
Tower No.	ASRN									
1	None									
2	None									
3	None									
4	None									

Callsign: KXNT		L	icense No.	: BMML-20090918ADD						
DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM										
Theoretical RMS (mV/m/km): Day: 1997.79 Night: 1408.18										
Standard RMS	(mV/m/km): I	Night:								
Augmented RMS (mV/m/km):										
Q Factor:	Γ	ay: 70.711	Night:	50						
Theoretical Parameters:										
Day Directional Antenna:										
	eld Phasing. tio (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)					
1 1.0	0.000	0.0000	0.000	0	90.0					
2 1.0	32.500	229.0000	110.000	0	90.0					
3 1.0	91.500	90.0000	90.000	0	90.0					
4 1.0	124.000	315.1000	104.400	0	90.0					
 * Tower Reference Switch 0 = Spacing and orientation from reference tower 1 = Spacing and orientation from previous tower Theoretical Parameters: 										
Night Direct	ional Antenna:									
	eld Phasing. tio (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)					
1 1.0	0.000	0.0000	0.000	0	90.0					
2 1.0	32.500	229.0000	110.000	0	90.0					
3 1.0	91.500	90.0000	90.000	0	90.0					
	124.000	315.1000	104.400	0	90.0					
 * Tower Reference Switch 0 = Spacing and orientation from reference tower 1 = Spacing and orientation from previous tower 										
Day Directiona	l Operation:									
Twr.Phase No. (Deg.)	Antenna Moni Sample Curre									
1 0	1									
2 34.2	1.005									
3 87.4	1.119									
4 122.4	1.003									
Night Directional Operation:										
Twr.Phase No. (Deg.)	Antenna Moni Sample Curre									
1 0	1									

2 34.2 1.005 3 87.4 1.119

1

1 0

Callsign: KXNT

Night Directional Operation:

Twr. PhaseAntenna MonitorNo. (Deg.)Sample Current Ratio4122.41.003

Antenna Monitor: POTOMAC INSTRUMENTS, MODEL 1901-4 Sampling System Approved Under Section 73.68 of the Rules.

Special operating conditions or restrictions:

- 1 The measurements described in Section 73.155 shall be performed at least once within each 24-month period.
- 2 The ground system consists of 120 equally spaced buried copper radials, extending 89 meters from each tower base, except where shortened and bonded.

*** END OF AUTHORIZATION ***