



United States of America  
**FEDERAL COMMUNICATIONS COMMISSION**  
**AM BROADCAST STATION LICENSE**

Authorizing Official:

Official Mailing Address:

BEASLEY MEDIA GROUP LICENSES, LLC  
3033 RIVIERA DRIVE  
SUITE 200  
NAPLES FL 34103

Ann Gallagher  
Senior Engineer  
Audio Division  
Media Bureau

Facility Id: 28626

Call Sign: WTEL

License File Number: BMML-20100302ACK

Grant Date: February 17, 2011

This license expires 3:00 a.m.  
local time, August 01, 2014.

This authorization re-issued to correct array center coordinates.

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:  
Local Standard Time (Non-Advanced)

Jan.	7:15 AM	5:00 PM	Jul.	4:45 AM	7:30 PM
Feb.	7:00 AM	5:30 PM	Aug.	5:15 AM	7:00 PM
Mar.	6:15 AM	6:00 PM	Sep.	5:45 AM	6:15 PM
Apr.	5:30 AM	6:45 PM	Oct.	6:15 AM	5:30 PM
May	4:45 AM	7:15 PM	Nov.	6:45 AM	4:45 PM
Jun.	4:30 AM	7:30 PM	Dec.	7:15 AM	4:30 PM

Name of Licensee: BEASLEY MEDIA GROUP LICENSES, LLC

Station Location: PHILADELPHIA, PA

Frequency (kHz): 610

Station Class: B

Antenna Coordinates:

Unlimited

Latitude: N 39 Deg 51 Min 55 Sec

Longitude: W 75 Deg 06 Min 34 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Unlimited: 5.0

Antenna Input Power (kW): Unlimited: 5.4

Antenna Mode: Unlimited: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Unlimited: 10.4

Resistance (ohms): Unlimited: 50

Antenna Registration Number(s):

Unlimited:

Tower No.	ASRN	Overall Height (m)
1	1040104	
2	1040105	

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Unlimited: 772.5

Standard RMS (mV/m/km):

Augmented RMS (mV/m/km): Unlimited: 812.058

Q Factor: Unlimited: 22.89

Theoretical Parameters:

Unlimited Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	1.5400	0.000	0.0000	0.000	0	TL/S
2	1.0000	0.000	181.0000	50.000	0	TL/S

\* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Top-Loaded/Sectionalized Tower Parameters: (See 47 CFR 73.160)

Tower No.	A	B	C	D
1	61.4	6.70	.00	.00
2	61.4	6.70	.00	.00

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	230.0	26.0	321.87
2	243.0	26.0	289.68

Unlimited Directional Operation:

Twr. No.	Phase (Deg.)	Antenna Monitor Sample Current Ratio
1	0	1
2	-7.4	0.669

Antenna Monitor: POTOMAC INSTRUMENTS AM 19 (204)

Sampling System Approved Under Section 73.68 of the Rules.

Special operating conditions or restrictions:

- The licensee shall perform the measurements described in Section 73.155 at least once within each 24-month period.

Special operating conditions or restrictions:

- 2 Ground system consists of 120 equally spaced, buried copper radials about the base of each tower, each 122 meters in length except where terminated by property boundaries or where intersecting radials are shortened and bonded to a transverse copper strap midway between adjacent towers, plus a copper ground screen 12.2 meters square, about the base of each tower.

\*\*\* END OF AUTHORIZATION \*\*\*