



United States of America
FEDERAL COMMUNICATIONS COMMISSION
FM BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

PRUNEDALE EDUCATIONAL FOUNDATION FOR CENTRA
DBA PRUNEDALE EDUCATIONAL ASSOCIATION
8145 PRUNEDALE NORTH ROAD
PRUNEDALE CA 93907

Arthur E. Doak
Senior Engineer
Audio Division
Media Bureau

Facility ID: 15197

Grant Date: February 05, 2015

Call Sign: KARW

This permit expires 3:00 a.m.
local time, 36 months after the
grant date specified above.

Permit File Number: BPH-20140512ACV

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Name of Permittee: PRUNEDALE EDUCATIONAL FOUNDATION FOR CENTRAL CALIFORNIA, INC

Station Location: CA-SALINAS

Frequency (MHz): 97.9

Channel: 250

Class: B1

Hours of Operation: Unlimited

Transmitter: Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Transmitter output power: As required to achieve authorized ERP.

Antenna type: Directional

Antenna Coordinates: North Latitude: 36 deg 33 min 09 sec
 West Longitude: 121 deg 47 min 17 sec

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective radiated power in the Horizontal Plane (kW):	4.5	4.5
Height of radiation center above ground (Meters):	40	40
Height of radiation center above mean sea level (Meters):	415	415
Height of radiation center above average terrain (Meters):	188	188
Antenna structure registration number: 1216885		

Overall height of antenna structure above ground (including obstruction lighting if any) see the registration for this antenna structure.

Special operating conditions or restrictions:

1 ***** This is a Section 73.215 contour protection grant *****
 ***** as requested by this applicant *****

2 The permittee/licensee, in coordination with other users of the site, must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of the FCC guidelines.

3 Pursuant to the grant of this construction permit and the authority found in Sections 4(i), 5(c)(1), 303 and 307(b) of the Communications Act of 1934, as amended, and Sections 0.61, 0.204(b), 0.283, 1.420, 73.203(b), and 73.3573 of the Commission's Rules, the FM assignment IS MODIFIED as follows:

Community	Channel No.
Salinas, CA	Add 250B1
	Delete 250A

Pursuant to Section 316(a) of the Communication Act of 1934, as amended, License BLH-19970527KB IS MODIFIED to specify operation on Channel 250B1 in lieu of Channel 250A.

Special operating conditions or restrictions:

- 4 FAA INTERFERENCE CONDITION:
Upon receipt of notification from the Commission that harmful interference is being caused by the operation of the permittee's/ licensee's transmitter, the permittee/licensee must either immediately reduce the power to the point of no interference, cease operation, or take such immediate corrective action as is necessary to eliminate the harmful interference. This condition expires after one year of interference-free operation.
- 5 THE AUTOMATIC PROGRAM TEST PROVISIONS OF 47 C.F.R. SECTION 73.1620 DO NOT APPLY IN THIS CASE. A FORMAL REQUEST FOR PROGRAM TEST AUTHORITY MUST BE FILED WITH THE FCC FORM 302-FM, APPLICATION FOR LICENSE, BEFORE PROGRAM TESTS WILL BE AUTHORIZED. This request must contain documentation which demonstrates compliance with the following special operating condition:
 - 6 The permittee/licensee must, upon completion of construction and during the equipment test period, make proper radiofrequency electromagnetic (RF) field strength measurements throughout the transmitter site area, including inside and on the roof of all nearby buildings/houses, to determine if there are any areas that exceed the FCC guidelines for human exposure to RF fields. Any areas, including inside or on the roof a building/house, found to exceed the recommended guidelines must be clearly marked with appropriate visual warning signs which describe the nature of the hazard. Furthermore, access to these areas must be restricted to prevent the exposure of humans to RF fields in excess of the FCC Guidelines (OET Bulletin No. 65, Edition 97-01, August 1997). If necessary, a fence must be erected at such distances and in such a manner as to prevent the exposure of humans to RF fields in excess of the FCC Guidelines. The fence must be a type which will preclude casual or inadvertent access, and must include warning signs at appropriate intervals which describe the nature of the hazard. Any areas within the fence found to exceed the recommended guidelines must be clearly marked with appropriate visual warning signs.
 - 7 BEFORE PROGRAM TESTS ARE AUTHORIZED, the permittee/licensee must submit the results of a complete proof-of-performance to establish the horizontal plane radiation patterns for both the horizontally and vertically polarized radiation components. This proof-of-performance may be accomplished using the complete full size antenna, or individual bays therefrom, mounted on a supporting structure of identical dimensions and configuration as the proposed structure, including all braces, ladders, conduits, coaxial lines, and other appurtenances; or using a carefully manufactured scale model of the entire antenna, or individual bays therefrom, mounted on an equally scaled model of the proposed supporting structure, including all appurtenances. Engineering exhibits must include a description of the antenna testing facilities and equipment employed, including appropriate photographs or sketches and a description of the testing procedures, including scale factor, measurements frequency, and equipment calibration.
 - 8 BEFORE PROGRAM TESTS ARE AUTHORIZED, the permittee/licensee must submit a certification executed by a licensed surveyor showing that the FM directional antenna system has been oriented at the azimuth(s) specified in the directional antenna proof of performance. This certification must include a description of the method used by the surveyor to determine the azimuth(s) of the installed directional antenna system and the accuracy of that determination.

Special operating conditions or restrictions:

- 9 BEFORE PROGRAM TESTS ARE AUTHORIZED, the permittee/licensee must submit an affidavit that the installation of the directional antenna system was overseen by a qualified engineer. This affidavit must include a certification by the engineer that the antenna was installed pursuant to the manufacturer's instructions and list the qualifications of the certifying engineer.
- 10 BEFORE PROGRAM TESTS ARE AUTHORIZED, the permittee/licensee must submit an exhibit demonstrating that the measured directional antenna pattern complies with the appropriate community coverage provisions of 47 C.F.R. Sections 73.315 or 73.515 (See 47 C.F.R. Section 73.316(c) (2) (ix) (B)).
- 11 The RMS of the composite measured relative field horizontal plane directional antenna pattern must encompass at least 85% of the RMS of the composite relative field horizontal plane directional antenna pattern authorized by this construction permit.
- 12 The relative field strength of neither the measured horizontally nor vertically polarized radiation component shall exceed at any azimuth the value indicated on the composite radiation pattern authorized by this construction permit.

A relative field strength of 1.0 on the composite radiation pattern herein authorized corresponds to the following effective radiated power:

4.5 kilowatts

Principal minima and their associated field strength limits:

0 degrees True: 1.786 kilowatts
10 degrees True: 2.008 kilowatts
20 degrees True: 1.919 kilowatts

*** END OF AUTHORIZATION ***