



United States of America
FEDERAL COMMUNICATIONS COMMISSION
LOW POWER TELEVISION/TELEVISION TRANSLATOR
BROADCAST STATION CONSTRUCTION PERMIT

Authorizing Official:

Official Mailing Address:

QUEENB TELEVISION OF TEXAS, LLC
7025 RAYMOND ROAD
MADISON WI 53719

Hossein Hashemzadeh
Associate Chief
Video Division
Media Bureau

Facility Id: 127289

Grant Date: March 19, 2004

This permit expires 3:00 a.m.
local time, 36 months after the
grant date specified above.

Call Sign: K38IG

Permit File Number: BNPTTL-20000828APS

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Commission rules which became effective on February 16, 1999, have a bearing on this construction permit. See Report & Order, Streamlining of Mass Media Applications, MM Docket No. 98-43, 13 FCC RCD 23056, Para. 77-90 (November 25, 1998); 63 Fed. Reg. 70039 (December 18, 1998). Pursuant to these rules, this construction permit will be subject to automatic forfeiture unless construction is complete and an application for license to cover is filed prior to expiration. See Section 73.3598.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.

Name of Permittee: QUEENB TELEVISION OF TEXAS, LLC

Station Location: TX-VICTORIA

Frequency (MHz): 614 - 620

Offset: ZERO

Channel: 38

Hours of Operation: Unlimited

Transmitter: Type Accepted. See Sections 74.750 of the Commission's Rules.

Antenna type: (directional or non-directional): Non-Directional

Description: PSI PSILP801

Major lobe directions (degrees true): Not Applicable

Beam Tilt: Not Applicable

Antenna Coordinates: North Latitude: 28 deg 46 min 04 sec

West Longitude: 96 deg 59 min 12 sec

Maximum Effective Radiated Power (ERP) Towards Radio Horizon: 0.25kW

Maximum ERP in any Horizontal and Vertical Angle: 0.25kW

Height of radiation center above ground: 56 Meters

Height of radiation center above mean sea level: 70.6 Meters

Antenna structure registration number: 1049614

Overall height of antenna structure above ground (including obstruction lighting if any) see the registration for this antenna structure.

Special operating conditions or restrictions:

- 1 This authorization is subject to the condition that low power television is a secondary service, and that low power television and television translator stations must not cause interference to the reception of existing or future full service television stations on either allotted NTSC or DTV channels, and must accept interference from such stations.
- 2 The authorization of a license to operate this station is conditioned upon the use of a transmitter that has been type accepted or meets Commission type acceptance requirements at a visual carrier frequency tolerance of plus/minus 1 kHz. In the event the transmitter has not been type accepted at this tolerance, the permittee shall, in the license application, provide full engineering data that demonstrates compliance with Section 74.750 (c)(3)(iii) of the Commission's Rules.

Special operating conditions or restrictions:

- 3 Prior to construction of the tower authorized herein, permittee shall notify AM Station(s) listed below so that the station(s) may commence determining operating power by the indirect method. Permittee shall be responsible for the installation and continued maintenance of detuning apparatus necessary to prevent adverse effects upon the radiation pattern of the AM station(s). Both prior to construction of the tower and subsequent to the installation of all appurtenances thereon, antenna impedance measurements of the AM station(s) shall be made and sufficient field strength measurements, taken at 8 locations along each of six equally spaced radials, shall be made to establish that the AM radiation pattern is essentially omnidirectional. Prior to or simultaneous with the filing of application for license to cover this permit, the results of the field strength measurements and the impedance measurements shall be submitted to the Commission in an application for the AM station(s) to return to the direct method of power determination.
(Revised March 14, 1983)

KNAL(AM), BML20011030A, VICTORIA, TX

*** END OF AUTHORIZATION ***