

# (REFERENCE COPY - Not for submission)

# DTS Engineering STA Application

 File Number:
 000213535
 Submit Date:
 04/05/2023
 Call Sign:
 WVPT
 Facility ID:
 60111
 FRN:
 0006692347
 State:

 Virginia
 City:
 STAUNTON
 Status:
 Granted
 Status Date:
 04/07/2023
 Expiration Date:
 10/06/2023
 Status:
 Filing Status:
 InActive

| General<br>Information | Section | Question   | Response |
|------------------------|---------|--|----------|
|                        |         |  |          |
| Fees, Waivers,         | Section | Question   | Response |
| and Exemptions         | Waivers | Does this filing request a waiver of the Commission's rule(s)? | No       |
|                        |         | Total number of rule sections involved in this waiver request: |          |

# Applicant Information

# Applicant Name, Type, and Contact Information

| Applicant   | Address  | Phone                 | Email                | Applicant<br>Type |
|---|--|-----------------------|----------------------|-------------------|
| VPM MEDIA CORPORATION<br>Applicant<br>Doing Business As: VPM MEDIA<br>CORPORATION | Mark Spiller<br>23 Sesame Street<br>Richmond, VA<br>23235<br>United States | +1 (804) 320-<br>1301 | mspiller@vpm.<br>org | Other             |

## Authorization Holder Name

Check box if the Authorization Holder name is being updated because of the sale (or transfer of control) of the Authorization(s) to another party and for which proper Commission approval has not been received or proper notification provided.

| Contact                | Contact Name   | Address  | Phone                 | Email                   | Contact Type                |
|------------------------|--|--|-----------------------|-------------------------|-----------------------------|
| Representatives<br>(2) | <b>Ari Meltzer</b><br>Wiley Rein LLP   | 2050 M Street NW<br>Washington, DC<br>20036<br>United States                         | +1 (202) 719-<br>7467 | ameltzer@wiley.<br>law  | Legal<br>Representative     |
|                        | <b>Douglas Lee Vernier</b><br>Doug Vernier Telecommunications<br>Consultants | Doug Vernier<br>1600 Picturesque<br>Dr.<br>Cedar Falls, IA<br>50613<br>United States | +1 (319) 266-<br>7435 | dvernier@v-soft.<br>com | Technical<br>Representative |

| Channel and             | Section               | Question               | Response                  |
|-------------------------|-----------------------|------------------------|---------------------------|
| Facility<br>Information | Proposed Community of | Facility ID            | 60111                     |
|                         | License               | State                  | Virginia                  |
|                         |                       | City                   | STAUNTON                  |
|                         |                       | DTS Channel            | 12                        |
|                         |                       | Designated Market Area | HARRISONBURG              |
|                         | Facility Type         | Facility Type          | Noncommercial Educational |
|                         |                       | Station Type           | Main                      |
|                         | Zone                  | Zone                   | 1                         |

| DTS Reference<br>Point | Section                  | Question   | Response |
|------------------------|--------------------------|--|----------|
|                        | Construction Permit File | File Number for Current Authorized Service Area: |          |
|                        | Number and Facility ID   | Facility ID                                      |          |
|                        | Coordinates (NAD83)      | Latitude   |          |
|                        |                          | Longitude  |          |

| Site 1: Antenna | Section                           | Question   | Response                                |
|-----------------|-----------------------------------|--|---|
| Location Data   | Antenna Structure<br>Registration | Do you have an FCC Antenna Structure Registration (ASR)<br>Number? | No                                      |
|                 |                                   | ASR Number   |   |
|                 | Coordinates (NAD83)               | Latitude   | 38° 09' 53.9" N+                        |
|                 |                                   | Longitude  | 079° 18' 50.0" W-                       |
|                 |                                   | Structure Type   | UTOWER-Unguyed - Free<br>Standing Tower |
|                 |                                   | Overall Structure Height   | 12 meters                               |
|                 |                                   | Support Structure Height   | 12 meters                               |
|                 |                                   | Ground Elevation (AMSL)  | 1324 meters                             |
|                 | Antenna Data                      | Height of Radiation Center Above Ground Level                      | 10 meters                               |
|                 |                                   | Height of Radiation Center Above Average Terrain                   | 688.1 meters                            |
|                 |                                   | Height of Radiation Center Above Mean Sea Level                    | 1334 meters                             |
|                 |                                   | Effective Radiated Power   | 7 kW                                    |

## Site 1: Antenna Technical Data

| Section                           | Question  | Response           |
|-----------------------------------|---|--------------------|
| Antenna Type                      | Antenna Type  | Directional Custom |
|                                   | Do you have an Antenna ID?  | No                 |
|                                   | Antenna ID  | 1010610            |
| Antenna Manufacturer and          | Manufacturer:   | Kathrein           |
| Model                             | Model   | K523157/RR         |
|                                   | Electrical Beam Tilt  | 1                  |
|                                   | Mechanical Beam Tilt  | Not Applicable     |
|                                   | toward azimuth  |                    |
|                                   | Polarization  | Horizontal         |
| DTV and DTS: Elevation<br>Pattern | Does the proposed antenna propose elevation radiation<br>patterns that vary with azimuth for reasons other than the<br>use of mechanical beam tilt? |                    |
|                                   | Rotation  | 150 degrees        |
|                                   | Uploaded file for elevation antenna (or radiation) pattern data   |                    |

# Directional Antenna Relative Field Values (Pre-rotated Pattern)

| Degree | Value | Degree | Value | Degree | Value | Degree | Value |
|--------|-------|--------|-------|--------|-------|--------|-------|
| 0      | 1     | 90     | 0.228 | 180    | 0.023 | 270    | 0.237 |
| 10     | .901  | 100    | 0.131 | 190    | 0.016 | 280    | 0.380 |
| 20     | 0.730 | 110    | 0.070 | 200    | 0.004 | 290    | 0.557 |
| 30     | 0.724 | 120    | 0.030 | 210    | 0.001 | 300    | 0.731 |
| 40     | 0.826 | 130    | 0.006 | 220    | 0.003 | 310    | 0.841 |
| 50     | 0.837 | 140    | 0.003 | 230    | 0.007 | 320    | 0.817 |
| 60     | 0.724 | 150    | .001  | 240    | 0.032 | 330    | 0.709 |
| 70     | 0.547 | 160    | 0.004 | 250    | 0.074 | 340    | 0.723 |
| 80     | 0.370 | 170    | 0.016 | 260    | 0.137 | 350    | 0.902 |

#### **Additional Azimuths**

Degree V<sub>A</sub>

| Site 2: Antenna | Section                           | Question   | Response   |
|-----------------|-----------------------------------|--|--|
| Location Data   | Antenna Structure<br>Registration | Do you have an FCC Antenna Structure Registration (ASR)<br>Number? | Yes  |
|                 |                                   | ASR Number   | 1018222  |
|                 | Coordinates (NAD83)               | Latitude   | 37° 59' 00.0" N+   |
|                 |                                   | Longitude  | 078° 29' 01.0" W-  |
|                 | Antenna Data                      | Structure Type   | GTOWER-Guyed Structure<br>Used for Communication<br>Purposes |
|                 |                                   | Overall Structure Height   | 90.5 meters  |
|                 |                                   | Support Structure Height   | 81.7 meters  |
|                 |                                   | Ground Elevation (AMSL)  | 427.1 meters   |
|                 |                                   | Height of Radiation Center Above Ground Level                      | 68 meters  |
|                 |                                   | Height of Radiation Center Above Average Terrain                   | 333 meters   |
|                 |                                   | Height of Radiation Center Above Mean Sea Level                    | 495.1 meters   |
|                 |                                   | Effective Radiated Power   | 0.1 kW   |

## Site 2: Antenna Technical Data

| Section                           | Question  | Response           |
|-----------------------------------|---|--------------------|
| Antenna Type                      | Antenna Type  | Directional Custom |
|                                   | Do you have an Antenna ID?  | Yes                |
|                                   | Antenna ID  | 108800             |
| Antenna Manufacturer and          | Manufacturer:   | SCA                |
| Model                             | Model   | DRV-1              |
|                                   | Electrical Beam Tilt  | Not Applicable     |
|                                   | Mechanical Beam Tilt  | Not Applicable     |
|                                   | toward azimuth  |                    |
|                                   | Polarization  | Horizontal         |
| DTV and DTS: Elevation<br>Pattern | Does the proposed antenna propose elevation radiation<br>patterns that vary with azimuth for reasons other than the<br>use of mechanical beam tilt? |                    |
|                                   | Rotation  | 0 degrees          |
|                                   | Uploaded file for elevation antenna (or radiation) pattern data   |                    |

# Directional Antenna Relative Field Values (Pre-rotated Pattern)

| Degree | Value | Degree | Value | Degree | Value | Degree | Value |
|--------|-------|--------|-------|--------|-------|--------|-------|
| 0      | 1     | 90     | 0.028 | 180    | 0.056 | 270    | 0.028 |
| 10     | 0.973 | 100    | 0.04  | 190    | 0.053 | 280    | 0.108 |
| 20     | 0.888 | 110    | 0.091 | 200    | 0.06  | 290    | 0.208 |
| 30     | 0.764 | 120    | 0.12  | 210    | 0.087 | 300    | 0.325 |
| 40     | 0.616 | 130    | 0.129 | 220    | 0.115 | 310    | 0.465 |
| 50     | 0.465 | 140    | 0.115 | 230    | 0.129 | 320    | 0.617 |
| 60     | 0.325 | 150    | 0.087 | 240    | 0.12  | 330    | 0.764 |
| 70     | 0.208 | 160    | 0.06  | 250    | 0.091 | 340    | 0.888 |
| 80     | 0.108 | 170    | 0.053 | 260    | 0.04  | 350    | 0.973 |

#### **Additional Azimuths**

Degree V<sub>A</sub>

| Site 3: Antenna | Section                           | Question   | Response   |
|-----------------|-----------------------------------|--|--|
| Location Data   | Antenna Structure<br>Registration | Do you have an FCC Antenna Structure Registration (ASR)<br>Number? | No   |
|                 |                                   | ASR Number   |  |
|                 | Coordinates (NAD83)               | Latitude   | 38° 20' 39.4" N+   |
|                 |                                   | Longitude  | 079° 35' 46.1" W-  |
|                 |                                   | Structure Type   | GTOWER-Guyed Structure<br>Used for Communication<br>Purposes |
|                 |                                   | Overall Structure Height   | 46 meters  |
|                 |                                   | Support Structure Height   | 46 meters  |
|                 |                                   | Ground Elevation (AMSL)  | 1295 meters  |
|                 | Antenna Data                      | Height of Radiation Center Above Ground Level                      | 43 meters  |
|                 |                                   | Height of Radiation Center Above Average Terrain                   | 470 meters   |
|                 |                                   | Height of Radiation Center Above Mean Sea Level                    | 1338 meters  |
|                 |                                   | Effective Radiated Power   | 0.008 kW   |

## Site 3: Antenna Technical Data

| Section                           | Question  | Response           |
|-----------------------------------|---|--------------------|
| Antenna Type                      | Antenna Type  | Directional Custom |
|                                   | Do you have an Antenna ID?  | Yes                |
|                                   | Antenna ID  | 108801             |
| Antenna Manufacturer and<br>Model | Manufacturer:   | SCA                |
|                                   | Model   | CL-713             |
|                                   | Electrical Beam Tilt  | Not Applicable     |
|                                   | Mechanical Beam Tilt  | Not Applicable     |
|                                   | toward azimuth  |                    |
|                                   | Polarization  | Horizontal         |
| DTV and DTS: Elevation<br>Pattern | Does the proposed antenna propose elevation radiation<br>patterns that vary with azimuth for reasons other than the<br>use of mechanical beam tilt? |                    |
|                                   | Rotation  | 0 degrees          |
|                                   | Uploaded file for elevation antenna (or radiation) pattern data   |                    |

# Directional Antenna Relative Field Values (Pre-rotated Pattern)

| Degree | Value | Degree | Value | Degree | Value | Degree | Value |
|--------|-------|--------|-------|--------|-------|--------|-------|
| 0      | 0.974 | 90     | 0.01  | 180    | 0.01  | 270    | 0.01  |
| 10     | 0.879 | 100    | 0.01  | 190    | 0.01  | 280    | 0.01  |
| 20     | 0.717 | 110    | 0.01  | 200    | 0.01  | 290    | 0.01  |
| 30     | 0.491 | 120    | 0.01  | 210    | 0.01  | 300    | 0.048 |
| 40     | 0.224 | 130    | 0.01  | 220    | 0.01  | 310    | 0.224 |
| 50     | 0.048 | 140    | 0.01  | 230    | 0.01  | 320    | 0.491 |
| 60     | 0.01  | 150    | 0.01  | 240    | 0.01  | 330    | 0.717 |
| 70     | 0.01  | 160    | 0.01  | 250    | 0.01  | 340    | 0.879 |
| 80     | 0.01  | 170    | 0.01  | 260    | 0.01  | 350    | 0.974 |

## **Additional Azimuths**

| Degree | V <sub>A</sub> |
|--------|----------------|
| 355    | 1              |

| Certification | Section                             | Question  | Response                                     |
|---------------|-------------------------------------|---|--|
|               | General Certification<br>Statements | The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by authorization or otherwise, and requests an Authorization in accordance with this application (See Section 304 of the Communications Act of 1934, as amended.).   |  |
|               |                                     | The Applicant certifies that neither the Applicant nor any<br>other party to the application is subject to a denial of Federal<br>benefits pursuant to §5301 of the Anti-Drug Abuse Act of<br>1988, 21 U.S.C. §862, because of a conviction for<br>possession or distribution of a controlled substance. This<br>certification does not apply to applications filed in services<br>exempted under §1.2002(c) of the rules, 47 CFR . See §1.<br>2002(b) of the rules, 47 CFR §1.2002(b), for the definition of<br>"party to the application" as used in this certification §1.2002<br>(c). The Applicant certifies that all statements made in this<br>application and in the exhibits, attachments, or documents<br>incorporated by reference are material, are part of this<br>application, and are true, complete, correct, and made in<br>good faith.  |  |
|               | Authorized Party to Sign            | <ul> <li>FAILURE TO SIGN THIS APPLICATION MAY RESULT IN<br/>DISMISSAL OF THE APPLICATION AND FORFEITURE<br/>OF ANY FEES PAID</li> <li>Upon grant of this application, the Authorization Holder may<br/>be subject to certain construction or coverage requirements.</li> <li>Failure to meet the construction or coverage requirements<br/>will result in automatic cancellation of the Authorization.</li> <li>Consult appropriate FCC regulations to determine the<br/>construction or coverage requirements that apply to the type<br/>of Authorization requested in this application.</li> <li>WILLFUL FALSE STATEMENTS MADE ON THIS FORM<br/>OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND<br/>/OR IMPRISONMENT (U.S. Code, Title 18, §1001) AND/OR<br/>REVOCATION OF ANY STATION AUTHORIZATION (U.S.<br/>Code, Title 47, §312(a)(1)), AND/OR FORFEITURE (U.S.<br/>Code, Title 47, §503).</li> </ul> |  |
|               |                                     | I certify that this application includes all required and relevant attachments.   | Yes  |
|               |                                     | I declare, under penalty of perjury, that I am an authorized representative of the above-named applicant for the Authorization(s) specified above.  | Mark Spiller<br>VP Engineering<br>04/05/2023 |

| Attachments | File Name                                   | Uploaded By Attachment Type |             | Description                        |
|-------------|---|-----------------------------|-------------|------------------------------------|
|             | Engineering Statement and exhibits pg#1.pdf | Applicant                   | All Purpose | Engineering Statement and Exhibits |