



Federal Communications Commission

(REFERENCE COPY - Not for submission)
AM License to Cover (302-AM)

File Number: **BMML-20100517AFU** | Submit Date: **05/21/2010** | Lead Call Sign: **WRT0** | FRN: **0032573644**
Service: **Full Power AM** | Purpose: **License To Cover** | Status: **Superceded** | Status Date: **04/29/2011** | Filing Status:
Inactive

General Information

Section	Question	Response
Attachments	Are attachments (other than associated schedules) being filed with this application?	

Fees, Waivers, and Exemptions

Section	Question	Response
Fees	Is the applicant exempt from FCC application Fees?	No
	Indicate reason for fee exemption:	
	Is the applicant exempt from FCC regulatory Fees?	
Waivers	Does this filing request a waiver of the Commission's rule (s)?	
	Total number of rule sections involved in this waiver request:	

Applicant Information

Applicant Name, Type, and Contact Information

Applicant	Address	Phone	Email	Applicant Type
WLXX-AM LICENSE CORP. Applicant Doing Business As: WLXX-AM LICENSE CORP.	5999 CENTER DRIVE LOS ANGELES, CA 90045 United States	+1 (310) 348-3600		Company

Contact Representatives (2)

Contact Name	Address	Phone	Email	Contact Type
CHARLES W STAPLES TECHNICAL CONSULTANT	4424 GLENWICK LANE UNIVERSITY PARK, TX 75205 United States	+1 (214) 526-6200		Technical Representative
WILLIAM H. FITZ, ESQ. COVINGTON & BURLING	United States	+1 (202) 662-5120	WFITZ@COV.COM	Legal Representative

Legal
Certifications

Section	Question	Response
Character Issues	Applicant certifies that neither applicant nor any party to the application has or had any interest in, or connection with: (a) any broadcast application in any proceeding where character issues were left in unresolved or were resolved adversely against the applicant or party to the application; or (b) any pending broadcast application in which character issues have been raised.	
Adverse Findings	Applicant certifies that, with respect to the applicant and any party to the application, and any non-party equity owner in the applicant, no adverse finding has been made, nor has an adverse final action been taken by any court or administrative body in a civil or criminal proceeding brought under the provisions of any law related to the following: any felony; mass media-related antitrust or unfair competition; fraudulent statements to another governmental unit; or discrimination.	

Frequency and
Facility
Information

Section	Question	Response
Program Test Authority	The application is operating pursuant to automatic program test authority in accordance with 47 CFR 73.1620	
	The applicant is requesting program test authority in accordance with 47 CFR Section 73.1620	
Proposed Community of License	State	Illinois
	City	Chicago
Facility Information	Frequency	1200
	Service Type	Main
	Facility Type	Commercial
	Class	B
Modes/Hour of Operation	Modes/Hour of Operation	Daytime, NightTime

Antenna
Summary Data

Directional Antenna Data -		
Section	Question	Response
Parameters	Nominal Power	
	Antenna Input Power	
	RF common point or antenna current without modulation	
	Measured antenna or common point resistance at operating frequency	
	Latitude	null° null` nullnull
	Longitude	null° null` nullnull
	Excitation	
	Antenna Monitor Manufacturer	POTOMAC INSTRUMENTS AM 1901, S/N 796

	Antenna Monitor Type										
Towers	<table><tr><td>Tower</td><td>Field Ratio</td><td>Phase (deg.)</td><td>ASRN</td><td>Overall Ht. (m)</td><td>AGL w/o light(m)</td><td>AGL w light(m)</td><td>Tower Type</td></tr></table>			Tower	Field Ratio	Phase (deg.)	ASRN	Overall Ht. (m)	AGL w/o light(m)	AGL w light(m)	Tower Type
Tower	Field Ratio	Phase (deg.)	ASRN	Overall Ht. (m)	AGL w/o light(m)	AGL w light(m)	Tower Type				
Tower Description	Attach as an exhibit, a description of the towers (uniform cross section, guyed, top-loaded, or such) with details, dimensions and information regarding any other antennas mounted on the tower.										
Ground System Description	Attach as an exhibit, a complete description of the ground system.										
Antenna or Common Point Resistance	Attach as an exhibit, reasons for any change in antenna or common point resistance, if applicable.										
Antenna Performance	Proof of Performance										
	Ground System Description	Attach as an exhibit, an engineering statement describing the techniques and software used in the moment method model. Include a complete description of the sampling system and related measurements. If base sampling is specified, an exhibit of the circuit model must be provided. A tower survey certification must also be included unless the station is exempt per Section 73.151(c)(1)(ix). The station must meet all the requirements specified in Section 73.151.									
	Description of Sampling System										
	Sampling System Certification	Yes									

Non-Directional Antenna Data -

Section	Question	Response					
Parameters	Nominal Power						
	Antenna Input Power						
	RF common point or antenna current without modulation						
	Measured antenna or common point resistance at operating frequency						
	Latitude	null° null` nullnull					
	Longitude	null° null` nullnull					
	Excitation						
Towers	<table><tr><td>ASRN No.</td><td>Overall ht.(m)</td><td>AGL w/o light(m)</td><td>AGL with light(m)</td><td>Tower Type</td></tr></table>		ASRN No.	Overall ht.(m)	AGL w/o light(m)	AGL with light(m)	Tower Type
ASRN No.	Overall ht.(m)	AGL w/o light(m)	AGL with light(m)	Tower Type			
Tower Description	Attach as an exhibit, a description of the towers (uniform cross section, guyed, top-loaded, or such) with details, dimensions and information regarding any other antennas mounted on the tower.						
Ground System Description	Attach as an exhibit, a complete description of the ground system.						
Antenna or Common Point Resistance	Attach as an exhibit, reasons for any change in antenna or common point resistance, if applicable.						
Antenna Performance	Proof of Performance						

Non-Directional Antenna Data -

Section	Question	Response
---------	----------	----------

Parameters	Nominal Power									
	Antenna Input Power									
	RF common point or antenna current without modulation									
	Measured antenna or common point resistance at operating frequency									
	Latitude	null° null` nullnull								
	Longitude	null° null` nullnull								
	Excitation									
Towers	<table><tr><td>ASRN No.</td><td>Overall ht.(m)</td><td>AGL w/o light(m)</td><td>AGL with light(m)</td><td>Tower Type</td></tr></table>					ASRN No.	Overall ht.(m)	AGL w/o light(m)	AGL with light(m)	Tower Type
ASRN No.	Overall ht.(m)	AGL w/o light(m)	AGL with light(m)	Tower Type						
Tower Description	Attach as an exhibit, a description of the towers (uniform cross section, guyed, top-loaded, or such) with details, dimensions and information regarding any other antennas mounted on the tower.									
Ground System Description	Attach as an exhibit, a complete description of the ground system.									
Antenna or Common Point Resistance	Attach as an exhibit, reasons for any change in antenna or common point resistance, if applicable.									
Antenna Performance	Proof of Performance									

Non-Directional Antenna Data -

Section	Question	Response													
Parameters	Nominal Power														
	Antenna Input Power														
	RF common point or antenna current without modulation														
	Measured antenna or common point resistance at operating frequency														
	Latitude	null° null` nullnull													
	Longitude	null° null` nullnull													
	Excitation														
Towers	<table><tr><th>ASRN No.</th><th>Overall ht.(m)</th><th>AGL w/o light(m)</th><th>AGL with light(m)</th><th>Tower Type</th></tr><tr><td colspan="5"></td></tr></table>					ASRN No.	Overall ht.(m)	AGL w/o light(m)	AGL with light(m)	Tower Type					
ASRN No.	Overall ht.(m)	AGL w/o light(m)	AGL with light(m)	Tower Type											
Tower Description	Attach as an exhibit, a description of the towers (uniform cross section, guyed, top-loaded, or such) with details, dimensions and information regarding any other antennas mounted on the tower.														
Ground System Description	Attach as an exhibit, a complete description of the ground system.														
Antenna or Common Point Resistance	Attach as an exhibit, reasons for any change in antenna or common point resistance, if applicable.														
Antenna Performance	Proof of Performance														

Directional Antenna Data - Daytime

Section	Question	Response
Parameters	Nominal Power	20.000

	Antenna Input Power	21.060																																								
	RF common point or antenna current without modulation	20.500																																								
	Measured antenna or common point resistance at operating frequency	50																																								
	Latitude	41° 39` 43.1N																																								
	Longitude	87° 37` 48.2W																																								
	Excitation																																									
	Antenna Monitor Manufacturer	POTOMAC INSTRUMENTS AM 1901, S/N 796																																								
	Antenna Monitor Type																																									
Towers	<table><tr><th>Tower</th><th>Field Ratio</th><th>Phase (deg.)</th><th>ASRN</th><th>Overall Ht. (m)</th><th>AGL w/o light(m)</th><th>AGL w light(m)</th><th>Tower Type</th></tr><tr><td>1</td><td>0.653</td><td></td><td></td><td>56.3</td><td></td><td>57.6</td><td>Neither</td></tr><tr><td>2</td><td>0.653</td><td></td><td></td><td>56.3</td><td></td><td>57.6</td><td>Neither</td></tr><tr><td>3</td><td>0.653</td><td></td><td></td><td>56.3</td><td></td><td>57.6</td><td>Neither</td></tr><tr><td>4</td><td>0.653</td><td></td><td></td><td>56.3</td><td></td><td>57.6</td><td>Neither</td></tr></table>		Tower	Field Ratio	Phase (deg.)	ASRN	Overall Ht. (m)	AGL w/o light(m)	AGL w light(m)	Tower Type	1	0.653			56.3		57.6	Neither	2	0.653			56.3		57.6	Neither	3	0.653			56.3		57.6	Neither	4	0.653			56.3		57.6	Neither
Tower	Field Ratio	Phase (deg.)	ASRN	Overall Ht. (m)	AGL w/o light(m)	AGL w light(m)	Tower Type																																			
1	0.653			56.3		57.6	Neither																																			
2	0.653			56.3		57.6	Neither																																			
3	0.653			56.3		57.6	Neither																																			
4	0.653			56.3		57.6	Neither																																			
Tower Description	Attach as an exhibit, a description of the towers (uniform cross section, guyed, top-loaded, or such) with details, dimensions and information regarding any other antennas mounted on the tower.																																									
Ground System Description	Attach as an exhibit, a complete description of the ground system.																																									
Antenna or Common Point Resistance	Attach as an exhibit, reasons for any change in antenna or common point resistance, if applicable.																																									
Antenna Performance	Proof of Performance																																									
	Ground System Description	Attach as an exhibit, an engineering statement describing the techniques and software used in the moment method model. Include a complete description of the sampling system and related measurements. If base sampling is specified, an exhibit of the circuit model must be provided. A tower survey certification must also be included unless the station is exempt per Section 73.151(c)(1)(ix). The station must meet all the requirements specified in Section 73.151.																																								
	Description of Sampling System																																									
	Sampling System Certification	Yes																																								

Directional Antenna Data - Nighttime

Section	Question	Response
Parameters	Nominal Power	4.500
	Antenna Input Power	4.860
	RF common point or antenna current without modulation	9.680
	Measured antenna or common point resistance at operating frequency	50
	Latitude	41° 39` 43.1N

	Longitude	87° 37` 48.2W																																																																						
	Excitation																																																																							
	Antenna Monitor Manufacturer	POTOMAC INSTRUMENTS AM 1901, S/N 796																																																																						
	Antenna Monitor Type																																																																							
Towers	<table><tr><th>Tower</th><th>Field Ratio</th><th>Phase (deg.)</th><th>ASRN</th><th>Overall Ht. (m)</th><th>AGL w/o light(m)</th><th>AGL w light(m)</th><th>Tower Type</th></tr><tr><td>1</td><td>0.244</td><td></td><td></td><td>56.3</td><td></td><td>57.6</td><td>Neither</td></tr><tr><td>2</td><td>0.244</td><td></td><td></td><td>56.3</td><td></td><td>57.6</td><td>Neither</td></tr><tr><td>3</td><td>0.244</td><td></td><td></td><td>56.3</td><td></td><td>57.6</td><td>Neither</td></tr><tr><td>4</td><td>0.244</td><td></td><td></td><td>56.3</td><td></td><td>57.6</td><td>Neither</td></tr><tr><td>5</td><td>0.244</td><td></td><td></td><td>56.3</td><td></td><td>57.6</td><td>Neither</td></tr><tr><td>6</td><td>0.244</td><td></td><td></td><td>56.3</td><td></td><td>57.6</td><td>Neither</td></tr><tr><td colspan="8"></td></tr></table>								Tower	Field Ratio	Phase (deg.)	ASRN	Overall Ht. (m)	AGL w/o light(m)	AGL w light(m)	Tower Type	1	0.244			56.3		57.6	Neither	2	0.244			56.3		57.6	Neither	3	0.244			56.3		57.6	Neither	4	0.244			56.3		57.6	Neither	5	0.244			56.3		57.6	Neither	6	0.244			56.3		57.6	Neither								
	Tower	Field Ratio	Phase (deg.)	ASRN	Overall Ht. (m)	AGL w/o light(m)	AGL w light(m)	Tower Type																																																																
	1	0.244			56.3		57.6	Neither																																																																
	2	0.244			56.3		57.6	Neither																																																																
	3	0.244			56.3		57.6	Neither																																																																
	4	0.244			56.3		57.6	Neither																																																																
	5	0.244			56.3		57.6	Neither																																																																
	6	0.244			56.3		57.6	Neither																																																																
Tower Description	Attach as an exhibit, a description of the towers (uniform cross section, guyed, top-loaded, or such) with details, dimensions and information regarding any other antennas mounted on the tower.																																																																							
Ground System Description	Attach as an exhibit, a complete description of the ground system.																																																																							
Antenna or Common Point Resistance	Attach as an exhibit, reasons for any change in antenna or common point resistance, if applicable.																																																																							
Antenna Performance	Proof of Performance																																																																							
	Ground System Description	Attach as an exhibit, an engineering statement describing the techniques and software used in the moment method model. Include a complete description of the sampling system and related measurements. If base sampling is specified, an exhibit of the circuit model must be provided. A tower survey certification must also be included unless the station is exempt per Section 73.151(c)(1)(ix). The station must meet all the requirements specified in Section 73.151.																																																																						
	Description of Sampling System																																																																							
	Sampling System Certification	Yes																																																																						

License
Certifications

Section	Question	Response
Certifications	Was the facility constructed in compliance with all special operating conditions, terms, and obligations described in the construction permit?	
Correcting Coordinates	Is this application being filed to correct coordinates as authorized by 47 CFR Section 73.1690(c)(11)?	
Change in License Status	Is this application being filed to authorize a change in license status from commercial to non-commercial or from non-commercial to commercial, pursuant to 47 CFR Section 73.1690(c)(9)?	

Certification

Section	Question	Response
---------	----------	----------

General Certification Statements	The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by authorization or otherwise, and requests an Authorization in accordance with this application (See Section 304 of the Communications Act of 1934, as amended.).	
	The Applicant certifies that neither the Applicant nor any other party to the application is subject to a denial of Federal benefits pursuant to §5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. § 862, because of a conviction for possession or distribution of a controlled substance. This certification does not apply to applications filed in services exempted under §1.2002(c) of the rules, 47 CFR . See §1.2002(b) of the rules, 47 CFR § 1.2002(b), for the definition of "party to the application" as used in this certification § 1.2002(c). The Applicant certifies that all statements made in this application and in the exhibits, attachments, or documents incorporated by reference are material, are part of this application, and are true, complete, correct, and made in good faith.	
Authorized Party to Sign	FAILURE TO SIGN THIS APPLICATION MAY RESULT IN DISMISSAL OF THE APPLICATION AND FORFEITURE OF ANY FEES PAID Upon grant of this application, the Authorization Holder may be subject to certain construction or coverage requirements. Failure to meet the construction or coverage requirements will result in automatic cancellation of the Authorization. Consult appropriate FCC regulations to determine the construction or coverage requirements that apply to the type of Authorization requested in this application. WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. Code, Title 18, §1001) AND/OR REVOCATION OF ANY STATION AUTHORIZATION (U.S. Code, Title 47, §312(a)(1)), AND /OR FORFEITURE (U.S. Code, Title 47, §503).	
	I declare, under penalty of perjury, that I am an authorized representative of the above-named applicant for the Authorization(s) specified above.	CHRISTOPHER G WOOD

Attachments

File Name	Uploaded By	Attachment Type	Description	Upload Status
<u>D:\data\prod\cdbs\letters\21\A-1370543_F-11196_L-21196-BMML-20100517AFU.pdf</u>	Internal	All Purpose	imported letter	Done with Virus Scan and/or Conversion
<u>D:\data\prod\cdbs\letters\21\A-1370543_F-11196_L-21197-BMML-20100517AFU.pdf</u>	Internal	All Purpose	imported letter	Done with Virus Scan and/or Conversion
<u>D:\data\prod\cdbs\letters\25\A-1370543_F-11196_L-25641-BMML-20100517AFU.pdf</u>	Internal	All Purpose	imported letter	Done with Virus Scan and/or Conversion