



(REFERENCE COPY - Not for submission)
Minor Modification of Licensed AM Station Application (301-AM)

File Number: **BP-20060126AAH** | Submit Date: **01/26/2006** | Lead Call Sign: **WAMG** | FRN: **0020040051**
Service: **Full Power AM** | Purpose: **Minor Modification** | Status: **Superceded** | Status Date: **04/26/2006** | Filing Status:
Inactive

General Information

Section	Question	Response
Attachments	Are attachments (other than associated schedules) being filed with this application?	

Fees, Waivers, and Exemptions

Section	Question	Response
Fees	Is the applicant exempt from FCC application Fees?	No
	Indicate reason for fee exemption:	
	Is the applicant exempt from FCC regulatory Fees?	
Waivers	Does this filing request a waiver of the Commission's rule (s)?	
	Total number of rule sections involved in this waiver request:	

Applicant Information

Applicant Name, Type, and Contact Information

Applicant	Address	Phone	Email	Applicant Type
J SPORTS BOSTON LLC Applicant Doing Business As: J SPORTS BOSTON LLC	529 MAIN STREET SUITE 200 CHARLESTOWN, MA 02129 United States	+1 (617) 242-1800		Company

Contact Representatives (2)

Contact Name	Address	Phone	Email	Contact Type
GLEN CLARK, P.E. CONSULTING ENGINEER	3804 WILMINGTON ROAD NEW CASTLE, PA 16105-6134 United States	+1 (724) 654-4200	GLEN@CLARKCOM.COM	Technical Representative
DAVID M. SILVERMAN, ESQ. COLE, RAYWID & BRAVERMAN, L.L.P.	1919 PENNSYLVANIA AVE., N.W. SUITE 200 WASHINGTON, DC 20006 United States	+1 (202) 659-9750	DSILVERMAN@CRBLAW.COM	Legal Representative

Attributable Interest

Section	Question	Response
Multiple Ownership	Is the applicant or any party to the application the holder of an attributable radio joint sales agreement or an attributable radio time brokerage agreement in the same market as the station subject to this application?	
	Applicant certifies that the proposed facility complies with the Commission's multiple ownership rules.	
	Applicant certifies that the proposed facility: (a) does not present an issue under the Commission's policies relating to media interests of immediate family members; (b) complies with the Commission's policies relating to future ownership interests; (c) complies with the Commission's restrictions relating to the insulation and non-participation of non-party investors and creditors	
	Does the Applicant claim status as an "eligible entity," that is, an entity that qualifies as a small business under the Small Business Administration's size standards for its industry grouping (as set forth in 13 C.F.R. § 121-201), and holds: (a) 30 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet; or (b) 15 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet, provided that no other person or entity owns or controls more than 25 percent of the outstanding stock or partnership interests; or (c) more than 50 percent of the voting power of the corporation that will own the media outlet (if such corporation is a publicly traded company)?	

Legal Certifications

Section	Question	Response
Character Issues	Applicant certifies that neither applicant nor any party to the application has or had any interest in, or connection with: (a) any broadcast application in any proceeding where character issues were left in unresolved or were resolved adversely against the applicant or party to the application; or (b) any pending broadcast application in which character issues have been raised.	
Adverse Findings	Applicant certifies that, with respect to the applicant and any party to the application, and any non-party equity owner in the applicant, no adverse finding has been made, nor has an adverse final action been taken by any court or administrative body in a civil or criminal proceeding brought under the provisions of any law related to the following: any felony; mass media-related antitrust or unfair competition; fraudulent statements to another governmental unit; or discrimination.	

Frequency and Facility Information

Local Public Notice	Applicant certifies that it has or will comply with the public notice requirements of 47 C.F.R. Section 73.3580.	
Section	Question	Response
Proposed Community of License	State	Massachusetts
	City	Dedham
Facility Information	Frequency	890
	Service Type	Main
	Facility Type	Commercial
	Class	B
Modes/Hour of Operation	Modes/Hour of Operation	Daytime, NightTime

Antenna Summary Data

Directional Antenna Data - Daytime		
Section	Question	Response
Parameters	Power	25.000
	Latitude	42° 14` 50.3N
	Longitude	71° 25` 29.2W
	Theoretical RMS	2036.3
	Standard RMS	2140.7
	Specified Q	
	Augmentation	Augmentation
Augmentation RMS		
Augmentation Table	Central Azimuth (degrees)Span (degrees)Radiation at Central Azimuth (mV/m)	
Site Plat and Tower Sketch	Attach an antenna site plat and a tower sketch. The antenna site plat should clearly show the following items: Boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Number and dimensions of ground radials or height and dimensions of counterpoise. Spacing and orientation of each element in the array with respect to true north. A scale in meters. The tower sketch should include site elevation, radiator height above base insulator, tower height above ground level, overall tower height above ground without obstruction lighting, and overall height above ground with obstruction lighting.	

Directional Antenna : Tower - 1

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1058482
Parameters	Overall height above ground (including obstruction lighting)	164.6
	Height of radiator above base insulator, or above base, if grounded	161

	Electrical height of radiator	173.6
	Field Ratio	0.462
	Phase	636.8
	Spacing	0
	Tower Orientation	0
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	
	B	
	C	
	D	

Directional Antenna : Tower - 2

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1058483
Parameters	Overall height above ground (including obstruction lighting)	164.6
	Height of radiator above base insulator, or above base, if grounded	161
	Electrical height of radiator	173.6
	Field Ratio	0.963
	Phase	490.3
	Spacing	84
	Tower Orientation	90
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	
	B	
	C	
	D	

Directional Antenna : Tower - 3

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1058484
Parameters	Overall height above ground (including obstruction lighting)	164.6
	Height of radiator above base insulator, or above base, if grounded	161

	Electrical height of radiator	173.6
	Field Ratio	1
	Phase	360
	Spacing	167.9
	Tower Orientation	90
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	
	B	
	C	
	D	

Directional Antenna : Tower - 4

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1058485
Parameters	Overall height above ground (including obstruction lighting)	164.6
	Height of radiator above base insulator, or above base, if grounded	161
	Electrical height of radiator	173.6
	Field Ratio	0.82
	Phase	591.1
	Spacing	251.9
	Tower Orientation	90
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	
	B	
	C	
	D	

Directional Antenna : Tower - 5

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1058486
Parameters	Overall height above ground (including obstruction lighting)	164.1
	Height of radiator above base insulator, or above base, if grounded	161

	Electrical height of radiator	173.6
	Field Ratio	0.342
	Phase	446.9
	Spacing	335.8
	Tower Orientation	90
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	
	B	
	C	
	D	

Directional Antenna Data - Nighttime

Section	Question		Response
Parameters	Power		6.000
	Latitude		42° 14` 50.3N
	Longitude		71° 25` 29.2W
	Theoretical RMS		975.7
	Standard RMS		1024.9
	Specified Q		
	Augmentation		Augmentation
Augmentation RMS			
Augmentation Table	<div> <div>Central Azimuth (degrees)</div> <div>Span (degrees)</div> <div>Radiation at Central Azimuth (mV/m)</div> </div>		
Site Plat and Tower Sketch	Attach an antenna site plat and a tower sketch. The antenna site plat should clearly show the following items: Boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Number and dimensions of ground radials or height and dimensions of counterpoise. Spacing and orientation of each element in the array with respect to true north. A scale in meters. The tower sketch should include site elevation, radiator height above base insulator, tower height above ground level, overall tower height above ground without obstruction lighting, and overall height above ground with obstruction lighting.		

Directional Antenna : Tower - 1

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1058482
Parameters	Overall height above ground (including obstruction lighting)	164.6
	Height of radiator above base insulator, or above base, if grounded	161
	Electrical height of radiator	173.6

	Field Ratio	0.48
	Phase	227.6
	Spacing	0
	Tower Orientation	0
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	
	B	
	C	
	D	

Directional Antenna : Tower - 2

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1058483
Parameters	Overall height above ground (including obstruction lighting)	164.6
	Height of radiator above base insulator, or above base, if grounded	161
	Electrical height of radiator	173.6
	Field Ratio	0.98
	Phase	115.3
	Spacing	84
	Tower Orientation	90
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	
	B	
	C	
	D	

Directional Antenna : Tower - 3

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1058484
Parameters	Overall height above ground (including obstruction lighting)	164.6
	Height of radiator above base insulator, or above base, if grounded	161
	Electrical height of radiator	173.6

	Field Ratio	1
	Phase	0
	Spacing	167.9
	Tower Orientation	90
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	
	B	
	C	
	D	

Directional Antenna : Tower - 4

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1058485
Parameters	Overall height above ground (including obstruction lighting)	164.6
	Height of radiator above base insulator, or above base, if grounded	161
	Electrical height of radiator	173.6
	Field Ratio	0.895
	Phase	249.4
	Spacing	251.9
	Tower Orientation	90
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	
	B	
	C	
	D	

Directional Antenna : Tower - 5

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1058486
Parameters	Overall height above ground (including obstruction lighting)	164.6
	Height of radiator above base insulator, or above base, if grounded	161
	Electrical height of radiator	173.6

	Field Ratio	0.425
	Phase	142.3
	Spacing	335.8
	Tower Orientation	90
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	
	B	
	C	
	D	

Technical
Certifications

Section	Question	Response
Environmental Effect	By checking “Yes”, the applicant certifies that the facility will not have a significant environmental impact and complies with the maximum permissible electromagnetic exposure limits for controlled and uncontrolled environments (see 47 C.F.R. Section 1.1306). Unless the applicant can determine compliance through the use of the RF worksheets found on the FCC website (https://www.fcc.gov/sites/default/files/lms-radiofrequency-exposure-compliance-worksheets-radio-broadcast-stations.pdf), an Exhibit is required.	Yes
Broadcast Facility	Does the proposed facility comply with the applicable engineering standards and assignment requirements of 47 C.F.R. Sections 73.23, 73.24, 73.33, 73.37, 73.45, 73.150, 73.152, 73.160, 73.182, 73.186, 73.187, 73.189, and 73.1650?	
Community of License Change - Section 307(b)	Is the application being submitted to change the facility's community of license? If ‘Yes’, an exhibit is required containing information demonstrating that the proposed community of license change constitutes a preferential arrangement of assignments under Section 307(b) of the Communications Act of 1934, as amended (47 U.S.C. Section 307(b))?	

Certification

Section	Question	Response
General Certification Statements	The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by authorization or otherwise, and requests an Authorization in accordance with this application (See Section 304 of the Communications Act of 1934, as amended.).	

	<p>The Applicant certifies that neither the Applicant nor any other party to the application is subject to a denial of Federal benefits pursuant to §5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. § 862, because of a conviction for possession or distribution of a controlled substance. This certification does not apply to applications filed in services exempted under §1.2002(c) of the rules, 47 CFR . See §1. 2002(b) of the rules, 47 CFR § 1.2002(b), for the definition of "party to the application" as used in this certification § 1.2002(c). The Applicant certifies that all statements made in this application and in the exhibits, attachments, or documents incorporated by reference are material, are part of this application, and are true, complete, correct, and made in good faith.</p>	
Authorized Party to Sign	<p>FAILURE TO SIGN THIS APPLICATION MAY RESULT IN DISMISSAL OF THE APPLICATION AND FORFEITURE OF ANY FEES PAID</p> <p>Upon grant of this application, the Authorization Holder may be subject to certain construction or coverage requirements. Failure to meet the construction or coverage requirements will result in automatic cancellation of the Authorization. Consult appropriate FCC regulations to determine the construction or coverage requirements that apply to the type of Authorization requested in this application.</p> <p>WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. Code, Title 18, §1001) AND/OR REVOCATION OF ANY STATION AUTHORIZATION (U.S. Code, Title 47, §312(a)(1)), AND /OR FORFEITURE (U.S. Code, Title 47, §503).</p>	
	<p>I declare, under penalty of perjury, that I am an authorized representative of the above-named applicant for the Authorization(s) specified above.</p>	JESSAMY TANG

Attachments

File Name	Uploaded By	Attachment Type	Description	Upload Status
1103215_2173098.pdf	Applicant	All Purpose	Engineering Statement	Done with Virus Scan and /or Conversion
1103215_2173100.pdf	Applicant	All Purpose	Exhibit 11A - Map Showing Present and Proposed 1 V/m Night Blanketing Contours	Done with Virus Scan and /or Conversion
1103215_2173103.pdf	Applicant	All Purpose	Exhibit 11B - Map Showing Present and Proposed 12.5 mV/m Night Groundwave Contours	Done with Virus Scan and /or Conversion
1103215_2173108.pdf	Applicant	All Purpose	Exhibit 11C1 - Polar Plot of Horizontal Plane Nighttime Standard Pattern	Done with Virus Scan and /or Conversion
1103215_2173115.pdf	Applicant	All Purpose	Exhibit 11C2 - Tabulation of Nighttime Standard Pattern	Done with Virus Scan and /or Conversion
1103215_2173120.pdf	Applicant	All Purpose	Exhibit 11D1 - Tabulation of Basis For Proposed WAMG Groundwave Contours	Done with Virus Scan and /or Conversion
1103215_2173131.pdf	Applicant	All Purpose	Exhibit 11D2 - Tabulation of Basis For Licensed WAMG Groundwave Contours	Done with Virus Scan and /or Conversion
1103215_2173147.pdf	Applicant	All Purpose	Exhibit 14 - Waiver Request	Done with Virus Scan and /or Conversion

<u>1103215_2173169.pdf</u>	Applicant	All Purpose	Exhibit 16A - Comparing Proposed Radiated Fields To Limits For Other Class B Stations	Done with Virus Scan and /or Conversion
<u>1103215_2173190.pdf</u>	Applicant	All Purpose	Exhibit 16B1 - Map Showing Relationship Between WAMG and WLS, Chicago, Illinois	Done with Virus Scan and /or Conversion
<u>1103215_2173191.pdf</u>	Applicant	All Purpose	Exhibit 16B2 - Tabulation of Basis For WLS 0.5 mV/m, 50% Skywave Service Contour	Done with Virus Scan and /or Conversion
<u>1103215_2173195.pdf</u>	Applicant	All Purpose	Exhibit 16B3 - Tabulation of Basis For Proposed WAMG 0.025 mV/m, 10% Skywave Contour	Done with Virus Scan and /or Conversion
<u>1103215_2173196.pdf</u>	Applicant	All Purpose	Exhibit 16B4 - Tabulation of Basis For Licensed WAMG 0.025 mV/m, 10% SKYwave Contour	Done with Virus Scan and /or Conversion
<u>1103215_2173198.pdf</u>	Applicant	All Purpose	Exhibit 16C1 - Map Showing Relationship Between WAMG and Cuban Border	Done with Virus Scan and /or Conversion
<u>1103215_2173231.pdf</u>	Applicant	All Purpose	Exhibit 16C2 - Tabulation of Basis For Proposed WAMG 0.025 mV/m, 10% Skywave Contour (International Curves)	Done with Virus Scan and /or Conversion
<u>1103215_2173238.pdf</u>	Applicant	All Purpose	Exhibit 16C3 - Tabulation of Basis For Licensed WAMG 0.025 mV/m, 10% Skywave Contour (International Curves)	Done with Virus Scan and /or Conversion
<u>1103215_2173243.pdf</u>	Applicant	All Purpose	Exhibit 16D1 - Map Showing Relationship Between WCBS Groundwave and WAMG Skywave	Done with Virus Scan and /or Conversion
<u>1103215_2173247.pdf</u>	Applicant	All Purpose	Exhibit 16D2 - Map Showing Relationship Between WCBS Groundwave and WAMG Groundwave	Done with Virus Scan and /or Conversion
<u>1103215_2173255.pdf</u>	Applicant	All Purpose	Exhibit 16D3 - Tabulation of Basis For WCBS 0.5 mV/m Groundwave Contour	Done with Virus Scan and /or Conversion
<u>1103215_2173258.pdf</u>	Applicant	All Purpose	Exhibit 16D4 - Tabulation of Basis For Proposed WAMG 0.25 mV/m, 10% Skywave Contour (Domestic Curves)	Done with Virus Scan and /or Conversion
<u>1103215_2173265.pdf</u>	Applicant	All Purpose	Exhibit 16D5 - Tabulation of Basis For Licensed WAMG 0.25 mV/m, 10% Skywave Contour (Domestic Curves)	Done with Virus Scan and /or Conversion
<u>1103215_370442.txt</u>	Applicant	All Purpose	MULTIPLE OWNERSHIP COMPLIANCE	Done with Virus Scan and /or Conversion
<u>1103215_370443.txt</u>	Applicant	All Purpose	TECHNICAL DESCRIPTION OF PROPOSED NIGHTTIME FACILITY	Done with Virus Scan and /or Conversion
<u>1103215_6157712.pdf</u>	Applicant	All Purpose	Engineering Statement	Done with Virus Scan and /or Conversion
<u>1103215_6157713.pdf</u>	Applicant	All Purpose	Exhibit 11A - Map Showing Present and Proposed 1 V/m Night Blanketing Contours	Done with Virus Scan and /or Conversion
<u>1103215_6157714.pdf</u>	Applicant	All Purpose	Exhibit 11B - Map Showing Present and Proposed 12.5 mV/m Night Groundwave Contours	Done with Virus Scan and /or Conversion

<u>1103215_6157715.pdf</u>	Applicant	All Purpose	Exhibit 11C1 - Polar Plot of Horizontal Plane Nighttime Standard Pattern	Done with Virus Scan and /or Conversion
<u>1103215_6157716.pdf</u>	Applicant	All Purpose	Exhibit 11C2 - Tabulation of Nighttime Standard Pattern	Done with Virus Scan and /or Conversion
<u>1103215_6157717.pdf</u>	Applicant	All Purpose	Exhibit 11D1 - Tabulation of Basis For Proposed WAMG Groundwave Contours	Done with Virus Scan and /or Conversion
<u>1103215_6157718.pdf</u>	Applicant	All Purpose	Exhibit 11D2 - Tabulation of Basis For Licensed WAMG Groundwave Contours	Done with Virus Scan and /or Conversion
<u>1103215_6157719.pdf</u>	Applicant	All Purpose	Exhibit 14 - Waiver Request	Done with Virus Scan and /or Conversion
<u>1103215_6157720.pdf</u>	Applicant	All Purpose	Exhibit 16A - Comparing Proposed Radiated Fields To Limits For Other Class B Stations	Done with Virus Scan and /or Conversion
<u>1103215_6157721.pdf</u>	Applicant	All Purpose	Exhibit 16B1 - Map Showing Relationship Between WAMG and WLS, Chicago, Illinois	Done with Virus Scan and /or Conversion
<u>1103215_6157722.pdf</u>	Applicant	All Purpose	Exhibit 16B2 - Tabulation of Basis For WLS 0.5 mV/m, 50% Skywave Service Contour	Done with Virus Scan and /or Conversion
<u>1103215_6157723.pdf</u>	Applicant	All Purpose	Exhibit 16B3 - Tabulation of Basis For Proposed WAMG 0.025 mV/m, 10% Skywave Contour	Done with Virus Scan and /or Conversion
<u>1103215_6157724.pdf</u>	Applicant	All Purpose	Exhibit 16B4 - Tabulation of Basis For Licensed WAMG 0.025 mV/m, 10% SKYwave Contour	Done with Virus Scan and /or Conversion
<u>1103215_6157725.pdf</u>	Applicant	All Purpose	Exhibit 16C1 - Map Showing Relationship Between WAMG and Cuban Border	Done with Virus Scan and /or Conversion
<u>1103215_6157726.pdf</u>	Applicant	All Purpose	Exhibit 16C2 - Tabulation of Basis For Proposed WAMG 0.025 mV/m, 10% Skywave Contour (International Curves)	Done with Virus Scan and /or Conversion
<u>1103215_6157727.pdf</u>	Applicant	All Purpose	Exhibit 16C3 - Tabulation of Basis For Licensed WAMG 0.025 mV/m, 10% Skywave Contour (International Curves)	Done with Virus Scan and /or Conversion
<u>1103215_6157728.pdf</u>	Applicant	All Purpose	Exhibit 16D1 - Map Showing Relationship Between WCBS Groundwave and WAMG Skywave	Done with Virus Scan and /or Conversion
<u>1103215_6157729.pdf</u>	Applicant	All Purpose	Exhibit 16D2 - Map Showing Relationship Between WCBS Groundwave and WAMG Groundwave	Done with Virus Scan and /or Conversion
<u>1103215_6157730.pdf</u>	Applicant	All Purpose	Exhibit 16D3 - Tabulation of Basis For WCBS 0.5 mV/m Groundwave Contour	Done with Virus Scan and /or Conversion
<u>1103215_6157731.pdf</u>	Applicant	All Purpose	Exhibit 16D4 - Tabulation of Basis For Proposed WAMG 0.25 mV/m, 10% Skywave Contour (Domestic Curves)	Done with Virus Scan and /or Conversion
<u>1103215_6157732.pdf</u>	Applicant	All Purpose	Exhibit 16D5 - Tabulation of Basis For Licensed WAMG 0.25 mV/m, 10% Skywave Contour (Domestic Curves)	Done with Virus Scan and /or Conversion

