

# (REFERENCE COPY - Not for submission) Modification of a Full Power AM Station License Application (302-AM)

File Number: **BMML-20160815ACA** | Submit Date: **08/17/2016** | Lead Call Sign: **KBPO** | FRN: **0005048699** 

Service: Full Power AM | Purpose: Modification of License | Status: Granted | Status Date: 11/29/2016 | Filing Status:

**Active** 

#### General Information

Section	Question	Response
Attachments	Are attachments (other than associated schedules) being filed with this application?	

# Fees, Waivers, and Exemptions

Section	Question	Response
Fees	Is the applicant exempt from FCC application Fees?	No
	Indicate reason for fee exemption:	
	Is the applicant exempt from FCC regulatory Fees?	
Waivers	Does this filing request a waiver of the Commission's rule (s)?	
	Total number of rule sections involved in this waiver request:	

## Applicant Information

#### **Applicant Name, Type, and Contact Information**

Applicant	Address	Phone	Email	Applicant Type
CHRISTIAN MINISTRIES OF THE VALLEY INC Applicant Doing Business As: CHRISTIAN MINISTRIES OF THE VALLEY INC	P O BOX 1290 WESLACO, TX 78599 United States	+1 (956) 968- 7777		Company

#### Contact Representatives (2)

Contact Name	Address	Phone	Email	Contact Type
CHARLES BURKHART TECHNICAL CONSULTANT	STERLING COMMUNICATIONS INC 219 DODD RD RINGGOLD, GA 30736 United States	+1 (706) 965- 2355		Technical Representative
CHRISTIAN MINISTRIES OF THE VALLEY INC	United States	+1 (956) 968- 7777		Legal Representative

### Legal Certifications

Section	Question	Response
Character Issues	Applicant certifies that neither applicant nor any party to the application has or had any interest in, or connection with:  (a) any broadcast application in any proceeding where character issues were left in unresolved or were resolved adversely against the applicant or party to the application; or  (b) any pending broadcast application in which character issues have been raised.	
Adverse Findings	Applicant certifies that, with respect to the applicant and any party to the application, and any non-party equity owner in the applicant, no adverse finding has been made, nor has an adverse final action been taken by any court or administrative body in a civil or criminal proceeding brought under the provisions of any law related to the following: any felony; mass media-related antitrust or unfair competition; fraudulent statements to another governmental unit; or discrimination.	

# Frequency and Facility Information

Section	Question	Response
Filing Type of License	filing type	Station Re-License per Method of Moments
Proposed Community of	State	Texas
License	City	Port Neches
Facility Information	Frequency	1150
	Service Type	Main
	Facility Type	Commercial
	Class	D
Modes/Hour of Operation	Modes/Hour of Operation	Daytime, NightTime

### Antenna Summary Data

## **Directional Antenna Data - Daytime**

Section	Question	Response
Parameters	Nominal Power	0.500
	Antenna Input Power	0.540
	RF common point or antenna current without modulation	3.290
	Measured antenna or common point resistance at operating frequency	
	Latitude	30° 5` 4.8N
	Longitude	93° 58` 13.6W
	Excitation	
	Antenna Monitor Manufacturer	POTOMAC INTRUMENTS AM 19 (204)
	Antenna Monitor Type	

Towers	Tower	Field Ratio Phase (de	g.) ASRN	Overall Ht. (m) AGL w/o light(m)	AGL w light(m)	Tower Type
	1	0.000	1273261	68	68.6	Neither
	2	0.000	1273260	68	68.6	Neither
Tower Description		•		vers (uniform cross section, guyed, ng any other antennas mounted on	•	ch) with
Ground System Description	Attach	as an exhibit, a complete	e description	of the ground system.		
Antenna or Common Point Resistance	Attach	as an exhibit, reasons fo	or any chang	e in antenna or common point resis	stance, if applicab	le.
Antenna	Proof o	f Performance				
Performance	Ground	System Description	and softwa description sampling i tower surv exempt pe	an exhibit, an engineering statemer are used in the moment method mon of the sampling system and relate as specified, an exhibit of the circuit rey certification must also be included Section 73.151(c)(1)(ix). The statements specified in Section 73.151.	idel. Include a cor id measurements. model must be pr ed unless the stat	nplete If base ovided. A ion is
	1					
	Descrip System	otion of Sampling				

### **Directional Antenna Data - Nighttime**

Nominal Power   0.063	Section	Question	Response	•		
RF common point or antenna current without modulation  Measured antenna or common point resistance at operating frequency  Latitude 30° 5' 4.8N  Longitude 93° 58' 13.6W  Excitation  Antenna Monitor Manufacturer  Antenna Monitor Type  Towers Tower Field Ratio Phase (deg.) ASRN Overall Ht. (m) AGL w/o light(m) AGL w light(m) Tower Type 1 1.000 1273261 68 68.6 Neither 2 1.000 1273260 68 68.6 Neither  Tower Attach as an exhibit, a description of the towers (uniform cross section, guyed, top-loaded, or such) with details, dimensions and information regarding any other antennas mounted on the tower.  Ground System	Parameters	Nominal Power	0.063			
current without modulation  Measured antenna or common point resistance at operating frequency  Latitude 30° 5' 4.8N  Longitude 93° 58' 13.6W  Excitation  Antenna Monitor Manufacturer  Antenna Monitor Type  Towers  Tower Field Ratio Phase (deg.) ASRN Overall Ht. (m) AGL w/o light(m) AGL w light(m) Tower Type  1 1.000 1273261 68 68.6 Neither  2 1.000 1273260 68 68.6 Neither  Tower Description  Attach as an exhibit, a description of the towers (uniform cross section, guyed, top-loaded, or such) with details, dimensions and information regarding any other antennas mounted on the tower.  Ground System		Antenna Input Power	0.068			
common point resistance at operating frequency  Latitude 30° 5' 4.8N  Longitude 93° 58' 13.6W  Excitation  Antenna Monitor Manufacturer  Antenna Monitor Type  Towers Field Ratio Phase (deg.) ASRN Overall Ht. (m) AGL w/o light(m) AGL w light(m) Tower Type 1 1.000 1273261 68 68.6 Neither 2 1.000 1273260 68 68.6 Neither  Tower Description  Attach as an exhibit, a description of the towers (uniform cross section, guyed, top-loaded, or such) with details, dimensions and information regarding any other antennas mounted on the tower.  Ground System  Attach as an exhibit, a complete description of the ground system.		-	1.120			
Longitude 93° 58' 13.6W  Excitation  Antenna Monitor Manufacturer  Antenna Monitor Type  Tower Field Ratio Phase (deg.) ASRN Overall Ht. (m) AGL w/o light(m) AGL w light(m) Tower Type  1 1.000 1273261 68 68.6 Neither  2 1.000 1273260 68 68.6 Neither  Tower Description  Attach as an exhibit, a description of the towers (uniform cross section, guyed, top-loaded, or such) with details, dimensions and information regarding any other antennas mounted on the tower.  Ground System  Attach as an exhibit, a complete description of the ground system.		common point resistance at				
Excitation  Antenna Monitor Manufacturer  Antenna Monitor Type  Tower Field Ratio Phase (deg.) ASRN Overall Ht. (m) AGL w/o light(m) AGL w light(m) Tower Type  1 1.000 1273261 68 68.6 Neither  2 1.000 1273260 68 68.6 Neither  Tower Description  Attach as an exhibit, a description of the towers (uniform cross section, guyed, top-loaded, or such) with details, dimensions and information regarding any other antennas mounted on the tower.  Ground System  Attach as an exhibit, a complete description of the ground system.		Latitude	30° 5` 4.8	N		
Antenna Monitor Manufacturer  Antenna Monitor Type  Towers  Tower Field Ratio Phase (deg.) ASRN Overall Ht. (m) AGL w/o light(m) AGL w light(m) Tower Type  1 1.000 1273261 68 68.6 Neither  2 1.000 1273260 68 68.6 Neither  Tower Description  Attach as an exhibit, a description of the towers (uniform cross section, guyed, top-loaded, or such) with details, dimensions and information regarding any other antennas mounted on the tower.  Ground System  POTOMAC INTRUMENTS AM 19 (204)		Longitude	93° 58` 13	3.6W		
Manufacturer  Antenna Monitor Type  Tower Field Ratio Phase (deg.) ASRN Overall Ht. (m) AGL w/o light(m) AGL w light(m) Tower Type  1 1.000 1273261 68 68.6 Neither  2 1.000 1273260 68 68.6 Neither  Tower Description Attach as an exhibit, a description of the towers (uniform cross section, guyed, top-loaded, or such) with details, dimensions and information regarding any other antennas mounted on the tower.  Ground System Attach as an exhibit, a complete description of the ground system.		Excitation				
Tower Field Ratio Phase (deg.) ASRN Overall Ht. (m) AGL w/o light(m) AGL w light(m) Tower Type  1 1.000 1273261 68 68.6 Neither  2 1.000 1273260 68 68.6 Neither  Tower Description Attach as an exhibit, a description of the towers (uniform cross section, guyed, top-loaded, or such) with details, dimensions and information regarding any other antennas mounted on the tower.  Ground System Attach as an exhibit, a complete description of the ground system.			POTOMAC INTRUMENTS AM 19 (204)			
1 1.000 1273261 68 68.6 Neither 2 1.000 1273260 68 68.6 Neither  Tower Description Attach as an exhibit, a description of the towers (uniform cross section, guyed, top-loaded, or such) with details, dimensions and information regarding any other antennas mounted on the tower.  Ground System Attach as an exhibit, a complete description of the ground system.		Antenna Monitor Type				
Tower Description  Attach as an exhibit, a description of the towers (uniform cross section, guyed, top-loaded, or such) with details, dimensions and information regarding any other antennas mounted on the tower.  Ground System  Attach as an exhibit, a complete description of the ground system.	Towers	Tower Field Ratio Phase (de	g.) ASRN	Overall Ht. (m) AGL w/o light(m)	AGL w light(m)	Tower Type
Tower Attach as an exhibit, a description of the towers (uniform cross section, guyed, top-loaded, or such) with details, dimensions and information regarding any other antennas mounted on the tower.  Ground Attach as an exhibit, a complete description of the ground system.		1 1.000	1273261	68	68.6	Neither
Description details, dimensions and information regarding any other antennas mounted on the tower.  Ground Attach as an exhibit, a complete description of the ground system.  System		2 1.000	1273260	68	68.6	Neither
System		-		,	•	ch) with
2000 iption		Attach as an exhibit, a complete description of the ground system.				

Antenna or Common Point Resistance	Attach as an exhibit, reasons for any change in antenna or common point resistance, if applicable.				
Antenna Performance	Proof of Performance				
Terrormance	Ground System Description	Attach as an exhibit, an engineering statement describing the techniques and software used in the moment method model. Include a complete description of the sampling system and related measurements. If base sampling is specified, an exhibit of the circuit model must be provided. A tower survey certification must also be included unless the station is exempt per Section 73.151(c)(1)(ix). The station must meet all the requirements specified in Section 73.151.			
	Description of Sampling System				
	Sampling System Certification	Yes			

#### License Certifications

Section	Question	Response
Correcting Coordinates	Is this application being filed to correct coordinates as authorized by 47 CFR Section 73.1690(c)(11)?	
Change in License Status	Is this application being filed to authorize a change in license status from commercial to non-commercial or from non-commercial to commercial, pursuant to 47 CFR Section 73.1690(c)(9)?	

## Certification

Section	Question	Response
General Certification Statements	The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by authorization or otherwise, and requests an Authorization in accordance with this application (See Section 304 of the Communications Act of 1934, as amended.).	
	The Applicant certifies that neither the Applicant nor any other party to the application is subject to a denial of Federal benefits pursuant to §5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. § 862, because of a conviction for possession or distribution of a controlled substance. This certification does not apply to applications filed in services exempted under §1.2002(c) of the rules, 47 CFR . See §1. 2002(b) of the rules, 47 CFR § 1.2002(b), for the definition of "party to the application" as used in this certification § 1.2002(c). The Applicant certifies that all statements made in this application and in the exhibits, attachments, or documents incorporated by reference are material, are part of this application, and are true, complete, correct, and made in good faith.	

#### **Authorized Party to Sign**

# FAILURE TO SIGN THIS APPLICATION MAY RESULT IN DISMISSAL OF THE APPLICATION AND FORFEITURE OF ANY FEES PAID

Upon grant of this application, the Authorization Holder may be subject to certain construction or coverage requirements. Failure to meet the construction or coverage requirements will result in automatic cancellation of the Authorization. Consult appropriate FCC regulations to determine the construction or coverage requirements that apply to the type of Authorization requested in this application. WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. Code, Title 18, §1001) AND/OR REVOCATION OF ANY STATION AUTHORIZATION (U.S. Code, Title 47, §312(a)(1)), AND /OR FORFEITURE (U.S. Code, Title 47, §503).

I declare, under penalty of perjury, that I am an authorized representative of the above-named applicant for the Authorization(s) specified above.

**ENRIQUE GARZA** 

#### **Attachments**

Information not provided.