

(REFERENCE COPY - Not for submission) Minor Modification of Full Power AM Construction Permit (301-AM)

File Number: BMP-20020809ABG		Submit Date: 08/09/2002 Lead Call Sign: WQLL		FRN: 0003741170			
Service: Full Power AM	Purpose	Minor Modification	Sta	atus: Superceded	Statu	s Date: 10/24/2002	Filing Status:
Inactive						1	

General Information	Section	Question	Response
	Attachments	Are attachments (other than associated schedules) being filed with this application?	

Fees, Waivers, and Exemptions

Section	Question	Response
Fees	Is the applicant exempt from FCC application Fees?	No
	Indicate reason for fee exemption:	
	Is the applicant exempt from FCC regulatory Fees?	
Waivers	Does this filing request a waiver of the Commission's rule (s)?	
	Total number of rule sections involved in this waiver request:	

Applicant Information

Applicant Name, Type, and Contact Information

on	A
	Applica

Applicant	Address	Phone	Email	Applicant Type
M-10 BROADCASTING, INC. Applicant Doing Business As: M-10 BROADCASTING, INC.	1205 YORK ROAD, SUITE 39C LUTHERVILLE, MD 21093 United States	+1 (410) 825- 8400		Company

Contact Representatives (2)

Contact Name	Address	Phone	Email	Contact Type
ELMER L. STEINGASS CONSULTING ENGINEER	2324 N. CLEVELAND- MASSILLON ROAD P.O. BOX 807 BATH, OH 44210-0807 United States	+1 (330) 659-4440		Technical Representative
KATHRYN SCHMELTZER SHAW PITTMAN LLP	2300 N STREET, NW WASHINGTON, DC 20037- 1128 United States	+1 (202) 663-8217	KATHRYN. SCHMELTZER@SHAWPITTMAN. COM	Legal Representative

Multiple Ownership	Is the applicant or any party to the application the holder of an attributable radio joint sales agreement or an attributable radio time brokerage agreement in the same market as the station subject to this application?
	Applicant certifies that the proposed facility complies with the Commission's multiple ownership rules.
	 Applicant certifies that the proposed facility: (a) does not present an issue under the Commission's policies relating to media interests of immediate family members:
	family members; (b) complies with the Commission's policies relating to future ownership interests;
	 (c) complies with the Commission's restrictions relating to the insulation and non-participation of non-party investors and creditors
	Does the Applicant claim status as an "eligible entity," that is, an entity that qualifies as a small business under the Small Business Administration's size standards for its industry grouping (as set forth in 13 C.F.R. § 121-201), and holds:
	 (a) 30 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet; or
	 (b) 15 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet, provided that no other person or entity owns or controls more than 25 percent of the outstanding stock or partnership interests; or
	(c) more than 50 percent of the voting power of the corporation that will own the media outlet (if such corporation is a publicly traded company)?

Legal Certifications	Section	Question	Response
	Character Issues	Applicant certifies that neither applicant nor any party to the application has or had any interest in, or connection with:	
		 (a) any broadcast application in any proceeding where character issues were left in unresolved or were resolved adversely against the applicant or party to the application; or 	
		(b) any pending broadcast application in which character issues have been raised.	
	Adverse Findings	Applicant certifies that, with respect to the applicant and any party to the application, and any non-party equity owner in the applicant, no adverse finding has been made, nor has an adverse final action been taken by any court or administrative body in a civil or criminal proceeding brought under the provisions of any law related to the following: any felony; mass media-related antitrust or unfair competition; fraudulent statements to another governmental unit; or discrimination.	
	Local Public Notice	Applicant certifies that it has or will comply with the public notice requirements of 47 C.F.R. Section 73.3580.	

Frequency and Facility Information	Section	Question	Response
	Proposed Community of	State	Maryland
	License	City	Pikesville
	Facility Information	Frequency	1370
		Service Type	Main
		Facility Type	Commercial
		Class	В
	Modes/Hour of Operation	Modes/Hour of Operation	Daytime, NightTime

Antenna Summary Data

Directional Antenna Data - Daytime

Section	Question		Response	
Parameters	Power	50.000		
	Latitude	39° 26` 23.4N		
	Longitude		76° 21` 18.9W	
	Theoretical RMS		2542.02	
	Standard RMS		2670.26	
	Specified Q			
	Augmentation	Augmentation		
Augmentation RMS				
Augmentation Table	Central Azimuth (degrees) Span (degrees)	Radiation at Central	al Azimuth (mV/m)	
Site Plat and Tower Sketch	Attach an antenna site plat and a tower sketch. The antenna site plat should clearly show the following items: Boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Number and dimensions of ground radials or height and dimensions of counterpoise. Spacing and orientation of each element in the array with respect to true north. A scale in meters. The tower sketch should include site elevation, radiator height above base insulator, tower height above ground level, overall tower height above ground without obstruction lighting, and overall height above ground with obstruction lighting.			

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60
	Height of radiator above base insulator, or above base, if grounded	58.4
	Electrical height of radiator	96.0
	Field Ratio	0.4
	Phase	133.5

	Spacing	0
	Tower Orientation	0
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	Α	0.0
	В	0.0
	C	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60
	Height of radiator above base insulator, or above base, if grounded	58.4
	Electrical height of radiator	96.0
	Field Ratio	1
	Phase	0
	Spacing	89.4
	Tower Orientation	220.1
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60
	Height of radiator above base insulator, or above base, if grounded	58.4
	Electrical height of radiator	96.0
	Field Ratio	0.893
	Phase	246

	Spacing	167.9
	Tower Orientation	221
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	Α	0.0
	В	0.0
	C	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60
	Height of radiator above base insulator, or above base, if grounded	58.4
	Electrical height of radiator	96.0
	Field Ratio	0.905
	Phase	171.6
	Spacing	245.4
	Tower Orientation	221.7
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60
	Height of radiator above base insulator, or above base, if grounded	58.4
	Electrical height of radiator	96.0
	Field Ratio	0.922
	Phase	56.2

	Spacing	335.8
	Tower Orientation	221
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	C	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60
	Height of radiator above base insulator, or above base, if grounded	58.4
	Electrical height of radiator	96.0
	Field Ratio	0.37
	Phase	281.1
	Spacing	422.9
	Tower Orientation	220.4
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	А	0.0
	В	0.0
	С	0.0
	D	0.0

Directional Antenna Data - Nighttime

Section	Question	Response
Parameters	Power	6.000
	Latitude	39° 24` 30.4N
	Longitude	76° 46` 31.9W
	Theoretical RMS	856.3
	Standard RMS	899.5
	Specified Q	
	Augmentation	Augmentation
Augmentation RMS		

Augmentation Table	Central Azimuth (degrees) Span (degrees)	Radiation at Central Azimuth (mV/m)
Site Plat and Tower Sketch	Attach an antenna site plat and a tower sketch. plat should clearly show the following items: Bou railroads, other obstructions, and the ground sys counterpoise. Number and dimensions of ground and dimensions of counterpoise. Spacing and on element in the array with respect to true north. A The tower sketch should include site elevation, r above base insulator, tower height above ground height above ground without obstruction lighting above ground with obstruction lighting.	undary lines, roads, stem or d radials or height rientation of each A scale in meters. radiator height d level, overall tower

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60.6
	Height of radiator above base insulator, or above base, if grounded	59.3
	Electrical height of radiator	97.5
	Field Ratio	0.567
	Phase	134.2
	Spacing	0
	Tower Orientation	0
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60.6
	Height of radiator above base insulator, or above base, if grounded	59.3
	Electrical height of radiator	97.5
	Field Ratio	1
	Phase	0
	Spacing	73.5

	Tower Orientation	131.4
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	Α	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60.6
	Height of radiator above base insulator, or above base, if grounded	59.3
	Electrical height of radiator	97.5
	Field Ratio	0.674
	Phase	240.9
	Spacing	181.4
	Tower Orientation	133.7
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	C	0.0
	D	0.0

Section	Question Response			
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?			
	ASR Number			
Parameters	Overall height above ground (including obstruction lighting)	60.6		
	Height of radiator above base insulator, or above base, if grounded	59.3		
	Electrical height of radiator	97.5		
	Field Ratio	0.799		
	Phase	151.1		
	Spacing	360		

	Tower Orientation	127
	Tower Reference Switch	0
Is the tower toploaded, sectionalized, or neither?		Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60.6
	Height of radiator above base insulator, or above base, if grounded	59.3
	Electrical height of radiator	97.5
	Field Ratio	0.795
	Phase	13
	Spacing	446.9
	Tower Orientation	127
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question Response			
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?			
	ASR Number			
Parameters	Overall height above ground (including obstruction lighting)	60.6		
	Height of radiator above base insulator, or above base, if grounded	59.3		
	Electrical height of radiator	97.5		
	Field Ratio	0.361		
	Phase	223.9		
	Spacing	540		

	Tower Orientation	127
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Technical Certifications

Section	Question	Response
Environmental Effect	By checking "Yes", the applicant certifies that the facility will not have a significant environmental impact and complies with the maximum permissible electromagnetic exposure limits for controlled and uncontrolled environments (see 47 C.F.R. Section 1.1306). Unless the applicant can determine compliance through the use of the RF worksheets found on the FCC website (https://www.fcc.gov/sites/default/files/lms- radiofrequency-exposure-compliance-worksheets-radio- broadcast-stations.pdf), an Exhibit is required.	Yes
Broadcast Facility	Does the proposed facility comply with the applicable engineering standards and assignment requirements of 47 C.F.R. Sections 73.23, 73.24, 73.33, 73.37, 73.45, 73.150, 73.152, 73.160, 73.182, 73.186, 73.187, 73.189, and 73.1650?	
Community of License Change - Section 307(b)	Is the application being submitted to change the facility's community of license? If 'Yes', an exhibit is required containing information demonstrating that the proposed community of license change constitutes a preferential arrangement of assignments under Section 307(b) of the Communications Act of 1934, as amended (47 U.S.C. Section 307(b))?	

Certification	Section	Question	Response
	General Certification Statements	The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by authorization or otherwise, and requests an Authorization in accordance with this application (See Section 304 of the Communications Act of 1934, as amended.).	
		The Applicant certifies that neither the Applicant nor any other party to the application is subject to a denial of Federal benefits pursuant to §5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. § 862, because of a conviction for possession or distribution of a controlled substance. This certification does not apply to applications filed in services exempted under §1.2002(c) of the rules, 47 CFR . See §1. 2002(b) of the rules, 47 CFR § 1.2002(b), for the definition of "party to the application" as used in this certification § 1.2002(c). The Applicant certifies that all statements made in this application and in the exhibits, attachments, or documents incorporated by reference are material, are part of this application, and are true, complete, correct, and made in good faith.	

Authorized Party to Sign	 FAILURE TO SIGN THIS APPLICATION MAY RESULT IN DISMISSAL OF THE APPLICATION AND FORFEITURE OF ANY FEES PAID Upon grant of this application, the Authorization Holder may be subject to certain construction or coverage requirements. Failure to meet the construction or coverage requirements will result in automatic cancellation of the Authorization. Consult appropriate FCC regulations to determine the construction or coverage requirements that apply to the type of Authorization requested in this application. WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. Code, Title 18, §1001) 	
	AND/OR REVOCATION OF ANY STATION AUTHORIZATION (U.S. Code, Title 47, §312(a)(1)), AND /OR FORFEITURE (U.S. Code, Title 47, §503).	
	I declare, under penalty of perjury, that I am an authorized representative of the above-named applicant for the Authorization(s) specified above.	JOHN MANGIONE

Attachments

File Name	Uploaded By	Attachment Type	Description	Upload Status
<u>609028_261172.</u> pdf	Applicant	All Purpose	Proposed Daytime Facilities	Done with Virus Scan and/or Conversion
<u>609028_261225.</u> pdf	Applicant	All Purpose	Nonionizing Radiation Compliance	Done with Virus Scan and/or Conversion
<u>609028_261269.</u> pdf	Applicant	All Purpose	Site Information	Done with Virus Scan and/or Conversion
<u>609028_6202436.</u> pdf	Applicant	All Purpose	Proposed Daytime Facilities	Done with Virus Scan and/or Conversion
<u>609028_6202438.</u> pdf	Applicant	All Purpose	Site Information	Done with Virus Scan and/or Conversion
<u>609028 6202441.</u> pdf	Applicant	All Purpose	Nonionizing Radiation Compliance	Done with Virus Scan and/or Conversion
<u>609028_86041.txt</u>	Applicant	All Purpose	MULTIPLE OWNERSHIP EXHIBIT	Done with Virus Scan and/or Conversion
<u>609028_86042.txt</u>	Applicant	All Purpose	COMMUNITY COVERAGE	Done with Virus Scan and/or Conversion
<u>609028_86043.txt</u>	Applicant	All Purpose	INTERFERENCE ISSUES	Done with Virus Scan and/or Conversion
<u>609028_86044.txt</u>	Applicant	All Purpose	GROUNDWAVE INTERFERENCE STUDY	Done with Virus Scan and/or Conversion
<u>609028_86045.txt</u>	Applicant	All Purpose	NIGHTTIME FACILITIES	Done with Virus Scan and/or Conversion