

(REFERENCE COPY - Not for submission) Amendment to a Minor Modification of Licensed AM Station Application (301-AM)

File Number: **BP-20010914AAJ** Submit Date: **09/14/2001** Lead Call Sign: **KWAM** FRN: **0029364973**

Service: Full Power AM Purpose: Minor Modification Amendment Status: Granted Status Date: 01/14/2003

Filing Status: Inactive

General Information

Section	Question	Response
Attachments	Are attachments (other than associated schedules) being filed with this application?	

Fees, Waivers, and Exemptions

Section	Question	Response
Fees	Is the applicant exempt from FCC application Fees?	Yes
	Indicate reason for fee exemption:	FEE ALREADY PAID; THIS CURATIVE AMENDMENT IS FILED WITH A PETITION FOR RECONSIDERATION
	Is the applicant exempt from FCC regulatory Fees?	
Waivers	Does this filing request a waiver of the Commission's rule (s)?	
	Total number of rule sections involved in this waiver request	

Applicant Information

Applicant Name, Type, and Contact Information

Applicant	Address	Phone	Email	Applicant Type
CONCORD MEDIA GROUP, INC. Applicant Doing Business As: CONCORD MEDIA GROUP, INC.	C/O KATTEN MUCHIN ZAVIS ROSENMAN 10 25 THOMAS JEFFERSON ST., NW, 7TH FL. WASHINGTON, DC 20007 United States	+1 (202) 625-3596	LEE. SHUBERT@KMZR. COM	Company

Contact Representatives (2)

Contact Name	Address	Phone	Email	Contact Type
J.S. SELLMEYER, P.E. CONSULTING ENGINEER	P.O. BOX 356 MCKINNEY, TX 75070 United States	+1 (214) 495-9764	SELMEYER@FLASH. NET	Technical Representative
LEE W. SHUBERT, ESQ. KATTEN MUCHIN ZAVIS ROSENMAN	1025 THOMAS JEFFERSON STREET, N.W. EAST LOBBY, SUITE 700 WASHINGTON, DC 20007- 5201 United States	+1 (202) 625-3695	LEE. SHUBERT@KMZR. COM	Legal Representative

Attributable Interest

Section	Question	Response
Multiple Ownership	Is the applicant or any party to the application the holder of an attributable radio joint sales agreement or an attributable radio time brokerage agreement in the same market as the station subject to this application?	
	Applicant certifies that the proposed facility complies with the Commission's multiple ownership rules.	
	Applicant certifies that the proposed facility:	
	 (a) does not present an issue under the Commission's policies relating to media interests of immediate family members; 	
	(b) complies with the Commission's policies relating to future ownership interests;	
	(c) complies with the Commission's restrictions relating to the insulation and non-participation of non-party investors and creditors	
	Does the Applicant claim status as an "eligible entity," that is, an entity that qualifies as a small business under the Small Business Administration's size standards for its industry grouping (as set forth in 13 C.F.R. § 121-201), and holds:	
	 (a) 30 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet; or 	
	(b) 15 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet, provided that no other person or entity owns or controls more than 25 percent of the outstanding stock or partnership interests; or	
	(c) more than 50 percent of the voting power of the corporation that will own the media outlet (if such corporation is a publicly traded company)?	

Legal Certifications

Section	Question	Response
Character Issues	Applicant certifies that neither applicant nor any party to the application has or had any interest in, or connection with: (a) any broadcast application in any proceeding where character issues were left in unresolved or were resolved adversely against the applicant or party to the application; or (b) any pending broadcast application in which character issues have been raised.	Yes

Adverse Findings	Applicant certifies that, with respect to the applicant and any party to the application, and any non-party equity owner in the applicant, no adverse finding has been made, nor has an adverse final action been taken by any court or administrative body in a civil or criminal proceeding brought under the provisions of any law related to the following: any felony; mass media-related antitrust or unfair competition; fraudulent statements to another governmental unit; or discrimination.	Yes
Local Public Notice	Applicant certifies that it has or will comply with the public notice requirements of 47 C.F.R. Section 73.3580.	Yes

Frequency and Facility Information

Section	Question	Response
Proposed Community of	State	Tennessee
License	City	Memphis
Facility Information	Frequency	990
	Service Type	Main
	Facility Type	Commercial
	Class	В
Modes/Hour of Operation	Modes/Hour of Operation	DayTime, NightTime, Critical Hours

Antenna Summary Data

Directional Antenna Data - Daytime

Section	Question		Response
Parameters	Power		10.000
	Latitude		35° 11` 45.3N
	Longitude		90° 0` 32.3W
	Theoretical RMS		1075.67
	Standard RMS		1129.95
	Specified Q		
	Augmentation Central Azimuth (degrees) Span (degrees) Radiation at Central A		Augmentation
Augmentation RMS			
Augmentation Table			Azimuth (mV/m
Site Plat and Tower Sketch	Attach an antenna site plat and a tower sketch. The antenna site plat should clearly show the following items: Boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Number and dimensions of ground radials or height and dimensions of counterpoise. Spacing and orientation of each element in the array with respect to true north. A scale in meters. The tower sketch should include site elevation, radiator height above base insulator, tower height above ground level, overall tower height above ground without obstruction lighting, and overall height above ground with obstruction lighting.		

Section	Question	Response

ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1051771
Parameters	Overall height above ground (including obstruction lighting)	128.3
	Height of radiator above base insulator, or above base, if grounded	126.2
	Electrical height of radiator	0.0
	Field Ratio	1
	Phase	0
	Spacing	0
	Tower Orientation	0
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	A	149.9
	В	6.8
	С	0.0
	D	0.0

Directional Antenna: Tower - 2

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1051770
Parameters	Overall height above ground (including obstruction lighting)	128.3
	Height of radiator above base insulator, or above base, if grounded	126.2
	Electrical height of radiator	0.0
	Field Ratio	0.52
	Phase	190
	Spacing	148.5
	Tower Orientation	204
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	Α	149.9
	В	6.8
	С	0.0
	D	0.0

Section	Question	Response
0000	australia i	. copene

ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1232296
Parameters	Overall height above ground (including obstruction lighting)	78.3
	Height of radiator above base insulator, or above base, if grounded	76.2
	Electrical height of radiator	90.6
	Field Ratio	0.996
	Phase	335
	Spacing	222
	Tower Orientation	167
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	А	0.0
	В	0.0
	С	0.0
	D	0.0

Directional Antenna Data - Nighttime

Section	Question		Response	
Parameters	Power		0.330	
	Latitude		35° 11` 45.3N	
	Longitude		90° 0` 32.3W	
	Theoretical RMS		198.08	
	Standard RMS		208.25	
	Specified Q	Specified Q		
	Augmentation		Augmentation	
Augmentation RMS				
Augmentation Table	Central Azimuth (degrees) Span (degrees) Radiation at Central		Azimuth (mV/m)	
Site Plat and Tower Sketch	Attach an antenna site plat and a tower sketch. The antenna site plat should clearly show the following items: Boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Number and dimensions of ground radials or height and dimensions of counterpoise. Spacing and orientation of each element in the array with respect to true north. A scale in meters. The tower sketch should include site elevation, radiator height above base insulator, tower height above ground level, overall tower height above ground without obstruction lighting, and overall height above ground with obstruction lighting.			

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes

	ASR Number	1051771
Parameters	Overall height above ground (including obstruction lighting)	128.3
	Height of radiator above base insulator, or above base, if grounded	126.2
	Electrical height of radiator	0.0
	Field Ratio	1
	Phase	0
	Spacing	0
	Tower Orientation	0
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	A	149.9
	В	6.8
	С	0.0
	D	0.0

Directional Antenna: Tower - 2

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1051770
Parameters	Overall height above ground (including obstruction lighting)	128.3
	Height of radiator above base insulator, or above base, if grounded	126.2
	Electrical height of radiator	0.0
	Field Ratio	0.85
	Phase	310
	Spacing	148.5
	Tower Orientation	204
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	A	149.9
	В	6.8
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes

	ASR Number	1232296
Parameters	Overall height above ground (including obstruction lighting)	78.3
	Height of radiator above base insulator, or above base, if grounded	76.2
	Electrical height of radiator	90.6
	Field Ratio	0.2
	Phase	140
	Spacing	222
	Tower Orientation	167
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	А	0.0
	В	0.0
	С	0.0
	D	0.0

Directional Antenna Data - Critical Hours

Section	Question		Response
Parameters	Power		5.000
	Latitude		35° 11` 45.3N
	Longitude		90° 0` 32.3W
	Theoretical RMS		760.61
	Standard RMS		798.99
	Specified Q Augmentation		
			Augmentation
Augmentation RMS			
Augmentation Table	Central Azimuth (degrees) Span (degrees) Radiation at Central		Azimuth (mV/m)
Site Plat and Tower Sketch	Attach an antenna site plat and a tower sketch. The antenna site plat should clearly show the following items: Boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Number and dimensions of ground radials or height and dimensions of counterpoise. Spacing and orientation of each element in the array with respect to true north. A scale in meters. The tower sketch should include site elevation, radiator height above base insulator, tower height above ground level, overall tower height above ground without obstruction lighting, and overall height above ground with obstruction lighting.		

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	105771

Parameters	Overall height above ground (including obstruction lighting)	128.3
	Height of radiator above base insulator, or above base, if grounded	126.2
	Electrical height of radiator	0.0
	Field Ratio	1
	Phase	0
	Spacing	0
	Tower Orientation	0
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	Α	149.9
	В	6.8
	С	0.0
	D	0.0

Directional Antenna: Tower - 2

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1051770
Parameters	Overall height above ground (including obstruction lighting)	128.3
	Height of radiator above base insulator, or above base, if grounded	126.2
	Electrical height of radiator	0.0
	Field Ratio	0.52
	Phase	190
	Spacing	148.5
	Tower Orientation	204
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	A	149.9
	В	6.8
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1232296

Parameters	Overall height above ground (including obstruction lighting)	78.3
	Height of radiator above base insulator, or above base, if grounded	76.2
	Electrical height of radiator	90.6
	Field Ratio	0.996
	Phase	335
	Spacing	222
	Tower Orientation	167
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Technical Certifications

Section	Question	Response
Environmental Effect	By checking "Yes", the applicant certifies that the facility will not have a significant environmental impact and complies with the maximum permissible electromagnetic exposure limits for controlled and uncontrolled environments (see 47 C.F.R. Section 1.1306). Unless the applicant can determine compliance through the use of the RF worksheets found on the FCC website (https://www.fcc.gov/sites/default/files/lms-radiofrequency-exposure-compliance-worksheets-radio-broadcast-stations.pdf), an Exhibit is required.	Yes
Broadcast Facility	Does the proposed facility comply with the applicable engineering standards and assignment requirements of 47 C.F.R. Sections 73.23, 73.24, 73.33, 73.37, 73.45, 73.150, 73.152, 73.160, 73.182, 73.186, 73.187, 73.189, and 73.1650?	
Community of License Change - Section 307(b)	Is the application being submitted to change the facility's community of license? If 'Yes', an exhibit is required containing information demonstrating that the proposed community of license change constitutes a preferential arrangement of assignments under Section 307(b) of the Communications Act of 1934, as amended (47 U.S.C. Section 307(b))?	

Certification

Section	Question	Response
General Certification Statements	The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by authorization or otherwise, and requests an Authorization in accordance with this application (See Section 304 of the Communications Act of 1934, as amended.).	

The Applicant certifies that neither the Applicant nor any
other party to the application is subject to a denial of
Federal benefits pursuant to §5301 of the Anti-Drug Abuse
Act of 1988, 21 U.S.C. § 862, because of a conviction for
possession or distribution of a controlled substance. This
certification does not apply to applications filed in services
exempted under §1.2002(c) of the rules, 47 CFR . See §1.
2002(b) of the rules, 47 CFR § 1.2002(b), for the definition
of "party to the application" as used in this certification §
1.2002(c). The Applicant certifies that all statements made
in this application and in the exhibits, attachments, or
documents incorporated by reference are material, are part
of this application, and are true, complete, correct, and
made in good faith.

Authorized Party to Sign

FAILURE TO SIGN THIS APPLICATION MAY RESULT IN DISMISSAL OF THE APPLICATION AND FORFEITURE OF ANY FEES PAID

Upon grant of this application, the Authorization Holder may be subject to certain construction or coverage requirements. Failure to meet the construction or coverage requirements will result in automatic cancellation of the Authorization. Consult appropriate FCC regulations to determine the construction or coverage requirements that apply to the type of Authorization requested in this application. WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. Code, Title 18, §1001) AND/OR REVOCATION OF ANY STATION AUTHORIZATION (U.S. Code, Title 47, §312(a)(1)), AND /OR FORFEITURE (U.S. Code, Title 47, §503).

I declare, under penalty of perjury, that I am an authorized representative of the above-named applicant for the Authorization(s) specified above.

MARK W. JORGENSON

Attachments

File Name	Uploaded By	Attachment Type	Description	Upload Status
606348 226992. pdf	Applicant	All Purpose	Engineering Exhibit E-1	Done with Virus Scan and/or Conversion
606348 227248. pdf	Applicant	All Purpose	Engineering Statement	Done with Virus Scan and/or Conversion
606348 227259. pdf	Applicant	All Purpose	Daytime Groundwave Exhibits	Done with Virus Scan and/or Conversion
606348 227284. pdf	Applicant	All Purpose	Nighttime Skywave Exhibits	Done with Virus Scan and/or Conversion
606348 227303. pdf	Applicant	All Purpose	Critical Hours Exhibits	Done with Virus Scan and/or Conversion
606348_227321. pdf	Applicant	All Purpose	Environmental Narrative	Done with Virus Scan and/or Conversion
606348 6214695. pdf	Applicant	All Purpose	Engineering Statement	Done with Virus Scan and/or Conversion
606348 6214698. pdf	Applicant	All Purpose	Daytime Groundwave Exhibits	Done with Virus Scan and/or Conversion
606348 6214700. pdf	Applicant	All Purpose	Nighttime Skywave Exhibits	Done with Virus Scan and/or Conversion
606348 6214702. pdf	Applicant	All Purpose	Critical Hours Exhibits	Done with Virus Scan and/or Conversion
606348_6214704. pdf	Applicant	All Purpose	Environmental Narrative	Done with Virus Scan and/or Conversion

606348 6214706. pdf	Applicant	All Purpose	Engineering Exhibit E-1	Done with Virus Scan and/or Conversion
606348 78367.txt	Applicant	All Purpose	PORTIONS OF APPLICATION THAT ARE BEING AMENDED	Done with Virus Scan and/or Conversion
606348 78368.txt	Applicant	All Purpose	ENGINEERING STATEMENT E-1	Done with Virus Scan and/or Conversion
606348 78369.txt	Applicant	All Purpose	COMMUNITY COVERAGE	Done with Virus Scan and/or Conversion
606348_78370.txt	Applicant	All Purpose	STUDIO LOCATION	Done with Virus Scan and/or Conversion
606348 78371.txt	Applicant	All Purpose	INTERFERENCE	Done with Virus Scan and/or Conversion
606348 78372.txt	Applicant	All Purpose	GROUNDWAVE INTERFERENCE	Done with Virus Scan and/or Conversion
606348 78373.txt	Applicant	All Purpose	NIGHTTIME SKYWAVE EXHIBITS	Done with Virus Scan and/or Conversion
606348 78374.txt	Applicant	All Purpose	CRITICAL HOURS EXHIBITS	Done with Virus Scan and/or Conversion
606348 78375.txt	Applicant	All Purpose	ENVIRONMENTAL NARRATIVE	Done with Virus Scan and/or Conversion
606348 78376.txt	Applicant	All Purpose	ENGINEERING EXHIBIT	Done with Virus Scan and/or Conversion