

(REFERENCE COPY - Not for submission) Amendment to a Minor Modification of Licensed AM Station Application (301-AM)

File Number: **BP-20040112ABD** | Submit Date: **01/12/2004** | Lead Call Sign: **WCHR** | FRN: **0030479497**

Service: Full Power AM Purpose: Minor Modification Amendment Status: Superceded Status Date: 01/11/2005

Filing Status: Inactive

General Information

Section	Question	Response
Attachments	Are attachments (other than associated schedules) being filed with this application?	

Fees, Waivers, and Exemptions

Section	Question	Response
Fees	Is the applicant exempt from FCC application Fees?	No
	Indicate reason for fee exemption:	
	Is the applicant exempt from FCC regulatory Fees?	
Waivers	Does this filing request a waiver of the Commission's rule (s)?	
	Total number of rule sections involved in this waiver request:	

Applicant Information

Applicant Name, Type, and Contact Information

Applicant	Address	Phone	Email	Applicant Type
NASSAU BROADCASTING II, LLC Applicant Doing Business As: NASSAU BROADCASTING II, LLC	619 ALEXANDER ROAD THIRD FLOOR PRINCETON, NJ 08540 United States	+1 (609) 924- 1515		Company

Contact Representatives (2)

Contact Name	Address	Phone	Email	Contact Type
CHARLES A. HECHT TECHNICAL CONSULTANT	CHARLES A. HECHT & ASSOCIATES, INC. 16 DOE RUN PITTSTOWN, NJ 08867 United States	+1 (908) 730-7959	HECHTASSOC@SPRINTMAIL. COM	Technical Representative
CHARLES A. HECHT HECHT & ASSOCIATES	16 DOE RUN PITTSTOWN, NJ 08867 United States	+1 (908) 730-7959	HECHTASSOC@SPRINTMAIL. COM	Legal Representative

Attributable Interest

Section	Question	Response
Multiple Ownership	Is the applicant or any party to the application the holder of an attributable radio joint sales agreement or an attributable radio time brokerage agreement in the same market as the station subject to this application?	
	Applicant certifies that the proposed facility complies with the Commission's multiple ownership rules.	
	Applicant certifies that the proposed facility: (a) does not present an issue under the Commission's policies relating to media interests of immediate family members; (b) complies with the Commission's policies relating to future ownership interests;	
	(c) complies with the Commission's restrictions relating to the insulation and non-participation of non-party investors and creditors	
	Does the Applicant claim status as an "eligible entity," that is, an entity that qualifies as a small business under the Small Business Administration's size standards for its industry grouping (as set forth in 13 C.F.R. § 121-201), and holds:	
	 (a) 30 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet; or 	
	(b) 15 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet, provided that no other person or entity owns or controls more than 25 percent of the outstanding stock or partnership interests; or	
	(c) more than 50 percent of the voting power of the corporation that will own the media outlet (if such corporation is a publicly traded company)?	

Legal Certifications

Section	Question	Response
Character Issues	Applicant certifies that neither applicant nor any party to the application has or had any interest in, or connection with:	
	(a) any broadcast application in any proceeding where character issues were left in unresolved or were resolved adversely against the applicant or party to the application; or(b) any pending broadcast application in which character issues have been raised.	
Adverse Findings	Applicant certifies that, with respect to the applicant and any party to the application, and any non-party equity owner in the applicant, no adverse finding has been made, nor has an adverse final action been taken by any court or administrative body in a civil or criminal proceeding brought under the provisions of any law related to the following: any felony; mass media-related antitrust or unfair competition; fraudulent statements to another governmental unit; or discrimination.	

ertifies that it has or will comply with the public rements of 47 C.F.R. Section 73.3580.

Frequency and Facility Information

Section	Question	Response
Proposed Community of License	State	New Jersey
	City	Flemington
Facility Information	Frequency	1040
	Service Type	Main
	Facility Type	Commercial
	Class	В
Modes/Hour of Operation	Modes/Hour of Operation	DayTime, NightTime, Critical Hours

Antenna Summary Data

Directional Antenna Data - Daytime

Section	Question		Response
Parameters	Latitude		15.000
			40° 30` 18.4N
			74° 58` 35.6W
	Theoretical RMS		1113.1
	Standard RMS		1169.5
	Specified Q		
	Augmentation		Augmentation
Augmentation RMS			
Augmentation Table	Central Azimuth (degrees) Span (degrees) Radiation at Central		Azimuth (mV/m)
Site Plat and Tower Sketch	Attach an antenna site plat and a tower sketch. The antenna site plat should clearly show the following items: Boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Number and dimensions of ground radials or height and dimensions of counterpoise. Spacing and orientation of each element in the array with respect to true north. A scale in meters. The tower sketch should include site elevation, radiator height above base insulator, tower height above ground level, overall tower height above ground without obstruction lighting, and overall height above ground with obstruction lighting.		

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60.7
	Height of radiator above base insulator, or above base, if grounded	59.8

	Electrical height of radiator	0.0
	Field Ratio	0.476
	Phase	-51.3
	Spacing	0
	Tower Orientation	0
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	A	74.5
	В	10.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60.7
	Height of radiator above base insulator, or above base, if grounded	59.8
	Electrical height of radiator	0.0
	Field Ratio	1
	Phase	0
	Spacing	135
	Tower Orientation	69
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	Α	74.5
	В	10.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60.7
	Height of radiator above base insulator, or above base, if grounded	59.8

	Electrical height of radiator	0.0
	Field Ratio	0.657
	Phase	38.7
	Spacing	275.2
	Tower Orientation	69
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	А	74.5
	В	10.0
	С	0.0
	D	0.0

Directional Antenna Data - Nighttime

Section	Question		Response
Parameters	Power		2.500
	Latitude		40° 30` 18.4N
	Longitude		74° 58` 35.6W
	Theoretical RMS		492.7
	Standard RMS		517.6
	Specified Q		
	Augmentation	Augmentation	
Augmentation RMS			
Augmentation Table	Central Azimuth (degrees) Span (degrees) Radiation at Central		Azimuth (mV/m)
Site Plat and Tower Sketch	Attach an antenna site plat and a tower sketch. The antenna site plat should clearly show the following items: Boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Number and dimensions of ground radials or height and dimensions of counterpoise. Spacing and orientation of each element in the array with respect to true north. A scale in meters. The tower sketch should include site elevation, radiator height above base insulator, tower height above ground level, overall tower height above ground without obstruction lighting, and overall height above ground with obstruction lighting.		

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60.7
	Height of radiator above base insulator, or above base, if grounded	59.8
	Electrical height of radiator	0.0

	Field Ratio	0.404
	Tiola Natio	0.404
	Phase	76.7
	Spacing	81.9
	Tower Orientation	280
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	Α	74.5
	В	10.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60.7
	Height of radiator above base insulator, or above base, if grounded	59.8
	Electrical height of radiator	0.0
	Field Ratio	1
	Phase	0
	Spacing	0
	Tower Orientation	0
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	А	74.5
	В	10.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60.7
	Height of radiator above base insulator, or above base, if grounded	59.8
	Electrical height of radiator	0.0

	Field Ratio	0.922
	Phase	-132.2
	Spacing	91.1
	Tower Orientation	97.6
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	A	74.5
	В	10.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60.7
	Height of radiator above base insulator, or above base, if grounded	59.8
	Electrical height of radiator	0.0
	Field Ratio	0.309
	Phase	-117.8
	Spacing	118.2
	Tower Orientation	211.6
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	A	74.5
	В	10.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60.7
	Height of radiator above base insulator, or above base, if grounded	59.8
	Electrical height of radiator	0.0
		,

	Field Ratio	0.511
	Phase	25.9
	Spacing	135
	Tower Orientation	69
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	A	74.5
	В	10.0
	С	0.0
	D	0.0

Directional Antenna Data - Critical Hours

Section	Question		Response
Parameters	Latitude		7.500
			40° 30` 18.4N
			74° 58` 35.6W
	Theoretical RMS	779.6	
	Standard RMS	819.1	
	Specified Q		
	Augmentation	Augmentation	
Augmentation RMS			
Augmentation Table	Central Azimuth (degrees) Span (degrees) Radiation at Central		Azimuth (mV/m)
Site Plat and Tower Sketch	Attach an antenna site plat and a tower sketch. The antenna site plat should clearly show the following items: Boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Number and dimensions of ground radials or height and dimensions of counterpoise. Spacing and orientation of each element in the array with respect to true north. A scale in meters. The tower sketch should include site elevation, radiator height above base insulator, tower height above ground level, overall tower height above ground without obstruction lighting, and overall height above ground with obstruction lighting.		

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60.7
	Height of radiator above base insulator, or above base, if grounded	59.8
	Electrical height of radiator	0.0
	Field Ratio	0.476

	Phase	-42.1
	Spacing	0
	Tower Orientation	0
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	А	74.5
	В	10.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60.7
	Height of radiator above base insulator, or above base, if grounded	59.8
	Electrical height of radiator	0.0
	Field Ratio	1
	Phase	0
	Spacing	135
	Tower Orientation	69
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	A	74.5
	В	10.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	60.7
	Height of radiator above base insulator, or above base, if grounded	59.8
	Electrical height of radiator	0.0
	Field Ratio	0.708

	Phase	26.2
	Spacing	275.2
	Tower Orientation	69
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	TopLoaded
Tower Parameters	A	74.5
	В	10.0
	С	0.0
	D	0.0

Technical Certifications

Section	Question	Response	
Environmental Effect	By checking "Yes", the applicant certifies that the facility will not have a significant environmental impact and complies with the maximum permissible electromagnetic exposure limits for controlled and uncontrolled environments (see 47 C.F.R. Section 1.1306). Unless the applicant can determine compliance through the use of the RF worksheets found on the FCC website (https://www.fcc.gov/sites/default/files/lms-radiofrequency-exposure-compliance-worksheets-radio-broadcast-stations.pdf), an Exhibit is required.	Yes	
Broadcast Facility	Does the proposed facility comply with the applicable engineering standards and assignment requirements of 47 C.F.R. Sections 73.23, 73.24, 73.33, 73.37, 73.45, 73.150, 73.152, 73.160, 73.182, 73.186, 73.187, 73.189, and 73.1650?		
Community of License Change - Section 307(b)	Is the application being submitted to change the facility's community of license? If 'Yes', an exhibit is required containing information demonstrating that the proposed community of license change constitutes a preferential arrangement of assignments under Section 307(b) of the Communications Act of 1934, as amended (47 U.S.C. Section 307(b))?		

Certification

Section	Question	Response
General Certification Statements	The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by authorization or otherwise, and requests an Authorization in accordance with this application (See Section 304 of the Communications Act of 1934, as amended.).	

The Applicant certifies that neither the Applicant nor any
other party to the application is subject to a denial of
Federal benefits pursuant to §5301 of the Anti-Drug Abuse
Act of 1988, 21 U.S.C. § 862, because of a conviction for
possession or distribution of a controlled substance. This
certification does not apply to applications filed in services
exempted under §1.2002(c) of the rules, 47 CFR . See §1.
2002(b) of the rules, 47 CFR § 1.2002(b), for the definition
of "party to the application" as used in this certification §
1.2002(c). The Applicant certifies that all statements made
in this application and in the exhibits, attachments, or
documents incorporated by reference are material, are part
of this application, and are true, complete, correct, and
made in good faith.

Authorized Party to Sign

FAILURE TO SIGN THIS APPLICATION MAY RESULT IN DISMISSAL OF THE APPLICATION AND FORFEITURE OF ANY FEES PAID

Upon grant of this application, the Authorization Holder may be subject to certain construction or coverage requirements. Failure to meet the construction or coverage requirements will result in automatic cancellation of the Authorization. Consult appropriate FCC regulations to determine the construction or coverage requirements that apply to the type of Authorization requested in this application. WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. Code, Title 18, §1001) AND/OR REVOCATION OF ANY STATION AUTHORIZATION (U.S. Code, Title 47, §312(a)(1)), AND /OR FORFEITURE (U.S. Code, Title 47, §503).

I declare, under penalty of perjury, that I am an authorized representative of the above-named applicant for the Authorization(s) specified above.

LOUIS F. MERCATANTI

Attachments

File Name	Uploaded By	Attachment Type	Description	Upload Status
995597 1143262. pdf	Applicant	All Purpose	Engineering Report and Table 1	Done with Virus Scan and/or Conversion
995597 1143264. pdf	Applicant	All Purpose	Tables 2 and 3	Done with Virus Scan and/or Conversion
995597 1143266. pdf	Applicant	All Purpose	Figure 1	Done with Virus Scan and/or Conversion
995597 1143276. pdf	Applicant	All Purpose	Figure 2	Done with Virus Scan and/or Conversion
995597 1143280. pdf	Applicant	All Purpose	Figure 3	Done with Virus Scan and/or Conversion
995597_1143296. pdf	Applicant	All Purpose	Figures 4-15	Done with Virus Scan and/or Conversion
995597 1143300. pdf	Applicant	All Purpose	Figures 16-25	Done with Virus Scan and/or Conversion
995597 1143312. pdf	Applicant	All Purpose	FCC Graphs and FIM	Done with Virus Scan and/or Conversion
995597 221739. txt	Applicant	All Purpose	ENGINEERING STATEMENT AND EXHIBITS	Done with Virus Scan and/or Conversion
995597 6133665. pdf	Applicant	All Purpose	Engineering Report and Table 1	Done with Virus Scan and/or Conversion
995597 6133666. pdf	Applicant	All Purpose	Tables 2 and 3	Done with Virus Scan and/or Conversion

995597 6133667. pdf	Applicant	All Purpose	Figure 1	Done with Virus Scan and/or Conversion
995597 6133668. pdf	Applicant	All Purpose	Figure 2	Done with Virus Scan and/or Conversion
995597 6133670. pdf	Applicant	All Purpose	Figure 3	Done with Virus Scan and/or Conversion
995597 6133671. pdf	Applicant	All Purpose	Figures 4-15	Done with Virus Scan and/or Conversion
995597_6133672. pdf	Applicant	All Purpose	Figures 16-25	Done with Virus Scan and/or Conversion
995597 6133673. pdf	Applicant	All Purpose	FCC Graphs and FIM	Done with Virus Scan and/or Conversion