



Approved by OMB (Office of Management and Budget) 3060-0027
September 2014

(REFERENCE COPY - Not for submission)
Minor Modification of Full Power AM Construction Permit (301-AM)

File Number: **BMP-20071121ACX** | Submit Date: **11/21/2007** | Lead Call Sign: **KMES** | FRN: **0017954686**

Service: **Full Power AM** | Purpose: **Minor Modification** | Status: **Granted** | Status Date: **03/13/2008** | Filing Status: **Inactive**

General Information

Section	Question	Response
Attachments	Are attachments (other than associated schedules) being filed with this application?	

Fees, Waivers, and Exemptions

Section	Question	Response
Fees	Is the applicant exempt from FCC application Fees?	No
	Indicate reason for fee exemption:	
	Is the applicant exempt from FCC regulatory Fees?	
Waivers	Does this filing request a waiver of the Commission's rule (s)?	
	Total number of rule sections involved in this waiver request:	

Applicant Information

Applicant Name, Type, and Contact Information

Applicant	Address	Phone	Email	Applicant Type
KLO BROADCASTING CO. Applicant Doing Business As: KLO BROADCASTING CO.	257 E. 200 SOUTH, SUITE 400 SALT LAKE CITY, UT 84111 United States	+1 (801) 364-9836		Company

Contact Representatives (2)

Contact Name	Address	Phone	Email	Contact Type
DONALD L. MARKLEY <i>CONSULTING ENGINEER</i>	D. L. MARKLEY & ASSOCIATES, INC. 2104 WEST MOSS AVENUE PEORIA, IL 61604 United States	+1 (309) 673-7511	DLM@DLMARKLEY.COM	Technical Representative
BRENDAN HOLLAND DAVIS WRIGHT TREMAINE LLP	1919 PENNSYLVANIA AVE., NW SUITE 200 WASHINGTON, DC 20006 United States	+1 (202) 973-4200	BRENDANHOLLAND@DWT.COM	Legal Representative

Interest

Section	Question	Response
Multiple Ownership	Is the applicant or any party to the application the holder of an attributable radio joint sales agreement or an attributable radio time brokerage agreement in the same market as the station subject to this application?	
	Applicant certifies that the proposed facility complies with the Commission's multiple ownership rules.	
	Applicant certifies that the proposed facility: (a) does not present an issue under the Commission's policies relating to media interests of immediate family members; (b) complies with the Commission's policies relating to future ownership interests; (c) complies with the Commission's restrictions relating to the insulation and non-participation of non-party investors and creditors	
	Does the Applicant claim status as an "eligible entity," that is, an entity that qualifies as a small business under the Small Business Administration's size standards for its industry grouping (as set forth in 13 C.F.R. § 121-201), and holds: (a) 30 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet; or (b) 15 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet, provided that no other person or entity owns or controls more than 25 percent of the outstanding stock or partnership interests; or (c) more than 50 percent of the voting power of the corporation that will own the media outlet (if such corporation is a publicly traded company)?	

Legal
Certifications

Section	Question	Response
Character Issues	Applicant certifies that neither applicant nor any party to the application has or had any interest in, or connection with: (a) any broadcast application in any proceeding where character issues were left in unresolved or were resolved adversely against the applicant or party to the application; or (b) any pending broadcast application in which character issues have been raised.	
Adverse Findings	Applicant certifies that, with respect to the applicant and any party to the application, and any non-party equity owner in the applicant, no adverse finding has been made, nor has an adverse final action been taken by any court or administrative body in a civil or criminal proceeding brought under the provisions of any law related to the following: any felony; mass media-related antitrust or unfair competition; fraudulent statements to another governmental unit; or discrimination.	
Local Public Notice	Applicant certifies that it has or will comply with the public notice requirements of 47 C.F.R. Section 73.3580.	

Frequency and Facility Information

Section	Question	Response
Proposed Community of License	State	Utah
	City	Ogden
Facility Information	Frequency	1430
	Service Type	Main
	Facility Type	Commercial
	Class	B
Modes/Hour of Operation	Modes/Hour of Operation	Daytime, NightTime

Antenna Summary Data

Directional Antenna Data - Daytime						
Section		Question		Response		
Parameters	Power		25.000			
	Latitude		41° 2` 48.8N			
	Longitude		112° 1` 39.8W			
	Theoretical RMS		1834.779			
	Standard RMS		1927.233			
	Specified Q					
	Augmentation		Augmentation		N	
Augmentation RMS						
Augmentation Table		Central Azimuth (degrees)			Span (degrees)	Radiation at Central Azimuth (mV/m)
Site Plat and Tower Sketch		Attach an antenna site plat and a tower sketch. The antenna site plat should clearly show the following items: Boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Number and dimensions of ground radials or height and dimensions of counterpoise. Spacing and orientation of each element in the array with respect to true north. A scale in meters. The tower sketch should include site elevation, radiator height above base insulator, tower height above ground level, overall tower height above ground without obstruction lighting, and overall height above ground with obstruction lighting.				

Directional Antenna : Tower - 1

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1235889
Parameters	Overall height above ground (including obstruction lighting)	87.8
	Height of radiator above base insulator, or above base, if grounded	86.5
	Electrical height of radiator	148.5
	Field Ratio	0.344

	Phase	18.9
	Spacing	0
	Tower Orientation	0
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	
	B	
	C	
	D	

Directional Antenna : Tower - 2

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1235890
Parameters	Overall height above ground (including obstruction lighting)	109.7
	Height of radiator above base insulator, or above base, if grounded	108.6
	Electrical height of radiator	186.4
	Field Ratio	1
	Phase	0
	Spacing	78.4
	Tower Orientation	240.4
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	
	B	
	C	
	D	

Directional Antenna : Tower - 3

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1235891
Parameters	Overall height above ground (including obstruction lighting)	89
	Height of radiator above base insulator, or above base, if grounded	87.8
	Electrical height of radiator	150.7
	Field Ratio	1

	Phase	70.7
	Spacing	235.5
	Tower Orientation	270.7
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	
	B	
	C	
	D	

Directional Antenna : Tower - 4

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1235892
Parameters	Overall height above ground (including obstruction lighting)	90.2
	Height of radiator above base insulator, or above base, if grounded	88.9
	Electrical height of radiator	152.6
	Field Ratio	0.583
	Phase	200.8
	Spacing	218.3
	Tower Orientation	310.1
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	
	B	
	C	
	D	

Directional Antenna Data - Nighttime

Section	Question	Response
Parameters	Power	5.000
	Latitude	41° 2` 48.8N
	Longitude	112° 1` 39.8W
	Theoretical RMS	738.57
	Standard RMS	775.98
	Specified Q	
	Augmentation	Augmentation
Augmentation RMS		N

Augmentation Table	<div> <div>Central Azimuth (degrees)</div> <div>Span (degrees)</div> <div>Radiation at Central Azimuth (mV/m)</div> </div>	
Site Plat and Tower Sketch	Attach an antenna site plat and a tower sketch. The antenna site plat should clearly show the following items: Boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Number and dimensions of ground radials or height and dimensions of counterpoise. Spacing and orientation of each element in the array with respect to true north. A scale in meters. The tower sketch should include site elevation, radiator height above base insulator, tower height above ground level, overall tower height above ground without obstruction lighting, and overall height above ground with obstruction lighting.	

Directional Antenna : Tower - 1

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1235889
Parameters	Overall height above ground (including obstruction lighting)	87.8
	Height of radiator above base insulator, or above base, if grounded	86.5
	Electrical height of radiator	148.5
	Field Ratio	1
	Phase	0
	Spacing	0
	Tower Orientation	0
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	
	B	
	C	
	D	

Directional Antenna : Tower - 2

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1235890
Parameters	Overall height above ground (including obstruction lighting)	109.7
	Height of radiator above base insulator, or above base, if grounded	108.6
	Electrical height of radiator	186.4
	Field Ratio	0.912
	Phase	96.2
	Spacing	78.4

Tower Parameters	Tower Orientation	240.4
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
	A	
	B	
	C	
	D	

Directional Antenna : Tower - 3

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1235891
Parameters	Overall height above ground (including obstruction lighting)	89
	Height of radiator above base insulator, or above base, if grounded	87.8
	Electrical height of radiator	150.7
	Field Ratio	0.828
	Phase	63.2
	Spacing	235.5
	Tower Orientation	270.7
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	
	B	
	C	
	D	

Directional Antenna : Tower - 4

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1235892
Parameters	Overall height above ground (including obstruction lighting)	90.2
	Height of radiator above base insulator, or above base, if grounded	88.9
	Electrical height of radiator	152.6
	Field Ratio	0.54
	Phase	32.3
	Spacing	218.3

Tower Parameters	Tower Orientation	310.1
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
	A	
	B	
	C	
	D	

Technical
Certifications

Section	Question	Response
Environmental Effect	By checking “Yes”, the applicant certifies that the facility will not have a significant environmental impact and complies with the maximum permissible electromagnetic exposure limits for controlled and uncontrolled environments (see 47 C.F.R. Section 1.1306). Unless the applicant can determine compliance through the use of the RF worksheets found on the FCC website (https://www.fcc.gov/sites/default/files/lms-radiofrequency-exposure-compliance-worksheets-radio-broadcast-stations.pdf), an Exhibit is required.	Yes
Broadcast Facility	Does the proposed facility comply with the applicable engineering standards and assignment requirements of 47 C.F.R. Sections 73.23, 73.24, 73.33, 73.37, 73.45, 73.150, 73.152, 73.160, 73.182, 73.186, 73.187, 73.189, and 73.1650?	
Community of License Change - Section 307(b)	Is the application being submitted to change the facility’s community of license? If ‘Yes’, an exhibit is required containing information demonstrating that the proposed community of license change constitutes a preferential arrangement of assignments under Section 307(b) of the Communications Act of 1934, as amended (47 U.S.C. Section 307(b))?	

Certification

Section	Question	Response
General Certification Statements	The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by authorization or otherwise, and requests an Authorization in accordance with this application (See Section 304 of the Communications Act of 1934, as amended.).	
	The Applicant certifies that neither the Applicant nor any other party to the application is subject to a denial of Federal benefits pursuant to §5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. § 862, because of a conviction for possession or distribution of a controlled substance. This certification does not apply to applications filed in services exempted under §1.2002(c) of the rules, 47 CFR . See §1.2002(b) of the rules, 47 CFR § 1.2002(b), for the definition of "party to the application" as used in this certification § 1.2002(c). The Applicant certifies that all statements made in this application and in the exhibits, attachments, or documents incorporated by reference are material, are part of this application, and are true, complete, correct, and made in good faith.	

Authorized Party to Sign	FAILURE TO SIGN THIS APPLICATION MAY RESULT IN DISMISSAL OF THE APPLICATION AND FORFEITURE OF ANY FEES PAID Upon grant of this application, the Authorization Holder may be subject to certain construction or coverage requirements. Failure to meet the construction or coverage requirements will result in automatic cancellation of the Authorization. Consult appropriate FCC regulations to determine the construction or coverage requirements that apply to the type of Authorization requested in this application. WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. Code, Title 18, §1001) AND/OR REVOCATION OF ANY STATION AUTHORIZATION (U.S. Code, Title 47, §312(a)(1)), AND /OR FORFEITURE (U.S. Code, Title 47, §503).	
	I declare, under penalty of perjury, that I am an authorized representative of the above-named applicant for the Authorization(s) specified above.	JOHN C. WEBB

Attachments

File Name	Uploaded By	Attachment Type	Description	Upload Status
<u>1219063_3540518.pdf</u>	Applicant	All Purpose	Distance to 25 mV/m. contour	Done with Virus Scan and/or Conversion
<u>1219063_3540519.pdf</u>	Applicant	All Purpose	Distance to 1000 mV/m. contour	Done with Virus Scan and/or Conversion
<u>1219063_3540523.pdf</u>	Applicant	All Purpose	Distance to 5 mV/m contour	Done with Virus Scan and/or Conversion
<u>1219063_3540524.pdf</u>	Applicant	All Purpose	Distance to 2 mV/m contour	Done with Virus Scan and/or Conversion
<u>1219063_3540525.pdf</u>	Applicant	All Purpose	Distance to 0.5 mV/m contour	Done with Virus Scan and/or Conversion
<u>1219063_3540526.pdf</u>	Applicant	All Purpose	Proposed 5.0, 2.0 and 0.5 mV/m contours	Done with Virus Scan and/or Conversion
<u>1219063_3540527.pdf</u>	Applicant	All Purpose	Proposed 25 and 1000 mV/m contours	Done with Virus Scan and/or Conversion
<u>1219063_3540531.pdf</u>	Applicant	All Purpose	Proposed antenna pattern plot	Done with Virus Scan and/or Conversion
<u>1219063_3540538.pdf</u>	Applicant	All Purpose	Proposed antenna pattern tabulation	Done with Virus Scan and/or Conversion
<u>1219063_3540545.pdf</u>	Applicant	All Purpose	Tabulation of stations studied	Done with Virus Scan and/or Conversion
<u>1219063_3540558.pdf</u>	Applicant	All Purpose	Interference study for proposed 25 kw operation	Done with Virus Scan and/or Conversion
<u>1219063_3540559.pdf</u>	Applicant	All Purpose	Interference study with expanded scale to demonstrate 5 mV/m contours	Done with Virus Scan and/or Conversion

<u>1219063_3540563.pdf</u>	Applicant	All Purpose	Distance tabulation to protected and interfering contours	Done with Virus Scan and/or Conversion
<u>1219063_596839.txt</u>	Applicant	All Purpose	PURPOSE OF THE APPLICATION	Done with Virus Scan and/or Conversion
<u>1219063_596840.txt</u>	Applicant	All Purpose	EXHIBIT 5	Done with Virus Scan and/or Conversion
<u>1219063_596841.txt</u>	Applicant	All Purpose	EXHIBIT E-11 COMPLIANCE WITH REQUIRED FACILITIES	Done with Virus Scan and/or Conversion
<u>1219063_596842.txt</u>	Applicant	All Purpose	COVERAGE INFORMATION	Done with Virus Scan and/or Conversion
<u>1219063_596843.txt</u>	Applicant	All Purpose	INTERFERENCE STUDIES	Done with Virus Scan and/or Conversion
<u>1219063_596844.txt</u>	Applicant	All Purpose	GROUNDWAVE INTERFERENCE STUDY	Done with Virus Scan and/or Conversion
<u>1219063_596845.txt</u>	Applicant	All Purpose	EXHIBIT 18	Done with Virus Scan and/or Conversion
<u>1219063_596846.txt</u>	Applicant	All Purpose	ENVIRONMENTAL CONSIDERATIONS	Done with Virus Scan and/or Conversion
<u>1219063_6087537.pdf</u>	Applicant	All Purpose	Proposed antenna pattern plot	Done with Virus Scan and/or Conversion
<u>1219063_6087538.pdf</u>	Applicant	All Purpose	Proposed antenna pattern tabulation	Done with Virus Scan and/or Conversion
<u>1219063_6087539.pdf</u>	Applicant	All Purpose	Distance to 25 mV/m. contour	Done with Virus Scan and/or Conversion
<u>1219063_6087540.pdf</u>	Applicant	All Purpose	Distance to 1000 mV/m. contour	Done with Virus Scan and/or Conversion
<u>1219063_6087541.pdf</u>	Applicant	All Purpose	Distance to 5 mV/m contour	Done with Virus Scan and/or Conversion
<u>1219063_6087542.pdf</u>	Applicant	All Purpose	Distance to 2 mV/m contour	Done with Virus Scan and/or Conversion
<u>1219063_6087543.pdf</u>	Applicant	All Purpose	Distance to 0.5 mV/m contour	Done with Virus Scan and/or Conversion
<u>1219063_6087544.pdf</u>	Applicant	All Purpose	Proposed 5.0, 2.0 and 0.5 mV/m contours	Done with Virus Scan and/or Conversion
<u>1219063_6087545.pdf</u>	Applicant	All Purpose	Proposed 25 and 1000 mV/m contours	Done with Virus Scan and/or Conversion

<u>1219063_6087546.pdf</u>	Applicant	All Purpose	Tabulation of stations studied	Done with Virus Scan and/or Conversion
<u>1219063_6087547.pdf</u>	Applicant	All Purpose	Interference study for proposed 25 kw operation	Done with Virus Scan and/or Conversion
<u>1219063_6087548.pdf</u>	Applicant	All Purpose	Interference study with expanded scale to demonstrate 5 mV/m contours	Done with Virus Scan and/or Conversion
<u>1219063_6087549.pdf</u>	Applicant	All Purpose	Distance tabulation to protected and interfering contours	Done with Virus Scan and/or Conversion