

(REFERENCE COPY - Not for submission) Minor Modification of Full Power AM Construction Permit (301-AM)

File Number: **BMP-20020102AAC** | Submit Date: **01/02/2002** | Lead Call Sign: **WPAY** | FRN: **0005032248**

Service: Full Power AM Purpose: Minor Modification Status: Superceded Status Date: 04/02/2002 Filing Status:

Inactive

General Information

Section	Question	Response
Attachments	Are attachments (other than associated schedules) being filed with this application?	

Fees, Waivers, and Exemptions

Section	Question	Response
Fees	Is the applicant exempt from FCC application Fees?	No
	Indicate reason for fee exemption:	
	Is the applicant exempt from FCC regulatory Fees?	
Waivers	Does this filing request a waiver of the Commission's rule (s)?	
	Total number of rule sections involved in this waiver request:	

Applicant Information

Applicant Name, Type, and Contact Information

Applicant	Address	Phone	Email	Applicant Type
CORNERSTONE CHURCH, INC. Applicant Doing Business As: CORNERSTONE CHURCH, INC.	P.O. BOX 351690 TOLEDO, OH 43635 United States	+1 (419) 725- 9366		Company

Contact Representatives (2)

Contact Name	Address	Phone	Email	Contact Type
ELMER L. STEINGASS	2324 N. CLEVELAND- MASSILLON ROAD P.O. BOX 807 BATH, OH 44210-0807 United States	+1 (330) 659-4440		Technical Representative
KATHRYN SCHMELTZER SHAW PITTMAN LLP	2300 N STREET, NW WASHINGTON, DC 20037- 1128 United States	+1 (202) 663-8217	KATHRYN. SCHMELTZER@SHAWPITTMAN. COM	Legal Representative

Attributable Interest

Multiple Ownership	Is the applicant or any party to the application the holder of an attributable radio joint sales agreement or an attributable radio time brokerage agreement in the same market as the station subject to this application?	
	Applicant certifies that the proposed facility complies with the Commission's multiple ownership rules.	
	Applicant certifies that the proposed facility:	
	(a) does not present an issue under the Commission's policies relating to media interests of immediate family members;	
	(b) complies with the Commission's policies relating to future ownership interests;	
	(c) complies with the Commission's restrictions relating to the insulation and non-participation of non-party investors and creditors	
	Does the Applicant claim status as an "eligible entity," that is, an entity that qualifies as a small business under the Small Business Administration's size standards for its industry grouping (as set forth in 13 C.F.R. § 121-201), and holds:	
	(a) 30 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet; or	
	(b) 15 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet, provided that no other person or entity owns or controls more than 25 percent of the outstanding stock or partnership interests; or	
	(c) more than 50 percent of the voting power of the corporation that will own the media outlet (if such corporation is a publicly traded company)?	

Legal Certifications

Section	Question	Response
Character Issues	 Applicant certifies that neither applicant nor any party to the application has or had any interest in, or connection with: (a) any broadcast application in any proceeding where character issues were left in unresolved or were resolved adversely against the applicant or party to the application; or (b) any pending broadcast application in which character issues have been raised. 	
Adverse Findings	Applicant certifies that, with respect to the applicant and any party to the application, and any non-party equity owner in the applicant, no adverse finding has been made, nor has an adverse final action been taken by any court or administrative body in a civil or criminal proceeding brought under the provisions of any law related to the following: any felony; mass media-related antitrust or unfair competition; fraudulent statements to another governmental unit; or discrimination.	
Local Public Notice	Applicant certifies that it has or will comply with the public notice requirements of 47 C.F.R. Section 73.3580.	

Frequency and Facility Information

Section	Question	Response
Proposed Community of	State	Ohio
License	City	Rossford
Facility Information	Frequency	1520
	Service Type	Main
	Facility Type	Commercial
	Class	В
Modes/Hour of Operation	Modes/Hour of Operation	DayTime, NightTime, Critical Hours

Antenna Summary Data

Directional Antenna Data - Daytime

Section	Question		Response
Parameters	Power		0.500
	Latitude		41° 30` 32.2N
	Longitude		83° 33` 6.8W
	Theoretical RMS		292.2
	Standard RMS		307.07
	Specified Q		
	Augmentation		Augmentation
Augmentation RMS			
Augmentation Table	Central Azimuth (degrees) Span (degrees) Radiation at Central Azimuth (Azimuth (mV/m)
Site Plat and Tower Sketch	Attach an antenna site plat and a tower sketch. The antenna site plat should clearly show the following items: Boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Number and dimensions of ground radials or height and dimensions of counterpoise. Spacing and orientation of each element in the array with respect to true north. A scale in meters. The tower sketch should include site elevation, radiator height above base insulator, tower height above ground level, overall tower height above ground without obstruction lighting, and overall height above ground with obstruction lighting.		

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1217966
Parameters	Overall height above ground (including obstruction lighting)	93.3
	Height of radiator above base insulator, or above base, if grounded	91.4
	Electrical height of radiator	166.9
	Field Ratio	1
	Phase	0

	Spacing	0
	Tower Orientation	0
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1217967
Parameters	Overall height above ground (including obstruction lighting)	93.3
	Height of radiator above base insulator, or above base, if grounded	91.4
	Electrical height of radiator	166.9
	Field Ratio	2.64
	Phase	163.6
	Spacing	120
	Tower Orientation	182.8
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	Α	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1217969
Parameters	Overall height above ground (including obstruction lighting)	93.3
	Height of radiator above base insulator, or above base, if grounded	91.4
	Electrical height of radiator	166.9
	Field Ratio	3.39
	Phase	-33.1

	Spacing	240
	Tower Orientation	182.8
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1217971
Parameters	Overall height above ground (including obstruction lighting)	93.3
	Height of radiator above base insulator, or above base, if grounded	91.4
	Electrical height of radiator	166.9
	Field Ratio	2.43
	Phase	130.2
	Spacing	360
	Tower Orientation	182.8
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1217973
Parameters	Overall height above ground (including obstruction lighting)	93.3
	Height of radiator above base insulator, or above base, if grounded	91.4
	Electrical height of radiator	166.9
	Field Ratio	0.85
	Phase	-66.4

	Spacing	480
	Tower Orientation	182.8
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Directional Antenna Data - Nighttime

Section	Question		Response
Parameters	Power		0.400
	Latitude		41° 30` 32.2N
	Longitude		83° 33` 6.8W
	Theoretical RMS		261.35
	Standard RMS		274.65
	Specified Q		
	Augmentation		Augmentation
Augmentation RMS			
Augmentation Table	Central Azimuth (degrees) Span (degrees) Radiation at Central		Azimuth (mV/m)
Site Plat and Tower Sketch	Attach an antenna site plat and a tower sketch. The antenna site plat should clearly show the following items: Boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Number and dimensions of ground radials or height and dimensions of counterpoise. Spacing and orientation of each element in the array with respect to true north. A scale in meters. The tower sketch should include site elevation, radiator height above base insulator, tower height above ground level, overall tower height above ground without obstruction lighting, and overall height above ground with obstruction lighting.		

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1217966
Parameters	Overall height above ground (including obstruction lighting)	93.3
	Height of radiator above base insulator, or above base, if grounded	91.4
	Electrical height of radiator	166.9
	Field Ratio	1
	Phase	0
	Spacing	0

	Tower Orientation	0
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1217967
Parameters	Overall height above ground (including obstruction lighting)	93.3
	Height of radiator above base insulator, or above base, if grounded	91.4
	Electrical height of radiator	166.9
	Field Ratio	2.64
	Phase	163.6
	Spacing	120
	Tower Orientation	182.8
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	Α	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1217969
Parameters	Overall height above ground (including obstruction lighting)	93.3
	Height of radiator above base insulator, or above base, if grounded	91.4
	Electrical height of radiator	166.9
	Field Ratio	3.39
	Phase	-33.1
	Spacing	240

	Tower Orientation	182.8
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Directional Antenna . Tower - 4		
Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1217971
Parameters	Overall height above ground (including obstruction lighting)	93.3
	Height of radiator above base insulator, or above base, if grounded	91.4
	Electrical height of radiator	166.9
	Field Ratio	2.43
	Phase	130.2
	Spacing	360
	Tower Orientation	182.8
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	Α	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1217973
Parameters	Overall height above ground (including obstruction lighting)	93.3
	Height of radiator above base insulator, or above base, if grounded	91.4
	Electrical height of radiator	166.9
	Field Ratio	0.85
	Phase	-66.4
	Spacing	480

	Tower Orientation	182.8
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Directional Antenna Data - Critical Hours

Section	Question		Response
Parameters	Power		0.500
	Latitude		41° 30` 32.2N
	Longitude		83° 33` 6.8W
	Theoretical RMS		292.2
	Standard RMS		307.07
	Specified Q		
	Augmentation		Augmentation
Augmentation RMS			
Augmentation Table	Central Azimuth (degrees) Span (degrees)	Radiation at Central	Azimuth (mV/m)
Site Plat and Tower Sketch	Attach an antenna site plat and a tower sketch. The antenna site plat should clearly show the following items: Boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Number and dimensions of ground radials or height and dimensions of counterpoise. Spacing and orientation of each element in the array with respect to true north. A scale in meters. The tower sketch should include site elevation, radiator height above base insulator, tower height above ground level, overall tower height above ground without obstruction lighting, and overall height above ground with obstruction lighting.		

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1217966
Parameters	Overall height above ground (including obstruction lighting)	93.3
	Height of radiator above base insulator, or above base, if grounded	91.4
	Electrical height of radiator	166.9
	Field Ratio	1
	Phase	0
	Spacing	0
	Tower Orientation	0

	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1217967
Parameters	Overall height above ground (including obstruction lighting)	93.3
	Height of radiator above base insulator, or above base, if grounded	91.4
	Electrical height of radiator	166.9
	Field Ratio	2.64
	Phase	163.6
	Spacing	120
	Tower Orientation	182.8
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1217969
Parameters	Overall height above ground (including obstruction lighting)	93.3
	Height of radiator above base insulator, or above base, if grounded	91.4
	Electrical height of radiator	166.9
	Field Ratio	3.39
	Phase	-33.1
	Spacing	240
	Tower Orientation	182.8
		ı

	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1217971
Parameters	Overall height above ground (including obstruction lighting)	93.3
	Height of radiator above base insulator, or above base, if grounded	91.4
	Electrical height of radiator	166.9
	Field Ratio	2.43
	Phase	130.2
	Spacing	360
	Tower Orientation	182.8
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1217973
Parameters	Overall height above ground (including obstruction lighting)	93.3
	Height of radiator above base insulator, or above base, if grounded	91.4
	Electrical height of radiator	166.9
	Field Ratio	0.85
	Phase	-66.4
	Spacing	480
	Tower Orientation	182.8

	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Technical Certifications

Section	Question	Response
Environmental Effect	By checking "Yes", the applicant certifies that the facility will not have a significant environmental impact and complies with the maximum permissible electromagnetic exposure limits for controlled and uncontrolled environments (see 47 C.F.R. Section 1.1306). Unless the applicant can determine compliance through the use of the RF worksheets found on the FCC website (https://www.fcc.gov/sites/default/files/lms-radiofrequency-exposure-compliance-worksheets-radio-broadcast-stations.pdf), an Exhibit is required.	Yes
Broadcast Facility	Does the proposed facility comply with the applicable engineering standards and assignment requirements of 47 C.F.R. Sections 73.23, 73.24, 73.33, 73.37, 73.45, 73.150, 73.152, 73.160, 73.182, 73.186, 73.187, 73.189, and 73.1650?	
Community of License Change - Section 307(b)	Is the application being submitted to change the facility's community of license? If 'Yes', an exhibit is required containing information demonstrating that the proposed community of license change constitutes a preferential arrangement of assignments under Section 307(b) of the Communications Act of 1934, as amended (47 U.S.C. Section 307(b))?	

Certification

Section	Question	Response
General Certification Statements	The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by authorization or otherwise, and requests an Authorization in accordance with this application (See Section 304 of the Communications Act of 1934, as amended.).	
	The Applicant certifies that neither the Applicant nor any other party to the application is subject to a denial of Federal benefits pursuant to §5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. § 862, because of a conviction for possession or distribution of a controlled substance. This certification does not apply to applications filed in services exempted under §1.2002(c) of the rules, 47 CFR . See §1. 2002(b) of the rules, 47 CFR § 1.2002(b), for the definition of "party to the application" as used in this certification § 1.2002(c). The Applicant certifies that all statements made in this application and in the exhibits, attachments, or documents incorporated by reference are material, are part of this application, and are true, complete, correct, and made in good faith.	

Authorized Party to Sign	FAILURE TO SIGN THIS APPLICATION MAY RESULT IN DISMISSAL OF THE APPLICATION AND FORFEITURE OF ANY FEES PAID Upon grant of this application, the Authorization Holder may be subject to certain construction or coverage requirements. Failure to meet the construction or coverage requirements will result in automatic cancellation of the Authorization. Consult appropriate FCC regulations to determine the construction or coverage requirements that apply to the type of Authorization requested in this application. WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. Code, Title 18, §1001)	
	I declare, under penalty of perjury, that I am an authorized representative of the above-named applicant for the Authorization(s) specified above.	ROBERT E. PITTS

Attachments

File Name	Uploaded By	Attachment Type	Description	Upload Status
589243 55752.txt	Applicant	All Purpose	NIGHTTIME FACILITIES	Done with Virus Scan and/or Conversion
589243 6226708. pdf	Applicant	All Purpose	Site Information	Done with Virus Scan and/or Conversion
589243 6226709. pdf	Applicant	All Purpose	Proposed Daytime Facilities	Done with Virus Scan and/or Conversion
589243 6226710. pdf	Applicant	All Purpose	Appendix A - WMLM Field Strength Measurements - Extracted from WMLM 1983 Full Proof of Performance (BL-19831109AH)	Done with Virus Scan and/or Conversion
589243 6226711. pdf	Applicant	All Purpose	Appendix B - WINW Field Strength Measurements - Extracted from WINW 1966 Full proof of Performance	Done with Virus Scan and/or Conversion
589243 6226712. pdf	Applicant	All Purpose	Appendix C - WJMP Field Strength Measurements - Extracted from WJMP (formerly WKNT) 1965 Full Proof of Performance	Done with Virus Scan and/or Conversion
589243 6226713. pdf	Applicant	All Purpose	Appendix D - WJKN Field Strength Measurements - Extracted from WJKN (formerly WJCO) 1962 Full Proof of Performance (BL-9925)	Done with Virus Scan and/or Conversion
589243 6226714. pdf	Applicant	All Purpose	Appendix E - Additional WJKN Field Strength Measurements	Done with Virus Scan and/or Conversion
589243 6226715. pdf	Applicant	All Purpose	Appendix F - WVAC Field Strength Measurements - Extracted from WVAC (formerly WLKR) 1967 Full Proof of Performance (BL-11015)	Done with Virus Scan and/or Conversion

589243 6226716. pdf	Applicant	All Purpose	Appendix G - WLQV Field Strength Measurements - Extracted from WLQV (formerly WDEE) 1972 Full Proof of Performance (BZ-8243)	Done with Virus Scan and/or Conversion
<u>589243 6226718.</u> pdf	Applicant	All Purpose	Appendix H - WJYM Field Strength Measurements - Extracted from WJYM (formerly WRHW) 1961 Full proof of Performance (BL-8105)	Done with Virus Scan and/or Conversion
589243_6226719. pdf	Applicant	All Purpose	Appendix I - Additional WJYM Field Strength Measurements	Done with Virus Scan and/or Conversion
589243 6226720. odf	Applicant	All Purpose	Appendix J - WDMN Field Strength Measurements - Extracted from WDMN (formerly WTTO) 1967 Full Proof of Performance (BL-11,577)	Done with Virus Scan and/or Conversion
589243 6226721. odf	Applicant	All Purpose	Daytime Groundwave Interference Study	Done with Virus Scan and/or Conversion
589243 6226722. odf	Applicant	All Purpose	Critical Hours Interference Study	Done with Virus Scan and/or Conversion
589243 6226723. odf	Applicant	All Purpose	Nonionizing Radiation Compliance	Done with Virus Scan and/or Conversion
589243_74748. odf	Applicant	All Purpose	Appendix A - WMLM Field Strength Measurements - Extracted from WMLM 1983 Full Proof of Performance (BL-19831109AH)	Done with Virus Scan and/or Conversion
589243 74782. odf	Applicant	All Purpose	Appendix B - WINW Field Strength Measurements - Extracted from WINW 1966 Full proof of Performance	Done with Virus Scan and/or Conversion
589243 74786. odf	Applicant	All Purpose	Appendix C - WJMP Field Strength Measurements - Extracted from WJMP (formerly WKNT) 1965 Full Proof of Performance	Done with Virus Scan and/or Conversion
589243 74816. odf	Applicant	All Purpose	Appendix D - WJKN Field Strength Measurements - Extracted from WJKN (formerly WJCO) 1962 Full Proof of Performance (BL-9925)	Done with Virus Scan and/or Conversion
589243 74851. odf	Applicant	All Purpose	Appendix E - Additional WJKN Field Strength Measurements	Done with Virus Scan and/or Conversion
589243_74879. odf	Applicant	All Purpose	Appendix F - WVAC Field Strength Measurements - Extracted from WVAC (formerly WLKR) 1967 Full Proof of Performance (BL-11015)	Done with Virus Scan and/or Conversion
589243 74958. odf	Applicant	All Purpose	Appendix G - WLQV Field Strength Measurements - Extracted from WLQV (formerly WDEE) 1972 Full Proof of Performance (BZ-8243)	Done with Virus Scan and/or Conversion

589243_75000. pdf	Applicant	All Purpose	Appendix H - WJYM Field Strength Measurements - Extracted from WJYM (formerly WRHW) 1961 Full proof of Performance (BL-8105)	Done with Virus Scan and/or Conversion
589243 75017. pdf	Applicant	All Purpose	Appendix I - Additional WJYM Field Strength Measurements	Done with Virus Scan and/or Conversion
589243_75083. pdf	Applicant	All Purpose	Appendix J - WDMN Field Strength Measurements - Extracted from WDMN (formerly WTTO) 1967 Full Proof of Performance (BL-11,577)	Done with Virus Scan and/or Conversion
589243 75087. pdf	Applicant	All Purpose	Nonionizing Radiation Compliance	Done with Virus Scan and/or Conversion
589243 75871. pdf	Applicant	All Purpose	Site Information	Done with Virus Scan and/or Conversion
589243_75926. pdf	Applicant	All Purpose	Proposed Daytime Facilities	Done with Virus Scan and/or Conversion
589243 75927. pdf	Applicant	All Purpose	Daytime Groundwave Interference Study	Done with Virus Scan and/or Conversion
589243_75939. pdf	Applicant	All Purpose	Critical Hours Interference Study	Done with Virus Scan and/or Conversion