



(REFERENCE COPY - Not for submission)  
 Minor Modification of Licensed AM Station Application (301-AM)

File Number: **BP-20070403ABW** | Submit Date: **04/03/2007** | Lead Call Sign: **WFNW** | FRN: **0009905936**

Service: **Full Power AM** | Purpose: **Minor Modification** | Status: **Superseded** | Status Date: **09/10/2007** | Filing Status:  
**Inactive**

### General Information

| Section            | Question   | Response |
|--------------------|--|----------|
| <b>Attachments</b> | Are attachments (other than associated schedules) being filed with this application? |          |

### Fees, Waivers, and Exemptions

| Section        | Question  | Response |
|----------------|---|----------|
| <b>Fees</b>    | Is the applicant exempt from FCC application Fees?              | No       |
|                | Indicate reason for fee exemption:                              |          |
|                | Is the applicant exempt from FCC regulatory Fees?               |          |
| <b>Waivers</b> | Does this filing request a waiver of the Commission's rule (s)? |          |
|                | Total number of rule sections involved in this waiver request:  |          |

### Applicant Information

#### Applicant Name, Type, and Contact Information

| Applicant  | Address  | Phone                 | Email | Applicant Type |
|--|--|-----------------------|-------|----------------|
| <b>CANDIDO DIAS CARRELO</b><br>Applicant<br>Doing Business As: CANDIDO DIAS<br>CARRELO | P.O. BOX 1322<br>NAUGATUCK, CT<br>06770<br>United States | +1 (203) 723-<br>0678 |       | Company        |

### Contact Representatives (2)

| Contact Name   | Address  | Phone                 | Email                     | Contact Type                |
|--|--|-----------------------|---------------------------|-----------------------------|
| <b>TIMOTHY Z SAWYER</b><br>CONSULTING ENGINEER                   | MULLANEY<br>ENGINEERING INC.<br>9049 SHADY GROVE<br>COURT<br>GAITHERSBURG, MD<br>20877-1301<br>United States | +1 (301) 921-<br>0115 | TZSAWYER@MULLENGR.<br>COM | Technical<br>Representative |
| <b>MALCOLM G. STEVENSON, ESQ.</b><br>SCHWARTZ, WOODS &<br>MILLER | 1233 20TH STREET, N.W.<br>SUITE 610<br>WASHINGTON, DC<br>20036-7322<br>United States                         | +1 (202) 833-<br>1700 | STEVENSON@SWMLAW.<br>COM  | Legal<br>Representative     |

## Attributable Interest

| Section                   | Question  | Response |
|---------------------------|---|----------|
| <b>Multiple Ownership</b> | Is the applicant or any party to the application the holder of an attributable radio joint sales agreement or an attributable radio time brokerage agreement in the same market as the station subject to this application?   |          |
|                           | Applicant certifies that the proposed facility complies with the Commission's multiple ownership rules.   |          |
|                           | Applicant certifies that the proposed facility: <ul style="list-style-type: none"> <li>(a) does not present an issue under the Commission's policies relating to media interests of immediate family members;</li> <li>(b) complies with the Commission's policies relating to future ownership interests;</li> <li>(c) complies with the Commission's restrictions relating to the insulation and non-participation of non-party investors and creditors</li> </ul>  |          |
|                           | Does the Applicant claim status as an "eligible entity," that is, an entity that qualifies as a small business under the Small Business Administration's size standards for its industry grouping (as set forth in 13 C.F.R. § 121-201), and holds: <ul style="list-style-type: none"> <li>(a) 30 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet; or</li> <li>(b) 15 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet, provided that no other person or entity owns or controls more than 25 percent of the outstanding stock or partnership interests; or</li> <li>(c) more than 50 percent of the voting power of the corporation that will own the media outlet (if such corporation is a publicly traded company)?</li> </ul> |          |

## Legal Certifications

| Section                 | Question   | Response |
|-------------------------|--|----------|
| <b>Character Issues</b> | Applicant certifies that neither applicant nor any party to the application has or had any interest in, or connection with: <ul style="list-style-type: none"> <li>(a) any broadcast application in any proceeding where character issues were left in unresolved or were resolved adversely against the applicant or party to the application; or</li> <li>(b) any pending broadcast application in which character issues have been raised.</li> </ul>   | Yes      |
| <b>Adverse Findings</b> | Applicant certifies that, with respect to the applicant and any party to the application, and any non-party equity owner in the applicant, no adverse finding has been made, nor has an adverse final action been taken by any court or administrative body in a civil or criminal proceeding brought under the provisions of any law related to the following: any felony; mass media-related antitrust or unfair competition; fraudulent statements to another governmental unit; or discrimination. | Yes      |

|                            |  |     |
|----------------------------|--|-----|
| <b>Local Public Notice</b> | Applicant certifies that it has or will comply with the public notice requirements of 47 C.F.R. Section 73.3580. | Yes |
|----------------------------|--|-----|

### Frequency and Facility Information

| Section                              | Question                | Response           |
|--------------------------------------|-------------------------|--------------------|
| <b>Proposed Community of License</b> | State                   | Connecticut        |
|                                      | City                    | Naugatuck          |
| <b>Facility Information</b>          | Frequency               | 1380               |
|                                      | Service Type            | Main               |
|                                      | Facility Type           | Commercial         |
|                                      | Class                   | B                  |
| <b>Modes/Hour of Operation</b>       | Modes/Hour of Operation | Daytime, NightTime |

### Antenna Summary Data

#### Directional Antenna Data - Daytime

| Section                           | Question  | Response      |
|-----------------------------------|---|---------------|
| <b>Parameters</b>                 | Power   | 3.500         |
|                                   | Latitude  | 41° 30' 38.4N |
|                                   | Longitude   | 73° 3' 16.4W  |
|                                   | Theoretical RMS   | 583.4         |
|                                   | Standard RMS  | 612.9         |
|                                   | Specified Q   |               |
|                                   | <b>Augmentation</b>   | Augmentation  |
| Augmentation RMS                  |   |               |
| <b>Augmentation Table</b>         | <b>Central Azimuth (degrees) Span (degrees) Radiation at Central Azimuth (mV/m)</b>   |               |
| <b>Site Plat and Tower Sketch</b> | Attach an antenna site plat and a tower sketch. The antenna site plat should clearly show the following items: Boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Number and dimensions of ground radials or height and dimensions of counterpoise. Spacing and orientation of each element in the array with respect to true north. A scale in meters. The tower sketch should include site elevation, radiator height above base insulator, tower height above ground level, overall tower height above ground without obstruction lighting, and overall height above ground with obstruction lighting. |               |

#### Directional Antenna : Tower - 1

| Section           | Question  | Response |
|-------------------|---|----------|
| <b>ASR Number</b> | Do you have an FCC Antenna Structure Registration (ASR) Number?     |          |
|                   | ASR Number  |          |
| <b>Parameters</b> | Overall height above ground (including obstruction lighting)        | 40.4     |
|                   | Height of radiator above base insulator, or above base, if grounded | 39.8     |

|                         |  |         |
|-------------------------|--|---------|
|                         | Electrical height of radiator                      | 66.0    |
|                         | Field Ratio  | 0.619   |
|                         | Phase  | -117.9  |
|                         | Spacing  | 71.6    |
|                         | Tower Orientation                                  | 340     |
|                         | Tower Reference Switch                             | 0       |
|                         | Is the tower toploaded, sectionalized, or neither? | Neither |
| <b>Tower Parameters</b> | A  |         |
|                         | B  |         |
|                         | C  |         |
|                         | D  |         |

### Directional Antenna : Tower - 2

| Section                 | Question  | Response |
|-------------------------|---|----------|
| <b>ASR Number</b>       | Do you have an FCC Antenna Structure Registration (ASR) Number?     |          |
|                         | ASR Number  |          |
| <b>Parameters</b>       | Overall height above ground (including obstruction lighting)        | 43.3     |
|                         | Height of radiator above base insulator, or above base, if grounded | 42.7     |
|                         | Electrical height of radiator                                       | 70.8     |
|                         | Field Ratio   | 1        |
|                         | Phase   | 0        |
|                         | Spacing   | 0        |
|                         | Tower Orientation   | 0        |
|                         | Tower Reference Switch  | 0        |
|                         | Is the tower toploaded, sectionalized, or neither?                  | Neither  |
| <b>Tower Parameters</b> | A   |          |
|                         | B   |          |
|                         | C   |          |
|                         | D   |          |

### Directional Antenna : Tower - 3

| Section           | Question  | Response |
|-------------------|---|----------|
| <b>ASR Number</b> | Do you have an FCC Antenna Structure Registration (ASR) Number?     |          |
|                   | ASR Number  |          |
| <b>Parameters</b> | Overall height above ground (including obstruction lighting)        | 40.4     |
|                   | Height of radiator above base insulator, or above base, if grounded | 39.8     |

|                         |  |         |
|-------------------------|--|---------|
|                         | Electrical height of radiator                      | 66.0    |
|                         | Field Ratio  | 0.531   |
|                         | Phase  | 98.8    |
|                         | Spacing  | 74.8    |
|                         | Tower Orientation                                  | 160     |
|                         | Tower Reference Switch                             | 0       |
|                         | Is the tower toploaded, sectionalized, or neither? | Neither |
| <b>Tower Parameters</b> | A  |         |
|                         | B  |         |
|                         | C  |         |
|                         | D  |         |

### Directional Antenna Data - Nighttime

| Section                           | Question  | Response       |
|-----------------------------------|---|----------------|
| <b>Parameters</b>                 | Power   | 0.350          |
|                                   | Latitude  | 41° 30` 38.4N  |
|                                   | Longitude   | 73° 3` 16.4W   |
|                                   | Theoretical RMS   | 167.9          |
|                                   | Standard RMS  | 176.8          |
|                                   | Specified Q   |                |
|                                   | <b>Augmentation</b>   | Augmentation N |
| Augmentation RMS                  |   |                |
| <b>Augmentation Table</b>         | <b>Central Azimuth (degrees) Span (degrees) Radiation at Central Azimuth (mV/m)</b>   |                |
| <b>Site Plat and Tower Sketch</b> | Attach an antenna site plat and a tower sketch. The antenna site plat should clearly show the following items: Boundary lines, roads, railroads, other obstructions, and the ground system or counterpoise. Number and dimensions of ground radials or height and dimensions of counterpoise. Spacing and orientation of each element in the array with respect to true north. A scale in meters. The tower sketch should include site elevation, radiator height above base insulator, tower height above ground level, overall tower height above ground without obstruction lighting, and overall height above ground with obstruction lighting. |                |

### Directional Antenna : Tower - 1

| Section           | Question  | Response |
|-------------------|---|----------|
| <b>ASR Number</b> | Do you have an FCC Antenna Structure Registration (ASR) Number?     |          |
|                   | ASR Number  |          |
| <b>Parameters</b> | Overall height above ground (including obstruction lighting)        | 40.4     |
|                   | Height of radiator above base insulator, or above base, if grounded | 39.8     |
|                   | Electrical height of radiator                                       | 66.0     |

|                         |  |         |
|-------------------------|--|---------|
|                         | Field Ratio  | 0.555   |
|                         | Phase  | 160.8   |
|                         | Spacing  | 71.6    |
|                         | Tower Orientation                                  | 340     |
|                         | Tower Reference Switch                             | 0       |
|                         | Is the tower toploaded, sectionalized, or neither? | Neither |
| <b>Tower Parameters</b> | A  |         |
|                         | B  |         |
|                         | C  |         |
|                         | D  |         |

**Directional Antenna : Tower - 2**

| Section                 | Question  | Response |
|-------------------------|---|----------|
| <b>ASR Number</b>       | Do you have an FCC Antenna Structure Registration (ASR) Number?     |          |
|                         | ASR Number  |          |
| <b>Parameters</b>       | Overall height above ground (including obstruction lighting)        | 43.3     |
|                         | Height of radiator above base insulator, or above base, if grounded | 42.7     |
|                         | Electrical height of radiator                                       | 70.8     |
|                         | Field Ratio   | 1        |
|                         | Phase   | 0        |
|                         | Spacing   | 0        |
|                         | Tower Orientation   | 0        |
|                         | Tower Reference Switch  | 0        |
|                         | Is the tower toploaded, sectionalized, or neither?                  | Neither  |
| <b>Tower Parameters</b> | A   |          |
|                         | B   |          |
|                         | C   |          |
|                         | D   |          |

**Directional Antenna : Tower - 3**

| Section           | Question  | Response |
|-------------------|---|----------|
| <b>ASR Number</b> | Do you have an FCC Antenna Structure Registration (ASR) Number?     |          |
|                   | ASR Number  |          |
| <b>Parameters</b> | Overall height above ground (including obstruction lighting)        | 40.4     |
|                   | Height of radiator above base insulator, or above base, if grounded | 39.8     |
|                   | Electrical height of radiator                                       | 66.0     |

|                         |  |         |
|-------------------------|--|---------|
|                         | Field Ratio  | 0.644   |
|                         | Phase  | -169.2  |
|                         | Spacing  | 74.8    |
|                         | Tower Orientation                                  | 160     |
|                         | Tower Reference Switch                             | 0       |
|                         | Is the tower toploaded, sectionalized, or neither? | Neither |
| <b>Tower Parameters</b> | A  |         |
|                         | B  |         |
|                         | C  |         |
|                         | D  |         |

### Technical Certifications

| Section   | Question  | Response |
|---|---|----------|
| <b>Environmental Effect</b>                         | By checking "Yes", the applicant certifies that the facility will not have a significant environmental impact and complies with the maximum permissible electromagnetic exposure limits for controlled and uncontrolled environments (see 47 C.F.R. Section 1.1306). Unless the applicant can determine compliance through the use of the RF worksheets found on the FCC website ( <a href="https://www.fcc.gov/sites/default/files/lms-radiofrequency-exposure-compliance-worksheets-radio-broadcast-stations.pdf">https://www.fcc.gov/sites/default/files/lms-radiofrequency-exposure-compliance-worksheets-radio-broadcast-stations.pdf</a> ), an Exhibit is required. | Yes      |
| <b>Broadcast Facility</b>                           | Does the proposed facility comply with the applicable engineering standards and assignment requirements of 47 C.F.R. Sections 73.23, 73.24, 73.33, 73.37, 73.45, 73.150, 73.152, 73.160, 73.182, 73.186, 73.187, 73.189, and 73.1650?   |          |
| <b>Community of License Change - Section 307(b)</b> | Is the application being submitted to change the facility's community of license? If 'Yes', an exhibit is required containing information demonstrating that the proposed community of license change constitutes a preferential arrangement of assignments under Section 307(b) of the Communications Act of 1934, as amended (47 U.S.C. Section 307(b))?  |          |

### Certification

| Section                                 | Question  | Response |
|---|---|----------|
| <b>General Certification Statements</b> | The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by authorization or otherwise, and requests an Authorization in accordance with this application (See Section 304 of the Communications Act of 1934, as amended.). |          |

|                                 |   |                                 |
|---------------------------------|---|---------------------------------|
|                                 | <p>The Applicant certifies that neither the Applicant nor any other party to the application is subject to a denial of Federal benefits pursuant to §5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. § 862, because of a conviction for possession or distribution of a controlled substance. This certification does not apply to applications filed in services exempted under §1.2002(c) of the rules, 47 CFR . See §1.2002(b) of the rules, 47 CFR § 1.2002(b), for the definition of "party to the application" as used in this certification § 1.2002(c). The Applicant certifies that all statements made in this application and in the exhibits, attachments, or documents incorporated by reference are material, are part of this application, and are true, complete, correct, and made in good faith.</p>         |                                 |
| <b>Authorized Party to Sign</b> | <p><b>FAILURE TO SIGN THIS APPLICATION MAY RESULT IN DISMISSAL OF THE APPLICATION AND FORFEITURE OF ANY FEES PAID</b></p> <p>Upon grant of this application, the Authorization Holder may be subject to certain construction or coverage requirements. Failure to meet the construction or coverage requirements will result in automatic cancellation of the Authorization. Consult appropriate FCC regulations to determine the construction or coverage requirements that apply to the type of Authorization requested in this application.</p> <p>WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. Code, Title 18, §1001) AND/OR REVOCATION OF ANY STATION AUTHORIZATION (U.S. Code, Title 47, §312(a)(1)), AND /OR FORFEITURE (U.S. Code, Title 47, §503).</p> |                                 |
|                                 | <p>I declare, under penalty of perjury, that I am an authorized representative of the above-named applicant for the Authorization(s) specified above.</p>   | <b>CANDIDO DIAS<br/>CARRELO</b> |

## Attachments

| File Name                                 | Uploaded By | Attachment Type | Description  | Upload Status                          |
|---|-------------|-----------------|--|--|
| <a href="#"><u>1179826_483626.txt</u></a> | Applicant   | All Purpose     | MINOR CHANGE APPLICATION                           | Done with Virus Scan and/or Conversion |
| <a href="#"><u>1179826_483627.txt</u></a> | Applicant   | All Purpose     | MULTIPLE OWNERSHIP RULES AND CROSS-OWNERSHIP RULES | Done with Virus Scan and/or Conversion |
| <a href="#"><u>1179826_483628.txt</u></a> | Applicant   | All Purpose     | ENGINEERING STATEMENT                              | Done with Virus Scan and/or Conversion |
| <a href="#"><u>1179826_483629.txt</u></a> | Applicant   | All Purpose     | GROUNDWAVE   | Done with Virus Scan and/or Conversion |
| <a href="#"><u>1179826_483630.txt</u></a> | Applicant   | All Purpose     | SKYWAVE  | Done with Virus Scan and/or Conversion |
| <a href="#"><u>1179826_483631.txt</u></a> | Applicant   | All Purpose     | ENVIRONMENTAL PROTECTION ACT                       | Done with Virus Scan and/or Conversion |