

# (REFERENCE COPY - Not for submission) Minor Modification of Licensed AM Station Application (301-AM)

File Number: BP-20040112	2AAJ Submit Date: 01/12/2004	Lead Call Sign: WJXL	FRN: 0015837412	
Service: Full Power AM	Purpose: Minor Modification	Status: Superceded	Status Date: 10/13/2004	Filing Status:
Inactive		I		

General Information	Section	Question	Response
	Attachments	Are attachments (other than associated schedules) being filed with this application?	

# Fees, Waivers, and Exemptions

Section	Question	Response
Fees	Is the applicant exempt from FCC application Fees?	No
	Indicate reason for fee exemption:	
	Is the applicant exempt from FCC regulatory Fees?	
Waivers	Does this filing request a waiver of the Commission's rule (s)?	
	Total number of rule sections involved in this waiver request:	

#### Applicant Information

#### Applicant Name, Type, and Contact Information

Applicant	Address	Phone	Email	Applicant Type
MCENTEE BROADCASTING OF FLORIDA, INC. Applicant Doing Business As: MCENTEE BROADCASTING OF FLORIDA, INC.	P.O. BOX 16907 JACKSONVILLE, FL 32245 United States	+1 (904) 641- 1010		Company

#### Contact **Contact Name** Address Phone Email Contact Type Representatives (2) 580 STAFFORDSHIRE +1 (904) 221-RBA2469@YAHOO. **RALPH RAY BARNES** Technical JR DR. 4947 COM Representative **TECHNICAL** JACKSONVILLE, FL CONSULTANT 32225 **United States** JOHN WELLS KING **1000 POTOMAC** +1 (202) 965-JKING@GSBLAW. Legal Representative 7880 GARVEY SCHUBERT STREET NW COM **FIFTH FLOOR** BARER WASHINGTON, DC 20007 **United States**

Attributable Interest	Section	Question	Response
	Multiple Ownership	Is the applicant or any party to the application the holder of an attributable radio joint sales agreement or an attributable radio time brokerage agreement in the same market as the station subject to this application?	
		Applicant certifies that the proposed facility complies with the Commission's multiple ownership rules.	
		<ul> <li>Applicant certifies that the proposed facility:</li> <li>(a) does not present an issue under the Commission's policies relating to media interests of immediate family members;</li> <li>(b) complies with the Commission's policies relating to future ownership interests;</li> <li>(c) complies with the Commission's restrictions relating to the insulation and non-participation of non-party investors and creditors</li> </ul>	
		<ul> <li>Does the Applicant claim status as an "eligible entity," that is, an entity that qualifies as a small business under the Small Business Administration's size standards for its industry grouping (as set forth in 13 C.F.R. § 121-201), and holds:</li> <li>(a) 30 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet; or</li> </ul>	
		<ul> <li>(b) 15 percent or more of the stock or partnership interests and more than 50 percent of the voting power of the corporation or partnership that will own the media outlet, provided that no other person or entity owns or controls more than 25 percent of the outstanding stock or partnership interests; or</li> <li>(c) more than 50 percent of the voting power of the corporation that will own the media outlet (if such corporation is a publicly traded company)?</li> </ul>	

Legal Certifications	Section	Question	Response
	Character Issues	<ul> <li>Applicant certifies that neither applicant nor any party to the application has or had any interest in, or connection with:</li> <li>(a) any broadcast application in any proceeding where character issues were left in unresolved or were resolved adversely against the applicant or party to the application; or</li> <li>(b) any pending broadcast application in which character issues have been raised.</li> </ul>	
	Adverse Findings	Applicant certifies that, with respect to the applicant and any party to the application, and any non-party equity owner in the applicant, no adverse finding has been made, nor has an adverse final action been taken by any court or administrative body in a civil or criminal proceeding brought under the provisions of any law related to the following: any felony; mass media-related antitrust or unfair competition; fraudulent statements to another governmental unit; or discrimination.	
	Local Public Notice	Applicant certifies that it has or will comply with the public notice requirements of 47 C.F.R. Section 73.3580.	

Frequency and Facility Information	Section	Question	Response
	Proposed Community of	State	Florida
	License	City	Jacksonville Beach
	Facility Information	Frequency	1010
		Service Type	Main
		Facility Type	Commercial
		Class	В
	Modes/Hour of Operation	Modes/Hour of Operation	Daytime, NightTime

## Antenna Summary Data

# Directional Antenna Data - Daytime

Section	Question		Response
Parameters	Power		50.000
			30° 17` 57.9N
			82° 0` 25.4W
	Theoretical RMS		2570
	Standard RMS		2699.98
	Specified Q		
	Augmentation		Augmentation
Augmentation RMS			
Augmentation Table	Central Azimuth (degrees) Span (degrees)	Radiation at Central	Azimuth (mV/m)
Site Plat and Tower Sketch	Attach an antenna site plat and a tower sketch. plat should clearly show the following items: Bou railroads, other obstructions, and the ground sys counterpoise. Number and dimensions of ground and dimensions of counterpoise. Spacing and of element in the array with respect to true north. A The tower sketch should include site elevation, r above base insulator, tower height above ground height above ground without obstruction lighting above ground with obstruction lighting.	Indary lines, roads, Item or I radials or height rientation of each I scale in meters. adiator height I level, overall tower	

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	150.3
	Height of radiator above base insulator, or above base, if grounded	148.51
	Electrical height of radiator	180.0
	Field Ratio	1

	Phase	0
	Spacing	0
	Tower Orientation	0
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	150.3
	Height of radiator above base insulator, or above base, if grounded	148.51
	Electrical height of radiator	180.0
	Field Ratio	0.45
	Phase	-25
	Spacing	205.7
	Tower Orientation	8
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	150.3
	Height of radiator above base insulator, or above base, if grounded	148.51
	Electrical height of radiator	180.0
	Field Ratio	0.55

	Phase	-20
	Spacing	208.5
	Tower Orientation	189
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	C	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	150.3
	Height of radiator above base insulator, or above base, if grounded	148.51
	Electrical height of radiator	180.0
	Field Ratio	1
	Phase	-89
	Spacing	90
	Tower Orientation	100
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	А	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	150.3
	Height of radiator above base insulator, or above base, if grounded	148.51
	Electrical height of radiator	180.0
	Field Ratio	0.4

	Phase	-82
	Spacing	231
	Tower Orientation	33.2
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	150.3
	Height of radiator above base insulator, or above base, if grounded	148.51
	Electrical height of radiator	180.0
	Field Ratio	0.45
	Phase	-99
	Spacing	230
	Tower Orientation	166.8
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	C	0.0
	D	0.0

# Directional Antenna Data - Nighttime

Section	Question	Response
Parameters	Power	30.000
	Latitude	30° 17` 57.9N
	Longitude	82° 0` 25.4W
	Theoretical RMS	2003.2
	Standard RMS	2104.53
	Specified Q	
	Augmentation	Augmentation
Augmentation RMS		

Augmentation Table	Central Azimuth (degrees) Span (degrees)	Radiation at Central Azimuth (mV/m)
Site Plat and Tower Sketch	Attach an antenna site plat and a tower sketch. plat should clearly show the following items: Bou railroads, other obstructions, and the ground sys counterpoise. Number and dimensions of ground and dimensions of counterpoise. Spacing and or element in the array with respect to true north. A The tower sketch should include site elevation, r above base insulator, tower height above ground height above ground without obstruction lighting.	undary lines, roads, stem or d radials or height rientation of each a scale in meters. radiator height d level, overall tower

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	150.3
	Height of radiator above base insulator, or above base, if grounded	148.51
	Electrical height of radiator	180.0
	Field Ratio	1
	Phase	0
	Spacing	0
	Tower Orientation	0
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	150.3
	Height of radiator above base insulator, or above base, if grounded	148.51
	Electrical height of radiator	180.0
	Field Ratio	0.51
	Phase	-13.7
	Spacing	205.7

	Tower Orientation	8
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	150.3
	Height of radiator above base insulator, or above base, if grounded	148.51
	Electrical height of radiator	180.0
	Field Ratio	0.44
	Phase	8
	Spacing	208.5
	Tower Orientation	189
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	Α	0.0
	В	0.0
	C	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	150.3
	Height of radiator above base insulator, or above base, if grounded	148.51
	Electrical height of radiator	180.0
	Field Ratio	1
	Phase	-95
	Spacing	90

	Tower Orientation	100
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	Α	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	150.3
	Height of radiator above base insulator, or above base, if grounded	148.51
	Electrical height of radiator	180.0
	Field Ratio	0.47
	Phase	-96
	Spacing	231
	Tower Orientation	33.2
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

Section	Question	Response
ASR Number	Do you have an FCC Antenna Structure Registration (ASR) Number?	
	ASR Number	
Parameters	Overall height above ground (including obstruction lighting)	150.3
	Height of radiator above base insulator, or above base, if grounded	148.51
	Electrical height of radiator	180.0
	Field Ratio	0.52
	Phase	-84
	Spacing	230

	Tower Orientation	166.8
	Tower Reference Switch	0
	Is the tower toploaded, sectionalized, or neither?	Neither
Tower Parameters	A	0.0
	В	0.0
	С	0.0
	D	0.0

### Technical Certifications

Section	Question	Response
Environmental Effect	By checking "Yes", the applicant certifies that the facility will not have a significant environmental impact and complies with the maximum permissible electromagnetic exposure limits for controlled and uncontrolled environments (see 47 C.F.R. Section 1.1306). Unless the applicant can determine compliance through the use of the RF worksheets found on the FCC website (https://www.fcc.gov/sites/default/files/lms- radiofrequency-exposure-compliance-worksheets-radio- broadcast-stations.pdf), an Exhibit is required.	Yes
<b>Broadcast Facility</b> Does the proposed facility comply with the applicable engineering standards and assignment requirements of 47 C.F.R. Sections 73.23, 73.24, 73.33, 73.37, 73.45, 73.150, 73.152, 73.160, 73.182, 73.186, 73.187, 73.189, and 73.1650?		
Community of License Change - Section 307(b)	Is the application being submitted to change the facility's community of license? If 'Yes', an exhibit is required containing information demonstrating that the proposed community of license change constitutes a preferential arrangement of assignments under Section 307(b) of the Communications Act of 1934, as amended (47 U.S.C. Section 307(b))?	

Certification	Section	Question	Response
	General Certification Statements	The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by authorization or otherwise, and requests an Authorization in accordance with this application (See Section 304 of the Communications Act of 1934, as amended.).	
		The Applicant certifies that neither the Applicant nor any other party to the application is subject to a denial of Federal benefits pursuant to §5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. § 862, because of a conviction for possession or distribution of a controlled substance. This certification does not apply to applications filed in services exempted under §1.2002(c) of the rules, 47 CFR . See §1. 2002(b) of the rules, 47 CFR § 1.2002(b), for the definition of "party to the application" as used in this certification § 1.2002(c). The Applicant certifies that all statements made in this application and in the exhibits, attachments, or documents incorporated by reference are material, are part of this application, and are true, complete, correct, and made in good faith.	

Authorized Party to Sign	<ul> <li>FAILURE TO SIGN THIS APPLICATION MAY RESULT IN DISMISSAL OF THE APPLICATION AND FORFEITURE OF ANY FEES PAID</li> <li>Upon grant of this application, the Authorization Holder may be subject to certain construction or coverage requirements.</li> <li>Failure to meet the construction or coverage requirements will result in automatic cancellation of the Authorization.</li> <li>Consult appropriate FCC regulations to determine the construction or coverage requirements that apply to the type of Authorization requested in this application.</li> <li>WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND/OR IMPRISONMENT (U.S. Code, Title 18, §1001)</li> <li>AND/OR REVOCATION OF ANY STATION</li> <li>AUTHORIZATION (U.S. Code, Title 47, §312(a)(1)), AND</li> <li>/OR FORFEITURE (U.S. Code, Title 47, §503).</li> </ul>	
	I declare, under penalty of perjury, that I am an authorized representative of the above-named applicant for the Authorization(s) specified above.	WILLIAM MCENTEE

#### Attachments

File Name	Uploaded By	Attachment Type	Description	Upload Status
<u>929728_190882.</u> <u>txt</u>	Applicant	All Purpose	EXHIBIT EE TECHNICAL NARRATIVE	Done with Virus Scan and /or Conversion
<u>929728_6211041.</u> pdf	Applicant	All Purpose	Technical Narrative	Done with Virus Scan and /or Conversion
<u>929728_6211043.</u> pdf	Applicant	All Purpose	Site Location	Done with Virus Scan and /or Conversion
<u>929728 6211044.</u> pdf	Applicant	All Purpose	Boundary & Counterpoise Plot	Done with Virus Scan and /or Conversion
<u>929728 6211046.</u> pdf	Applicant	All Purpose	Daytime Antenna System Description	Done with Virus Scan and /or Conversion
<u>929728 6211047.</u> pdf	Applicant	All Purpose	Daytime Antenna System Polar Plot	Done with Virus Scan and /or Conversion
<u>929728_6211049.</u> pdf	Applicant	All Purpose	Daytime Allocation Study	Done with Virus Scan and /or Conversion
<u>929728_6211051.</u> pdf	Applicant	All Purpose	Daytime Co-Channel Plot	Done with Virus Scan and /or Conversion
<u>929728 6211053.</u> pdf	Applicant	All Purpose	Daytime Adjacent Channel Plot	Done with Virus Scan and /or Conversion
<u>929728 6211054.</u> pdf	Applicant	All Purpose	Nighttime Antenna System Description	Done with Virus Scan and /or Conversion
<u>929728_6211055.</u> pdf	Applicant	All Purpose	Nighttime Antenna System Polar Plot	Done with Virus Scan and /or Conversion
<u>929728_6211057.</u> pdf	Applicant	All Purpose	Root Sum Squares Interference Study	Done with Virus Scan and /or Conversion
<u>929728_6211058.</u> pdf	Applicant	All Purpose	Skywave Protection To CFRB	Done with Virus Scan and /or Conversion
<u>929728 6211059.</u> pdf	Applicant	All Purpose	Skywave Protection To Region 2 Class A Allocations	Done with Virus Scan and /or Conversion
<u>929728 6211060.</u> pdf	Applicant	All Purpose	Daytime 5,2,.5 mV Contours	Done with Virus Scan and /or Conversion
<u>929728 6211061.</u> pdf	Applicant	All Purpose	Nighttime Interference Free Contour	Done with Virus Scan and /or Conversion

<u>929728_900877.</u> pdf	Applicant	All Purpose	Technical Narrative	Done with Virus Scan and /or Conversion
<u>929728_900879.</u> pdf	Applicant	All Purpose	Site Location	Done with Virus Scan and /or Conversion
<u>929728_900880.</u> pdf	Applicant	All Purpose	Boundary & Counterpoise Plot	Done with Virus Scan and /or Conversion
<u>929728_900881.</u> pdf	Applicant	All Purpose	Daytime Antenna System Description	Done with Virus Scan and /or Conversion
<u>929728_900882.</u> pdf	Applicant	All Purpose	Daytime Antenna System Polar Plot	Done with Virus Scan and /or Conversion
<u>929728_900883.</u> pdf	Applicant	All Purpose	Daytime Allocation Study	Done with Virus Scan and /or Conversion
<u>929728_900884.</u> pdf	Applicant	All Purpose	Daytime Co-Channel Plot	Done with Virus Scan and /or Conversion
<u>929728_900885.</u> pdf	Applicant	All Purpose	Daytime Adjacent Channel Plot	Done with Virus Scan and /or Conversion
<u>929728_900886.</u> pdf	Applicant	All Purpose	Nighttime Antenna System Description	Done with Virus Scan and /or Conversion
<u>929728_900887.</u> pdf	Applicant	All Purpose	Nighttime Antenna System Polar Plot	Done with Virus Scan and /or Conversion
<u>929728_900889.</u> pdf	Applicant	All Purpose	Root Sum Squares Interference Study	Done with Virus Scan and /or Conversion
<u>929728_900890.</u> pdf	Applicant	All Purpose	Skywave Protection To CFRB	Done with Virus Scan and /or Conversion
<u>929728_900892.</u> pdf	Applicant	All Purpose	Skywave Protection To Region 2 Class A Allocations	Done with Virus Scan and /or Conversion
<u>929728_900893.</u> pdf	Applicant	All Purpose	Daytime 5,2,.5 mV Contours	Done with Virus Scan and /or Conversion
<u>929728_900894.</u> pdf	Applicant	All Purpose	Nighttime Interference Free Contour	Done with Virus Scan and /or Conversion