



(REFERENCE COPY - Not for submission)

Request to Extend a DTS Engineering STA Application

File Number: **0000067826** | Submit Date: **02/11/2019** | Call Sign: **WSTE-DT** | Facility ID: **60341** | FRN: **0013778105**
 State: **Puerto Rico** | City: **PONCE**
 Service: **DTS** | Purpose: **STA Extension** | Status: **Granted** | Status Date: **02/12/2019** | Expiration Date: **08/15/2019**
 Filing Status: **InActive**

General Information

Section	Question	Response
---------	----------	----------

Fees, Waivers, and Exemptions

Section	Question	Response
Fees	Is the applicant exempt from FCC application Fees?	No
	Indicate reason for fee exemption:	
Waivers	Does this filing request a waiver of the Commission's rule(s)?	No
	Total number of rule sections involved in this waiver request:	

Application Type	Fee Code	Fee Amount
STA Extension	MGT	\$200.00
Total		\$200.00

**Applicant
Information**

Applicant Name, Type, and Contact Information

Applicant	Address	Phone	Email	Applicant Type
WLII/WSUR LICENSE PARTNERSHIP, G.P. Doing Business As: WLII/WSUR LICENSE PARTNERSHIP, G.P.	CHRISTOPHER G. WOOD 5999 CENTER DRIVE LOS ANGELES, CA 90045 United States	+1 (310) 348-3600	CWOOD@UNIVISION. NET	General Partnership

Authorization Holder Name

Check box if the Authorization Holder name is being updated because of the sale (or transfer of control) of the Authorization(s) to another party and for which proper Commission approval has not been received or proper notification provided.

**Contact
Representatives
(1)**

Contact Name	Address	Phone	Email	Contact Type
ANN WEST BOBECK COVINGTON & BURLING LLP	ONE CITYCENTER 850 TENTH STREET, NW WASHINGTON, DC 20001 United States	+1 (202) 662- 5719	ABOBECK@COV. COM	Legal Representative

Channel and Facility Information

Section	Question	Response
Facility ID	60341	
State	Puerto Rico	
City	PONCE	
DTS Channel	7	
Facility Type	Facility Type	Commercial
	Station Type	Main
Zone	Zone	2

DTS Reference Point

Section	Question	Response
Construction Permit File Number and Facility ID	File Number for Current Authorized Service Area:	
	Facility ID	60341
Coordinates (NAD83)	Latitude	18° 09' 09.8" N+
	Longitude	066° 33' 14.6" W-

**Site 1: Antenna
Location Data**

Section	Question	Response
Antenna Structure Registration	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1242492
Coordinates (NAD83)	Latitude	18° 02' 45.0" N+
	Longitude	066° 39' 15.0" W-
	Structure Type	TOWER-A free standing or guyed struct
	Overall Structure Height	92.4 meters
	Support Structure Height	91.4 meters
	Ground Elevation (AMSL)	255.7 meters
Antenna Data	Height of Radiation Center Above Ground Level	67.2 meters
	Height of Radiation Center Above Average Terrain	88 meters
	Height of Radiation Center Above Mean Sea Level	322.9 meters
	Effective Radiated Power	25 kW

**Site 1: Antenna
Technical Data**

Section	Question	Response
Antenna Type	Antenna Type	Directional Custom
	Do you have an Antenna ID?	Yes
	Antenna ID	109672
Antenna Manufacturer and Model	Manufacturer:	DIE
	Model	THB-C2-3H/6HD-1 DC
	Electrical Beam Tilt	0.6
	Mechanical Beam Tilt	Not Applicable
	toward azimuth	
	Polarization	Horizontal
DTV and DTS: Elevation Pattern	Does the proposed antenna propose elevation radiation patterns that vary with azimuth for reasons other than the use of mechanical beam tilt?	Yes
	Rotation	0 degrees
	Uploaded file for elevation antenna (or radiation) pattern data	

Directional Antenna Relative Field Values (Pre-rotated Pattern)

Degree	Value	Degree	Value	Degree	Value	Degree	Value
0	0.362	90	0.056	180	0.996	270	0.89
10	0.203	100	0.203	190	0.96	280	0.96
20	0.056	110	0.362	200	0.89	290	0.996
30	0.001	120	0.519	210	0.81	300	0.996
40	0.001	130	0.664	220	0.823	310	0.96
50	0.001	140	0.79	230	0.874	320	0.89
60	0.001	150	0.89	240	0.874	330	0.79
70	0.001	160	0.96	250	0.823	340	0.664
80	0.001	170	0.996	260	0.81	350	0.519

Additional Azimuths

Degree	V _A
295	1
256	0.803
235	0.883
214	0.803
175	1

**Site 2: Antenna
Location Data**

Section	Question	Response
Antenna Structure Registration	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1011023
Coordinates (NAD83)	Latitude	18° 16' 22.0" N+
	Longitude	066° 06' 48.0" W-
	Structure Type	TOWER-A free standing or guyed struct
	Overall Structure Height	109.4 meters
	Support Structure Height	108.5 meters
	Ground Elevation (AMSL)	460.0 meters
Antenna Data	Height of Radiation Center Above Ground Level	101 meters
	Height of Radiation Center Above Average Terrain	336 meters
	Height of Radiation Center Above Mean Sea Level	561.0 meters
	Effective Radiated Power	25 kW

**Site 2: Antenna
Technical Data**

Section	Question	Response
Antenna Type	Antenna Type	Directional Custom
	Do you have an Antenna ID?	Yes
	Antenna ID	109673
Antenna Manufacturer and Model	Manufacturer:	ADC
	Model	T7C10.2SH50C
	Electrical Beam Tilt	1
	Mechanical Beam Tilt	Not Applicable
	toward azimuth	
	Polarization	Horizontal
DTV and DTS: Elevation Pattern	Does the proposed antenna propose elevation radiation patterns that vary with azimuth for reasons other than the use of mechanical beam tilt?	Yes
	Rotation	59 degrees
	Uploaded file for elevation antenna (or radiation) pattern data	

Directional Antenna Relative Field Values (Pre-rotated Pattern)

Degree	Value	Degree	Value	Degree	Value	Degree	Value
0	0.83	90	0.83	180	0.12	270	0.8
10	0.72	100	0.69	190	0.13	280	0.92
20	0.6	110	0.57	200	0.14	290	0.99
30	0.64	120	0.43	210	0.18	300	0.99
40	0.81	130	0.29	220	0.25	310	0.96
50	0.94	140	0.21	230	0.33	320	0.8
60	0.98	150	0.14	240	0.46	330	0.62
70	0.99	160	0.12	250	0.58	340	0.62
80	0.92	170	0.12	260	0.7	350	0.75

Additional Azimuths

Degree	V _A
295	1

**Site 3: Antenna
Location Data**

Section	Question	Response
Antenna Structure Registration	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1011024
Coordinates (NAD83)	Latitude	18° 19' 18.0" N+
	Longitude	067° 10' 26.0" W-
	Structure Type	TOWER-A free standing or guyed struct
	Overall Structure Height	101.0 meters
	Support Structure Height	100.0 meters
	Ground Elevation (AMSL)	340.4 meters
Antenna Data	Height of Radiation Center Above Ground Level	87.8 meters
	Height of Radiation Center Above Average Terrain	362 meters
	Height of Radiation Center Above Mean Sea Level	428.2 meters
	Effective Radiated Power	10 kW

**Site 3: Antenna
Technical Data**

Section	Question	Response
Antenna Type	Antenna Type	Directional Custom
	Do you have an Antenna ID?	Yes
	Antenna ID	109674
Antenna Manufacturer and Model	Manufacturer:	DIE
	Model	CBR-BP2SP-4HBA/8H-1
	Electrical Beam Tilt	1
	Mechanical Beam Tilt	Not Applicable
	toward azimuth	
	Polarization	Elliptical
DTV and DTS: Elevation Pattern	Does the proposed antenna propose elevation radiation patterns that vary with azimuth for reasons other than the use of mechanical beam tilt?	Yes
	Rotation	0 degrees
	Uploaded file for elevation antenna (or radiation) pattern data	

Directional Antenna Relative Field Values (Pre-rotated Pattern)

Degree	Value	Degree	Value	Degree	Value	Degree	Value
0	0.6	90	0.562	180	0.93	270	0.201
10	0.647	100	0.514	190	0.863	280	0.217
20	0.69	110	0.422	200	0.764	290	0.189
30	0.688	120	0.455	210	0.64	300	0.147
40	0.616	130	0.63	220	0.505	310	0.179
50	0.491	140	0.817	230	0.388	320	0.249
60	0.381	150	0.946	240	0.289	330	0.316
70	0.399	160	0.998	250	0.194	340	0.42
80	0.505	170	0.982	260	0.167	350	0.522

Additional Azimuths

Degree	V _A
163	1
162	1

**Site 4: Antenna
Location Data**

Section	Question	Response
Antenna Structure Registration	Do you have an FCC Antenna Structure Registration (ASR) Number?	Yes
	ASR Number	1011025
Coordinates (NAD83)	Latitude	18° 27' 14.0" N+
	Longitude	066° 45' 15.0" W-
	Structure Type	TOWER-A free standing or guyed struct
	Overall Structure Height	91.1 meters
	Support Structure Height	90.5 meters
	Ground Elevation (AMSL)	64.0 meters
Antenna Data	Height of Radiation Center Above Ground Level	85 meters
	Height of Radiation Center Above Average Terrain	65 meters
	Height of Radiation Center Above Mean Sea Level	149.0 meters
	Effective Radiated Power	0.1 kW

**Site 4: Antenna
Technical Data**

Section	Question	Response
Antenna Type	Antenna Type	Directional Custom
	Do you have an Antenna ID?	Yes
	Antenna ID	109675
Antenna Manufacturer and Model	Manufacturer:	ADC
	Model	T7H1.3MS2S
	Electrical Beam Tilt	Not Applicable
	Mechanical Beam Tilt	Not Applicable
	toward azimuth	
	Polarization	Horizontal
DTV and DTS: Elevation Pattern	Does the proposed antenna propose elevation radiation patterns that vary with azimuth for reasons other than the use of mechanical beam tilt?	Yes
	Rotation	0 degrees
	Uploaded file for elevation antenna (or radiation) pattern data	

Directional Antenna Relative Field Values (Pre-rotated Pattern)

Degree	Value	Degree	Value	Degree	Value	Degree	Value
0	1	90	0.45	180	0.21	270	0.54
10	0.87	100	0.25	190	0.24	280	0.62
20	0.7	110	0.24	200	0.12	290	0.67
30	0.79	120	0.12	210	0.14	300	0.8
40	0.94	130	0.11	220	0.22	310	0.93
50	0.97	140	0.17	230	0.1	320	0.96
60	0.92	150	0.16	240	0.1	330	0.78
70	0.82	160	0.11	250	0.28	340	0.72
80	0.68	170	0.15	260	0.41	350	0.89

Additional Azimuths

Degree	V _A
--------	----------------

**Site 5: Antenna
Location Data**

Section	Question	Response
Antenna Structure Registration	Do you have an FCC Antenna Structure Registration (ASR) Number?	No
	ASR Number	
Coordinates (NAD83)	Latitude	18° 08' 51.8" N+
	Longitude	066° 58' 59.6" W-
	Structure Type	TOWER-A free standing or guyed struct
	Overall Structure Height	48.4 meters
	Support Structure Height	49.38 meters
	Ground Elevation (AMSL)	900 meters
Antenna Data	Height of Radiation Center Above Ground Level	37 meters
	Height of Radiation Center Above Average Terrain	631 meters
	Height of Radiation Center Above Mean Sea Level	937 meters
	Effective Radiated Power	0.5 kW

**Site 5: Antenna
Technical Data**

Section	Question	Response
Antenna Type	Antenna Type	Directional Custom
	Do you have an Antenna ID?	Yes
	Antenna ID	109676
Antenna Manufacturer and Model	Manufacturer:	SCA
	Model	HDCA-5CP/RM YAGI
	Electrical Beam Tilt	Not Applicable
	Mechanical Beam Tilt	3
	toward azimuth	210
	Polarization	Circular
DTV and DTS: Elevation Pattern	Does the proposed antenna propose elevation radiation patterns that vary with azimuth for reasons other than the use of mechanical beam tilt?	Yes
	Rotation	210 degrees
	Uploaded file for elevation antenna (or radiation) pattern data	

Directional Antenna Relative Field Values (Pre-rotated Pattern)

Degree	Value	Degree	Value	Degree	Value	Degree	Value
0	1	90	0.157	180	0.16	270	0.157
10	0.967	100	0.13	190	0.153	280	0.141
20	0.875	110	0.06	200	0.14	290	0.13
30	0.733	120	0.032	210	0.117	300	0.177
40	0.561	130	0.042	220	0.08	310	0.363
50	0.363	140	0.08	230	0.042	320	0.561
60	0.177	150	0.117	240	0.032	330	0.733
70	0.13	160	0.14	250	0.06	340	0.875
80	0.141	170	0.153	260	0.13	350	0.967

Additional Azimuths

Degree	V _A
--------	----------------

Certification

Section	Question	Response
<p>General Certification Statements</p>	<p>The Applicant waives any claim to the use of any particular frequency or of the electromagnetic spectrum as against the regulatory power of the United States because of the previous use of the same, whether by authorization or otherwise, and requests an Authorization in accordance with this application (See Section 304 of the Communications Act of 1934, as amended.).</p>	
	<p>The Applicant certifies that neither the Applicant nor any other party to the application is subject to a denial of Federal benefits pursuant to §5301 of the Anti-Drug Abuse Act of 1988, 21 U.S.C. §862, because of a conviction for possession or distribution of a controlled substance. This certification does not apply to applications filed in services exempted under §1.2002(c) of the rules, 47 CFR . See §1.2002(b) of the rules, 47 CFR §1.2002(b), for the definition of "party to the application" as used in this certification §1.2002 (c). The Applicant certifies that all statements made in this application and in the exhibits, attachments, or documents incorporated by reference are material, are part of this application, and are true, complete, correct, and made in good faith.</p>	
<p>Authorized Party to Sign</p>	<p>FAILURE TO SIGN THIS APPLICATION MAY RESULT IN DISMISSAL OF THE APPLICATION AND FORFEITURE OF ANY FEES PAID</p> <p>Upon grant of this application, the Authorization Holder may be subject to certain construction or coverage requirements. Failure to meet the construction or coverage requirements will result in automatic cancellation of the Authorization. Consult appropriate FCC regulations to determine the construction or coverage requirements that apply to the type of Authorization requested in this application.</p> <p>WILLFUL FALSE STATEMENTS MADE ON THIS FORM OR ANY ATTACHMENTS ARE PUNISHABLE BY FINE AND /OR IMPRISONMENT (U.S. Code, Title 18, §1001) AND/OR REVOCATION OF ANY STATION AUTHORIZATION (U.S. Code, Title 47, §312(a)(1)), AND/OR FORFEITURE (U.S. Code, Title 47, §503).</p>	
	<p>I certify that this application includes all required and relevant attachments.</p>	<p>Yes</p>
	<p>I declare, under penalty of perjury, that I am an authorized representative of the above-named applicant for the Authorization(s) specified above.</p>	<p>Christopher G Wood <i>SVP ASSOC GEN COUN GOV AND REG AFF</i></p> <p>02/11/2019</p>

Attachments

File Name	Uploaded By	Attachment Type	Description
<u>WSTE-DT Reduced Power STA Extension Request Narrative (February 2019).pdf</u>	Applicant	General Information	STA Extension Request Narrative