



United States of America
FEDERAL COMMUNICATIONS COMMISSION
AM BROADCAST STATION LICENSE

Authorizing Official:

Official Mailing Address:

JERI LYN BROADCASTING, INC.
27225 CAMP PLENTY ROAD, SUITE 8
CANYON COUNTRY CA 91351

Ann Gallagher
Senior Engineer
Audio Division
Media Bureau

Grant Date: November 19, 2010

Facility Id: 58521

Call Sign: KHTS

This license expires 3:00 a.m.
local time, December 01, 2013.

License File Number: BMML-20100714ACY

This license modifies license no.: BL-19890614AF

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Hours of Operation: Unlimited

Average hours of sunrise and sunset:
Local Standard Time (Non-Advanced)

Jan.	7:00 AM	5:00 PM	Jul.	4:45 AM	7:00 PM
Feb.	6:45 AM	5:30 PM	Aug.	5:15 AM	6:45 PM
Mar.	6:00 AM	6:00 PM	Sep.	5:30 AM	6:00 PM
Apr.	5:30 AM	6:30 PM	Oct.	6:00 AM	5:15 PM
May	4:45 AM	6:45 PM	Nov.	6:30 AM	4:45 PM
Jun.	4:45 AM	7:00 PM	Dec.	6:45 AM	4:45 PM

Callsign: KHTS

License No.: BMML-20100714ACY

Name of Licensee: JERI LYN BROADCASTING, INC.

Station Location: CANYON COUNTRY, CA

Frequency (kHz): 1220

Station Class: B

Antenna Coordinates:

Day

Latitude: N 34 Deg 27 Min 55 Sec

Longitude: W 118 Deg 24 Min 07 Sec

Night

Latitude: N 34 Deg 27 Min 55 Sec

Longitude: W 118 Deg 24 Min 07 Sec

Transmitter(s): Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Nominal Power (kW): Day: 1.0 Night: 0.50

Antenna Input Power (kW): Day: 1.1 Night: 0.54

Antenna Mode: Day: DA Night: DA

(DA=Directional Antenna, ND=Non-directional Antenna; CH=Critical Hours)

Current (amperes): Day: 4.65 Night: 3.29

Resistance (ohms): Day: 50 Night: 50

Antenna Registration Number(s):

Day:

Tower No.	ASRN
1	None
2	None
3	None

Night:

Tower No.	ASRN
1	None
2	None
3	None

DESCRIPTION OF DIRECTIONAL ANTENNA SYSTEM

Theoretical RMS (mV/m/km): Day: 311.14 Night: 220.01

Standard RMS (mV/m/km):

Augmented RMS (mV/m/km): Day: 328.06 Night: 232.04

Q Factor: Day: 10 Night: 10

Theoretical Parameters:

Day Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	0.4550	-93.000	0.0000	0.000	0	80.4
2	1.0000	0.000	105.0000	163.000	0	80.4
3	0.5910	93.000	210.0000	163.000	0	80.4

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	117.5	23.0	19.30
2	129.0	23.0	21.10
3	146.0	34.0	16.50
4	163.0	34.0	20.50
5	197.0	23.0	21.50
6	208.5	23.0	17.40
7	230.0	43.0	90.00
8	330.0	26.0	520.00

Theoretical Parameters:

Night Directional Antenna:

Tower No.	Field Ratio	Phasing (Deg.)	Spacing (Deg.)	Orientation (Deg.)	Tower Ref Switch *	Height (Deg.)
1	0.4550	-93.000	0.0000	0.000	0	80.4
2	1.0000	0.000	105.0000	163.000	0	80.4
3	0.5910	93.000	210.0000	163.000	0	80.4

* Tower Reference Switch

0 = Spacing and orientation from reference tower

1 = Spacing and orientation from previous tower

Augmentation Parameters:

Aug No.	Central Azimuth (Deg. T)	Span (Deg.)	Radiation at Central Azimuth (mV/m @ 1 km)
1	230.0	43.0	63.60
2	330.0	26.0	367.70

Day Directional Operation:

Twr. Phase No. (Deg.)	Antenna Monitor Sample Current Ratio
1 -76.1	0.312
2 0	1
3 91.4	0.495

Night Directional Operation:

Twr. Phase No. (Deg.)	Antenna Monitor Sample Current Ratio
1 -76.1	0.312
2 0	1
3 91.4	0.495

Antenna Monitor: GORMAN-REDLICH CMR

Sampling System Approved Under Section 73.68 of the Rules.

Special operating conditions or restrictions:

- 1 The licensee shall perform the measurements described in Section 73.155 at least once within each 24-month period.

*** END OF AUTHORIZATION ***