



United States of America
FEDERAL COMMUNICATIONS COMMISSION
FM BROADCAST STATION LICENSE

Authorizing Official:

Official Mailing Address:

BEASLEY MEDIA GROUP LICENSES, LLC
3033 RIVIERA DRIVE
SUITE 200
NAPLES FL 34103

Dale E. Bickel
Senior Engineer
Audio Division
Media Bureau

Facility Id: 47427

Call Sign: WPEN

License File Number: BLH-20070531AOP

Grant Date: June 18, 2007

This license expires 3:00 a.m.
local time, June 01, 2014.

This license covers permit no.: BPH-20050907ABP

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.

Callsign: WPEN

License No.: BLH-20070531AOP

Name of Licensee: BEASLEY MEDIA GROUP LICENSES, LLC

Station Location: NJ-BURLINGTON

Frequency (MHz): 97.5

Channel: 248

Class: B

Hours of Operation: Unlimited

Transmitter: Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.

Transmitter output power: 15.0 kW

Antenna type: Directional

Description: ERI 1183-2-CP-DA

Antenna Coordinates: North Latitude: 40 deg 04 min 57 sec
West Longitude: 75 deg 10 min 53 sec

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective radiated power in the Horizontal Plane (kW):	26.0	26.0
Height of radiation center above ground (Meters):	148	148
Height of radiation center above mean sea level (Meters):	274	274
Height of radiation center above average terrain (Meters):	208	208

Antenna structure registration number: 1025525

Overall height of antenna structure above ground (including obstruction lighting if any) see the registration for this antenna structure.

Special operating conditions or restrictions:

- 1 The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

Special operating conditions or restrictions:

- 2 The relative field strength of neither the measured horizontally nor vertically polarized radiation component shall exceed at any azimuth the value indicated on the composite radiation pattern authorized by construction permit BPH-20050907ABP.

A relative field strength of 1.0 on the composite radiation pattern herein authorized corresponds to the following effective radiated power:

. 26.0 kilowatts.

Principal minima and their associated field strength limits:

150 degrees True: 4.413 kilowatts
280 degrees True: 2.900 kilowatts

- 3 The relative field strength of neither the measured horizontally nor vertically polarized radiation component shall exceed at any azimuth the value indicated on the composite radiation pattern authorized by construction permit BPH-20050907ABP.

A relative field strength of 1.0 on the composite radiation pattern herein authorized corresponds to the following effective radiated power:

. 26.0 kilowatts.

Principal minima and their associated field strength limits:

150 degrees True: 4.413 kilowatts
280 degrees True: 2.900 kilowatts

*** END OF AUTHORIZATION ***