



Federal Communications Commission  
Washington, D.C. 20554

October 18, 2018

1800E1-MHH

DIOCESE OF FRESNO EDUCATION CORP.  
Teresa Dominguez  
1550 N. Fresno Street  
Fresno, CA 93703

KNXT  
0000062753  
Visalia, CA  
Facility ID Number: 16950

Dear Licensee:

This refers to your request dated October 11, 2018, requesting special temporary authority (STA) to operate at variance. You indicate that KNXT requests Special Temporary Authority for a temporary Channel 22 facility, while it removes the existing Channel 50 facility and constructs the main Channel 22 facility. You mentioned that the temporary facility antenna will be side-mounted on an existing tower and will not increase the height of the tower.

After a thorough review of your technical specifications, we are persuaded that no interference is likely to occur from the proposed operation. If problems do arise, we expect them to be solved expeditiously and the Bureau reserves the right to require termination of the operation. We therefore conclude that the public interest would be served by the grant of this request.

With respect to radio frequency radiation (RFR), we expect compliance with Section 1.1307(b) of the Commission's Rules to be achieved.

Accordingly, the request for special temporary authority IS GRANTED subject to the technical parameters and conditions specified below.

## Technical Parameters:

Channel: 22

Antenna Coordinates: N. Latitude: 36° 17' 15.7"  
W. Longitude 118° 50' 23.3"

Antenna Type ERI Technologies, Directional, Custom  
Model No. i230ECW

Maximum Effective Radiated Power: 117 kW

Radiation Center Above Mean Sea Level: 1764.8 meters

Radiation Center Above Ground Level: 21.3 meters

HAAT: 799.9 meters

Tower Registration Number: 1012373

## Special Conditions:

1. The grant of this construction permit is subject to the condition that, with ample time before commencing operation, you make a good faith effort to identify and notify health care facilities (e.g., hospitals, nursing homes, see 47 CFR 15.242(a)(1)) within your service area potentially affected by your DTV operations. Contact with state and/or local hospital associations and local governmental health care licensing authorities may prove helpful in this process. During this pre-broadcast period, you must provide all notified entities with relevant technical details of your operation, such as DTV channel, targeted on-air date, effective radiated power, antenna location, and antenna height. You are required to place in the station's public inspection file documentation of the notifications and contacts made and you may not commence operations until good faith efforts have been made to notify affected health care facilities. During this pre-broadcast period and for up to twenty (20) days after commencing operations, should you become aware of any instances of medical devices malfunctioning or that such devices are likely to malfunction due to your DTV operations, you must cooperate with the health care facility so that it is afforded a reasonable opportunity to resolve the interference problem. At such time as all provisions of this condition have been fulfilled, and either upon the expiration of twenty (20) days following commencement of operations or when all known interference problems have been resolved, whichever is later, this condition lapses.

2. This authority expires on **April 18, 2019**. If appropriate, a timely renewal request must be filed before the end of this period.

3. Hours of operation of this facility will be in accordance with Section 73.624(b) of the Commission's Rules

Sincerely,

A handwritten signature in blue ink that reads "Kevin R. Harding". The signature is written in a cursive style with a large initial 'K'.

Kevin R. Harding  
Associate Chief  
Video Division  
Media Bureau

cc: Michelle A. McClure