

Federal Communications Commission Washington, D.C. 20554

November 13, 2018

1800E1-MHH

SJL OF PENNSYLVANIA LICENSE SUBSIDIARY, LLC BRIAN LILLY 3514 STATE STREET ERIE, PA 16508

> WICU-TV 0000063440 Erie, PA

Facility ID Number: 24970

Dear Licensee:

This refers to your request dated November 13, 2018, requesting special temporary authority (STA) to operate at variance. You indicate that SJL is leasing space on the site where the licensed WICU-TV facility is located. The antenna is very old and, based on recent measurements, is malfunctioning and impairing coverage. You mentioned that WICU-TV is also experiencing problems with the transmission line which can only be corrected by replacing the line. The lease at the site of the licensed facility is up at the end of the year (2018) and, rather than rebuild the facility at the leased site, SJL would prefer to build a new facility at a nearby tower (ASR#1055828) approximately 5.4 km away from the site of the licensed facility.

After a thorough review of your technical specifications, we are persuaded that no interference is likely to occur from the proposed operation. If problems do arise, we expect them to be solved expeditiously and the Bureau reserves the right to require termination of the operation. We therefore conclude that the public interest would be served by the grant of this request.

With respect to radio frequency radiation (RFR), we expect compliance with Section 1.1307(b) of the Commission's Rules to be achieved.

Accordingly, the request for special temporary authority IS GRANTED subject to the technical parameters and conditions specified below.

Technical Parameters:

Channel: 12

Antenna Coordinates: N. Latitude: 42° 02' 16.0"

W. Longitude 080° 03' 43.0"

Antenna Type Alive, None-Directional Model No. ATC-BCE420-V0-12

Maximum Effective Radiated Power: 2.7 kW

Radiation Center Above Mean Sea Level: 625.9 meters

Radiation Center Above Ground Level: 215.6 meters

HAAT: 288.6 meters

Tower Registration Number: 1055828

Special Conditions:

- 1. The grant of this construction permit is subject to the condition that, with ample time before commencing operation, you make a good faith effort to identify and notify health care facilities (e.g., hospitals, nursing homes, see 47 CFR 15.242(a)(1)) within your service area potentially affected by your DTV operations. Contact with state and/or local hospital associations and local governmental health care licensing authorities may prove helpful in this process. During this pre-broadcast period, you must provide all notified entities with relevant technical details of your operation, such as DTV channel, targeted on-air date, effective radiated power, antenna location, and antenna height. You are required to place in the station's public inspection file documentation of the notifications and contacts made and you may not commence operations until good faith efforts have been made to notify affected health care facilities. During this prebroadcast period and for up to twenty (20) days after commencing operations, should you become aware of any instances of medical devices malfunctioning or that such devices are likely to malfunction due to your DTV operations, you must cooperate with the health care facility so that it is afforded a reasonable opportunity to resolve the interference problem. At such time as all provisions of this condition have been fulfilled, and either upon the expiration of twenty (20) days following commencement of operations or when all known interference problems have been resolved, whichever is later, this condition lapses.
- 2. This authority expires on May 13, 2019. If appropriate, a timely renewal request must be filed before the end of this period.

3. Hours of operation of this facility will be in accordance with Section 73.624(b) of the Commission's Rules

Sincerely,

Kevin R. Harding Associate Chief

Kenin R. Harding

Video Division

Media Bureau

cc: Erin E Kim