



Federal Communications Commission
Washington, D.C. 20554

April 15, 2019

1800E1-MHH

UNIVISION ATLANTA LLC.
CHRISTOPHER G. WOOD
5999 CENTER DRIVE
LOS ANGELES, CA 90045

Re: WUVG-DT
0000071564
Athens, GA
Fac Id: 48813

Dear Licensee:

This is in response to the above application filed on April 12, 2019 for special temporary authority (STA). You indicate that this STA request seeks authority for WUVG-DT to utilize a temporary transmission facility during the reconstruction of its main facility to implement its new channel assignment.

You also indicate that the licensee is filing this request for STA to ensure authority to continue to operate at variance under the parameters set forth herein.

After a thorough review of your technical specifications, we are persuaded that no interference is likely to occur from the proposed operation. If problems do arise, we expect them to be solved expeditiously and the Bureau reserves the right to require termination of the operation. We therefore conclude that the public interest would be served by the grant of this request.

With respect to radio frequency radiation (RFR), we expect compliance with Section 1.1307(b) of the Commission's Rules to be achieved.

Accordingly, the request for special temporary authority IS GRANTED subject to the technical parameters and conditions specified below.

Technical Parameters:

Channel: 48

Antenna Coordinates: N. Latitude: 33° 44' 40.9"
W. Longitude 084° 21' 35.7"

Antenna Type: RFS, Directional, Custom
Model No. PEPL48U2221

Maximum Effective Radiated Power: 840 kW

Radiation Center Above Mean Sea Level: 613.2 meters

Radiation Center Above Ground Level: 317.8 meters

HAAT: 329.7 meters

Tower Registration Number: 1206253


Special Conditions:

1. The grant of this construction permit is subject to the condition that, with ample time before commencing operation, you make a good faith effort to identify and notify health care facilities (e.g., hospitals, nursing homes, see 47 CFR 15.242(a)(1)) within your service area potentially affected by your DTV operations. Contact with state and/or local hospital associations and local governmental health care licensing authorities may prove helpful in this process. During this pre-broadcast period, you must provide all notified entities with relevant technical details of your operation, such as DTV channel, targeted on-air date, effective radiated power, antenna location, and antenna height. You are required to place in the station's public inspection file documentation of the notifications and contacts made and you may not commence operations until good faith efforts have been made to notify affected health care facilities. During this pre-broadcast period and for up to twenty (20) days after commencing operations, should you become aware of any instances of medical devices malfunctioning or that such devices are likely to malfunction due to your DTV operations, you must cooperate with the health care facility so that it is afforded a reasonable opportunity to resolve the interference problem. At such time as all provisions of this condition have been fulfilled, and either upon the expiration of twenty (20) days following commencement of operations or when all known interference problems have been resolved, whichever is later, this condition lapses.

2. This authority expires on **October 15, 2019**. If appropriate, a timely renewal request must be filed before the end of this period.

3. Hours of operation of this facility will be in accordance with Section 73.624(b) of the Commission's Rules

Sincerely,

A handwritten signature in blue ink that reads "Kevin R. Harding". The signature is written in a cursive style with a large, looping flourish at the end of the name.

Kevin R. Harding
Associate Chief
Video Division
Media Bureau

cc: Ann West Bobeck