Federal Communications Commission

NEXT GENERATION TELEVISION BROADCAST STATION LICENSE

Licensee/Permittee

Nexstar Inc. 545 E. John Carpenter Freeway SUITE 700 IRVING, TX, 75062

Call Sign File Number WNOL-TV 0000204143

Facility ID: 54280 NTSC TSID: 1334 Digital TSID: 1335

This License Modifies License No.

BLCDT-20121019AAR

ATSC 3.0

Grant Date		Expiration Date		
04/21/2020		06/01/2029		
Hours of Operation Unlimited	9		Š	
Station Location	Frequency (M	(Hz)	Station Channel	
City SLIDELL	488.0 - 494.0		17	
State LA	21V			
Facility Type				
Commercial				

Antenna Structure Registration Number 1220144	
Transmitter	Transmitter Output Power(kW)
Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the	As required to achieve authorized ERP.
Commission's Rules.	
Antenna Coordinates	Antenna Type
Latitude 29-54-22.9 N	Directional
Longitude 90-2-22.1 W	

Description of Antenna	
Make Dielectric	
Model TFU-21JSC/VP-R C180	
Antenna Beam Tilt (Degrees Electrical) 0.75	Antenna Beam Tilt (Degrees Mechanical @ Degrees Azimuth) Not Applicable
Major Lobe Directions 250.0 354.0	Maximum Effective Radiated Power (Average) 850 kW 29.29 DBK
Height of Radiated Center Above Ground (Meters) 295.7	Height of Radiated Center Above Mean Sea Level (Meters) 296.0
Height of Radiated Center Above Average Terrain (Meters) 295.8	Overall Height of Antenna Structure Above Ground (Meters) See the registration for this antenna structure.

Waivers/Special Conditions

ATSC 1.0

Call SignFacility IDWNOL-TV54280

Grant Date	Expiration	on Date
12/07/2022	06/01/20	029
Hours of Operation	<u> </u>	
Unlimited		
Station Location	Frequency (MHz)	Station Channel
City NEW ORLEANS	476.0 - 482.0	15
State LA		
Facility Type		L
Commercial		

Antenna Structure Registration Number 1020862	
Transmitter Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.	Transmitter Output Power(kW) As required to achieve authorized ERP.

Antenna Coordinates	Antenna Type Directional	
Latitude 29-57-0.0 N		
Longitude 89-57-28.0 W		
Description of Antenna		
Make DIE		
Model TUF-C4SP-10/32U-1-T		
Antenna Beam Tilt (Degrees Electrical)	Antenna Beam Tilt (Degrees Mechanical @	
0.5	Degrees Azimuth)	
	Not Applicable	
Major Lobe Directions	Maximum Effective Radiated Power (Average)	
252.0	775 kW	
	28.89 DBK	
Height of Radiated Center Above Ground (Meters)	Height of Radiated Center Above Mean Sea	
287	Level (Meters)	
	288.6	
Height of Radiated Center Above Average Terrain (Meters)	Overall Height of Antenna Structure Above	
286	Ground (Meters)	
	See the registration for this antenna structure.	
	4	

Waivers/Special Conditions

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.