Federal Communications Commission

NEXT GENERATION TELEVISION BROADCAST STATION LICENSE

Licensee/Permittee WEAR LICENSEE, LLC c/o Miles S. Mason, Pillsbury Winthrop 1200 Seventeenth Street, NW Washington, DC, 20036	Shaw Pittman LLP				
				-	File Number 0000121008
Facility ID: 71363 NTSC TSID: 682 Digital TSID: 683 This License Modifies License No.	BLCDT-20050627AA	к.			
ATSC 3.0					
Grant Date 09/17/2020			ation Date /2013		
Hours of Operation Unlimited	Com		ON 2		
Station Location City PENSACOLA State FL	Frequency (MHz) 488.0 - 494.0		Station Channel 17		
Facility Type Commercial			I		
Antenna Structure Registration Number	r				
Transmitter Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.			Transmitter Output Power(kW) As required to achieve authorized ERP.		
Antenna Coordinates Latitude 30-36-45.4 N			Antenna Type Non-Directional		

Longitude 87-38-41.6 W

Description of Antenna	
Make DIE	
Model TFU-28GTH 06SP	
Antenna Beam Tilt (Degrees Electrical)	Antenna Beam Tilt (Degrees Mechanical @
0.75	Degrees Azimuth)
	Not Applicable
Major Lobe Directions	Maximum Effective Radiated Power (Average)
N/A	1000 kW
	30.00 DBK
Height of Radiated Center Above Ground (Meters)	Height of Radiated Center Above Mean Sea
567.2	Level (Meters)
	608.0
Height of Radiated Center Above Average Terrain (Meters)	Overall Height of Antenna Structure Above
579	Ground (Meters)
	See the registration for this antenna structure.

Waivers/Special Conditions	
ATSC 4.0	

ATSC 1.0

Call SignFacility IDWEAR-TV71363

Grant Date		Expiration Date	
05/07/2020	02/0	1/2013	
Hours of Operation			
Unlimited			
Station Location	Frequency (MHz)	Station Channel	
City PENSACOLA	596.0 - 602.0	35	
State FL			
Facility Type			
Commercial			

Antenna Structure Registration Number 1030889	
Transmitter	Transmitter Output Power(kW)
Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.	As required to achieve authorized ERP.

Antenna Coordinates	Antenna Type	
Latitude 30-35-16.7 N	Directional	
Longitude 87-33-12.7 W		
Description of Antenna		
Make DIELECTRIC		
Model TFU-18ETT/VP-R 4C160		
Antenna Beam Tilt (Degrees Electrical)	Antenna Beam Tilt (Degrees Mechanical @	
0.75	Degrees Azimuth)	
	Not Applicable	
Major Lobe Directions	Maximum Effective Radiated Power (Average)	
104.0	1000 kW	
	30.00 DBK	
Height of Radiated Center Above Ground (Meters)	Height of Radiated Center Above Mean Sea	
449	Level (Meters)	
	490.5	
Height of Radiated Center Above Average Terrain (Meters)	Overall Height of Antenna Structure Above	
457	Ground (Meters)	
	See the registration for this antenna structure	

Waivers/Special Conditions

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.