

Federal Communications Commission

CLASS A BROADCAST STATION CONSTRUCTION PERMIT

Licensee/Permittee

VERNON WATSON
312 EAST NINE MILE ROAD
SUITE 29D
PENSACOLA, FL, 32514

Call Sign	File Number
WBQP-CD	0000129473

Facility ID: 69993**NTSC TSID:** 9006**Digital TSID:** 9007**This Permit Modifies License File No.** BLDVA-20120802AAK

Grant Date 12/10/2020		Expiration Date 12/08/2023	
Hours of Operation Unlimited			
Station Location City PENSACOLA State FL		Frequency (MHz) 204.0 - 210.0	Station Channel 12

Antenna Structure Registration Number 1060330	
Transmitter Type Accepted. See Sections 74.750 of the Commission's Rules.	Transmitter Output Power(kW) As required to achieve authorized ERP.
Antenna Coordinates Latitude 30-25-59.9 N Longitude 87-13-8.7 W	Antenna Type Directional
Description of Antenna Make SCA Model DRV-2/2HW	Major Lobe Directions 338.0
Antenna Beam Tilt (Degrees Electrical) Not Applicable	Antenna Beam Tilt (Degrees Mechanical @ Degrees Azimuth) Not Applicable

Maximum Effective Radiated Power (Average) 3 kW 4.77 DBK	
Height of Radiated Center Above Ground (Meters) 92	Height of Radiated Center Above Mean Sea Level (Meters) 104.2
Out-Of-Channel Emission Mask Simple	Overall Height of Antenna Structure Above Ground (Meters) See the registration for this antenna structure.

Waivers/Special Conditions

- The grant of this construction permit is subject to the condition that, with ample time before commencing operation, you make a good faith effort to identify and notify health care facilities (e.g., hospitals, nursing homes, see 47 CFR 15.242(a)(1)) within your service area potentially affected by your DTV operations. Contact with state and/or local hospital associations and local governmental health care licensing authorities may prove helpful in this process. During this pre-broadcast period, you must provide all notified entities with relevant technical details of your operation, such as DTV channel, targeted on-air date, effective radiated power, antenna location, and antenna height. You are required to place in the stations public inspection file documentation of the notifications and contacts made and you may not commence operations until good faith efforts have been made to notify affected health care facilities. During this pre-broadcast period and for up to twenty (20) days after commencing operations, should you become aware of any instances of medical devices malfunctioning or that such devices are likely to malfunction due to your DTV operations, you must cooperate with the health care facility so that it is afforded a reasonable opportunity to resolve the interference problem. At such time as all provisions of this condition have been fulfilled, and either upon the expiration of twenty (20) days following commencement of operations or when all known interference problems have been resolved, whichever is later, this condition lapses.
- During installation of the antenna authorized herein, AM Station(s) listed below shall determine operating power by the indirect method. Upon completion of the installation, antenna impedance measurements on the AM antenna shall be made and, prior to or simultaneous with the filing of the application for license to cover this permit, the results submitted to the Commission (along with a tower sketch of the installation) in an FCC Form 302-AM application for the AM station to return to the direct method of power determination. Callsign: WDWR City: Pensacola State: FL

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.