Federal Communications Commission

NEXT GENERATION TELEVISION BROADCAST STATION LICENSE

Licensee/Permittee

SCRIPPS BROADCASTING HOLDINGS LLC 312 WALNUT STREET 28TH FLOOR CINCINNATI, OH, 45202

Call Sign File Number WMYD 0000125639

Facility ID: 74211 NTSC TSID: 1486 Digital TSID: 1487

This License Modifies License No. 0000081119

ATSC 3.0

Grant Date		Expiration Date		
11/20/2020		10/01/2021		
Hours of Operation				
Unlimited				
Station Location	Frequency (MH	z)	Station Channel	
City DETROIT	572.0 - 578.0		31	
State MI				
Facility Type				
Commercial				

Antenna Structure Registration Number 1003429	
Transmitter	Transmitter Output Power(kW)
Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the	As required to achieve authorized ERP.
Commission's Rules.	
Antenna Coordinates	Antenna Type
Latitude 42-26-52.5 N	Directional
Longitude 83-10-23.1 W	

Description of Antenna	
Make DIE	
Model TFU-23ETT/VP-R CT3	
Antenna Beam Tilt (Degrees Electrical) 0.65	Antenna Beam Tilt (Degrees Mechanical @ Degrees Azimuth)
	Not Applicable
Major Lobe Directions 190.0	Maximum Effective Radiated Power (Average) 935 kW
	29.71 DBK
Height of Radiated Center Above Ground (Meters)	Height of Radiated Center Above Mean Sea
321.5	Level (Meters)
	523.3
Height of Radiated Center Above Average Terrain (Meters)	Overall Height of Antenna Structure Above
324	Ground (Meters)
	See the registration for this antenna structure.

Waivers/Special Conditions ATSC 1.0

Call SignFacility IDWXYZ-TV10267

Grant Date	141 141 12	Expiration Date	
03/16/2020		<mark>10/01/202</mark> 1	
Hours of Operation	I		
Unlimited			
Station Location	Frequency (MHz)	Station C	hannel
City DETROIT	536.0 - 542.0	25	
State MI			
Facility Type		L	
Commercial			

Antenna Structure Registration Number 1002464	
Transmitter Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.	Transmitter Output Power(kW) As required to achieve authorized ERP.

Antenna Coordinates	Antenna Type Directional	
Latitude 42-28-14.0 N		
Longitude 83-15-1.0 W		
Description of Antenna		
Make DIE		
Model TFU-22GTH/VP-R 6C140SP		
Antenna Beam Tilt (Degrees Electrical)	Antenna Beam Tilt (Degrees Mechanical @	
0.5	Degrees Azimuth)	
	Not Applicable	
Major Lobe Directions	Maximum Effective Radiated Power (Average)	
320.0	765 kW	
	28.84 DBK	
Height of Radiated Center Above Ground (Meters)	Height of Radiated Center Above Mean Sea	
313.6	Level (Meters)	
	516.1	
Height of Radiated Center Above Average Terrain (Meters)	Overall Height of Antenna Structure Above	
301	Ground (Meters)	
	See the registration for this antenna structure.	

Waivers/Special Conditions

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.