

Federal Communications Commission

NEXT GENERATION TELEVISION BROADCAST STATION LICENSE

Licensee/Permittee

SINCLAIR SEATTLE LICENSEE, LLC
c/o Miles S. Mason, Pillsbury Winthrop Shaw Pittman LLP
1200 Seventeenth Street, NW
Washington, DC, 20036

Call Sign	File Number
KOMO-TV	0000126112

Facility ID: 21656

NTSC TSID: 3122

Digital TSID: 3123

This License Modifies License No. 0000100658

ATSC 3.0

Grant Date 11/07/2019		Expiration Date 02/01/2023
Hours of Operation Unlimited		
Station Location City BELLEVUE State WA	Frequency (MHz) 530.0 - 536.0	Station Channel 24
Facility Type Commercial		

Antenna Structure Registration Number 1032456	
Transmitter Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.	Transmitter Output Power(kW) As required to achieve authorized ERP.
Antenna Coordinates Latitude 47-37-55.0 N Longitude 122-21-14.0 W	Antenna Type Directional

Description of Antenna Make DIELECTRIC Model TFU-26DSC/VP-R C150	
Antenna Beam Tilt (Degrees Electrical) 1.0	Antenna Beam Tilt (Degrees Mechanical @ Degrees Azimuth) Not Applicable
Major Lobe Directions 50.0 60.0	Maximum Effective Radiated Power (Average) 625 kW 27.96 DBK
Height of Radiated Center Above Ground (Meters) 148	Height of Radiated Center Above Mean Sea Level (Meters) 285.2
Height of Radiated Center Above Average Terrain (Meters) 237	Overall Height of Antenna Structure Above Ground (Meters) See the registration for this antenna structure.

Waivers/Special Conditions

ATSC 1.0

Call Sign	Facility ID
KOMO-TV	21656

Grant Date 11/20/2020		Expiration Date 02/01/2023
Hours of Operation Unlimited		
Station Location City SEATTLE State WA	Frequency (MHz) 566.0 - 572.0	Station Channel 30
Facility Type Commercial		

Antenna Structure Registration Number 1032456	
Transmitter Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.	Transmitter Output Power(kW) As required to achieve authorized ERP.

Antenna Coordinates Latitude 47-37-55.0 N Longitude 122-21-14.0 W	Antenna Type Non-Directional
Description of Antenna Make Dielectric Model TFU-25ETT/VP-R O6	
Antenna Beam Tilt (Degrees Electrical) 0.75	Antenna Beam Tilt (Degrees Mechanical @ Degrees Azimuth) Not Applicable
Major Lobe Directions N/A	Maximum Effective Radiated Power (Average) 915 kW 29.61 DBK
Height of Radiated Center Above Ground (Meters) 163	Height of Radiated Center Above Mean Sea Level (Meters) 300.2
Height of Radiated Center Above Average Terrain (Meters) 259	Overall Height of Antenna Structure Above Ground (Meters) See the registration for this antenna structure.

Waivers/Special Conditions

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.