

Federal Communications Commission

FM BROADCAST STATION CONSTRUCTION PERMIT

Permittee

ENTERCOM LICENSE,
LLC
2400 MARKET STREET
4TH FLOOR
PHILADELPHIA, PA, 19103

Call Sign	Facility ID
WNSH	20886

File Number 0000131143	This Permit Modifies License File No. BPH-20190213ABC	
Filing Date 01/13/2021	Grant Date 03/02/2021	Expiration Date 05/15/2022

Community of License City: NEWARK State: NJ	Frequency (MHz) 94.7	Station Channel 234	Station Class B
Hours of Operation: Unlimited			
Facility Type: Commercial			

Transmitter Certified for Compliance. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.	Transmitter Output Power As required to achieve authorized ERP.
Antenna Type Directional	Antenna Coordinates (NAD 83) Latitude 40-47-53.4 N Longitude 74-5-25.5 W
Major Lobe Directions Not Applicable	

	Horizontally Polarized Antenna	Vertically Polarized Antenna
Effective Radiated Power in the Horizontal Plane (kW)	40	40

Height of Radiation Center Above Ground (meters)	194	194
Height of Radiation Center Above Mean Sea Level (meters)	196	196
Height of Radiation Center Above Average Terrain (meters)	166	166

Antenna Structure Registration Number 1237850	Overall Height of Antenna Structure Above Ground (meters) See the registration for this antenna structure.
--	---

Obstruction Marking and Lighting Specifications for Antenna Structure

See the registration for this antenna structure.

Special Operating Conditions or Restrictions

The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

- ***** This is a Section 73.215 contour protection grant as requested by this applicant *****
- BEFORE PROGRAM TESTS ARE AUTHORIZED, permittee shall submit the results of a complete proof-of-performance to establish the horizontal plane radiation patterns for both the horizontally and vertically polarized radiation components. This proof-of-performance may be accomplished using the complete full size antenna, or individual bays therefrom, mounted on a supporting structure of identical dimensions and configuration as the proposed structure, including all braces, ladders, conduits, coaxial lines, and other appurtenances; or using a carefully manufactured scale model of the entire antenna, or individual bays therefrom, mounted on an equally scaled model of the proposed supporting structure, including all appurtenances. Engineering exhibits should include a description of the antenna testing facilities and equipment employed, including appropriate photographs or sketches and a description of the testing procedures, including scale factor, measurements frequency, and equipment calibration.
- BEFORE PROGRAM TESTS ARE AUTHORIZED, permittee must submit a certification executed by a licensed surveyor showing that the FM directional antenna system has been oriented at the azimuth(s) specified in the directional antenna proof of performance. This certification must include a description of the method used by the surveyor to determine the azimuth(s) of the installed directional antenna system and the accuracy of that determination.
- BEFORE PROGRAM TESTS ARE AUTHORIZED, permittee/licensee shall submit an affidavit that the installation of the directional antenna system was overseen by a qualified engineer. This affidavit shall include a certification by the engineer that the antenna was installed pursuant to the manufacturer's instructions and list the qualifications of the certifying engineer.
- BEFORE PROGRAM TESTS ARE AUTHORIZED, the permittee must submit an exhibit demonstrating that the measured directional antenna pattern complies with the appropriate community coverage provisions of 47 C.F.R. Sections 73.315 or 73.515 (See 47 C.F.R. Section 73.316(c)(2)(ix)(B)).
- The relative field strength of neither the measured horizontally nor vertically polarized radiation component shall exceed at any azimuth the value indicated on the composite radiation pattern authorized by this construction permit. A relative field strength of 1.0 on the composite radiation pattern herein authorized corresponds to the following effective radiated power: 40.0 kilowatts. Principal minima and their associated field strength limits: 90 degrees True: 30.276 kilowatts 210 - 220 degrees True: 33.270 kilowatts

- Program tests for WNSH(FM) will not commence with the facilities authorized by this construction permit until program tests for WMAS-FM, Enfield, Connecticut (Facility ID No. 36543) commence with the facilities authorized by Construction Permit BPH-20190213ABD. Furthermore, a license will not be granted to WNSH (FM) to cover the facilities authorized by this construction permit until a license is granted to WMAS-FM to cover the facilities authorized by Construction Permit BPH-20190213ABD.
- This construction permit authorizes the mounting of an antenna on a directional tower of AM Station WOR, New York, New York (Facility ID No. 7710). Prior to installation of the antenna, the permittee must notify the AM station licensee so that, if necessary, the AM station may determine operating power by the indirect method (see Section 73.51 of the Commission's Rules) and request a Special Temporary Authorization pursuant to Section 73.1635 of the Commission's Rules to operate with parameters at variance. The permittee must conduct a partial proof of performance as defined in Section 73.154 of the Commission's Rules both before and after construction to show that the AM station has not been adversely affected. If the operating parameters of the AM station differ from licensed values following the antenna installation, the results of the partial proof of performance shall be filed with the Commission by the AM station licensee using form FCC 302-AM. (See Section 1.30003 of the Commission's Rules.) The permittee must submit confirmation of completion of the requirements of this condition in the application for license to cover this construction permit.
- Permittee has specified use of the antenna listed below to demonstrate compliance with the FCC radiofrequency electromagnetic field exposure guidelines. If any other type or size of antenna is to be used with the facilities authorized herein, THE AUTOMATIC PROGRAM TEST PROVISIONS OF 47 C.F.R. SECTION 73.1620 WILL NOT APPLY. In this case, a FORMAL REQUEST FOR PROGRAM TEST AUTHORITY must be filed in conjunction with FCC Form 302-FM, application for license, BEFORE program tests will be authorized. The request must include a revised RF field showing to demonstrate continued compliance with the FCC guidelines. Four sectioned, 0.74 wavelength spaced antenna

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules(See Section 83.875).

Pursuant to Section 73.3598, this Construction Permit will be subject to automatic forfeiture unless construction is complete and application for license is filed prior to expiration.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.