

Federal Communications Commission

FM BROADCAST STATION CONSTRUCTION PERMIT

Permittee

Calvary Chapel Morris
Hills
158 W. Clinton Street
Dover, NJ, 07801

Call Sign**Facility ID**

767773

File Number 0000167028			
Filing Date 02/07/2022	Grant Date 03/13/2023	Expiration Date 36 months after the grant date	
Community of License City: BERNARDSVILLE State: NJ	Frequency (MHz) 88.9	Station Channel 205	Station Class A
Hours of Operation: Unlimited			
Facility Type: Noncommercial Educational			
Transmitter Certified for Compliance. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.		Transmitter Output Power As required to achieve authorized ERP.	
Antenna Type Directional		Antenna Coordinates (NAD 83) Latitude 40-41-30.6 N Longitude 74-30-55.9 W	
Major Lobe Directions Not Applicable			
	Horizontally Polarized Antenna	Vertically Polarized Antenna	
Effective Radiated Power in the Horizontal Plane (kW)	0.001	2.5	

Height of Radiation Center Above Ground (meters)	41	41
Height of Radiation Center Above Mean Sea Level (meters)	111	111
Height of Radiation Center Above Average Terrain (meters)	16	16

Antenna Structure Registration Number 1228821	Overall Height of Antenna Structure Above Ground (meters) See the registration for this antenna structure.
---	--

Obstruction Marking and Lighting Specifications for Antenna Structure See the registration for this antenna structure.
--

<p>Special Operating Conditions or Restrictions</p> <p>The permittee/licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.</p> <ul style="list-style-type: none"> Pursuant to 47 CFR Sections 73.7002(c) and 73.7005(b) the permittee/licensee is required to construct and operate for a period of four years of on-air operations technical facilities substantially as proposed and shall not downgrade service to the area on which the preference was based. Pursuant to 47 CFR Sections 73.7005(a) and 73.7005(c), the permittee/licensee must maintain its comparative qualifications and comply with the restrictions on assignments/transfers. From the grant of the construction permit until the station has achieved at least four years of on-air operations, the permittee /licensee must maintain the comparative characteristics for which it received points and comply with the restrictions on station modifications and acquisitions. If the permittee/licensee proposes to assign/transfer the construction permit/license to another party during the period from grant of the construction period until the station has achieved at least four years of on-air operations, it must demonstrate the following two factors: (1) that the proposed buyer would qualify for the same number of or greater points as the assignor or transferor originally received, and (2) that consideration received and/or promised does not exceed the assignor's or transferor's legitimate and prudent expenses. Program tests for the new station serving Bernardsville, NJ (Facility ID No. 767773) will not commence with the facilities authorized herein until Calvary Chapel Morris Hills ceases operation of, and divests all interest in Low Power FM Station WCFT-LP, Dover, NJ (Facility ID No. 194641). Furthermore, a license will not be granted for this station with the facilities authorized herein until Calvary Chapel Morris Hills divests all interest in WCFT-LP. A certification including the date that WCFT-LP's facility was cancelled or the date the assignment was consummated must be included as an attachment to the FCC Schedule 302-FM application for license to cover this construction permit. BEFORE PROGRAM TESTS ARE AUTHORIZED, the permittee must submit the results of a complete proof-of-performance to establish the horizontal plane radiation patterns for both the horizontally and vertically polarized radiation components. This proof-of-performance may be accomplished using the complete full size antenna, or individual bays therefrom, mounted on a supporting structure of identical dimensions and configuration as the proposed structure, including all braces, ladders, conduits, coaxial lines, and other appurtenances; or using a carefully manufactured scale model of the entire antenna, or individual bays therefrom, mounted on an equally scaled model of the proposed supporting structure, including all appurtenances. Engineering exhibits must include a description of the antenna testing facilities and equipment employed, including appropriate photographs or sketches and a description of the testing procedures, including scale factor, measurements frequency, and equipment calibration.
--

- BEFORE PROGRAM TESTS ARE AUTHORIZED, the permittee must submit a certification executed by a licensed surveyor showing that the FM directional antenna system has been oriented at the azimuth(s) specified in the directional antenna proof of performance. This certification must include a description of the method used by the surveyor to determine the azimuth(s) of the installed directional antenna system and the accuracy of that determination.
- BEFORE PROGRAM TESTS ARE AUTHORIZED, the permittee must submit an affidavit that the installation of the directional antenna system was overseen by a qualified engineer. This affidavit must include a certification by the engineer that the antenna was installed pursuant to the manufacturer's instructions and list the qualifications of the certifying engineer.
- BEFORE PROGRAM TESTS ARE AUTHORIZED, the permittee must submit an exhibit demonstrating that the measured directional antenna pattern complies with the appropriate community coverage requirements of 47 C.F.R. Sections 73.315 or 73.515 (See 47 C.F.R. § 73.316(c)(2)(ix)(B)).
- The RMS of the composite measured relative field horizontal plane directional antenna pattern must encompass at least 85% of the RMS of the composite relative field horizontal plane directional antenna pattern authorized by this construction permit.
- The relative field strength of neither the measured horizontally nor vertically polarized radiation component shall exceed at any azimuth the value indicated on the composite radiation pattern authorized by this construction permit. A relative field strength of 1.0 on the composite radiation pattern herein authorized corresponds to the following effective radiated power: 2.5 kilowatts. Principal minimum and its associated field strength limit: 150 degrees True: 0.081 kilowatt (81 watts).

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules (See Section 83.875).

Pursuant to Section 73.3598, this Construction Permit will be subject to automatic forfeiture unless construction is complete and application for license is filed prior to expiration.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.