Federal Communications Commission

NEXT GENERATION TELEVISION BROADCAST STATION LICENSE

Licensee/Permittee

Nexstar Media Inc. 545 E. JOHN CARPENTER FREEWAY SUITE 700 IRVING, TX, 75062

Call Sign File Number WCBD-TV 0000184909

Facility ID: 10587 NTSC TSID: 2550 Digital TSID: 2551

This License Modifies License No. 00000

0000081288

ATSC 3.0

Grant Date	Expiration	Date
01/31/2007	12/01/202	8 8
Hours of Operation Unlimited	图图《》图》	3
		Otation Observat
Station Location	Frequency (MHz)	Station Channel
City CHARLESTON	590.0 - 596.0	34
State SC	OWICKLIC	
Facility Type		
Commercial		

Antenna Structure Registration Number 1051231	
Transmitter	Transmitter Output Power(kW)
Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the	As required to achieve authorized ERP.
Commission's Rules.	
Antenna Coordinates	Antenna Type
Latitude 32-55-29.0 N	Directional
Longitude 79-41-57.0 W	

Description of Antenna	
Make DIE	
Model TUP-C3-10-	
Antenna Beam Tilt (Degrees Electrical)	Antenna Beam Tilt (Degrees Mechanical @
0.75	Degrees Azimuth)
	Not Applicable
Major Lobe Directions	Maximum Effective Radiated Power (Average)
	630 kW
	27.99 DBK
Height of Radiated Center Above Ground (Meters)	Height of Radiated Center Above Mean Sea
520.1	Level (Meters)
	525.0
Height of Radiated Center Above Average Terrain (Meters)	Overall Height of Antenna Structure Above
522	Ground (Meters)
	See the registration for this antenna structure.
TED ST	

Waivers/Special Conditions

ATSC 1.0

Call SignFacility IDWCBD-TV10587

Grant Date		Expiration Date		
03/09/2022		12/01/2028		
Hours of Operation		. L		
Unlimited				
Station Location	Frequency (MHz)	Station Channel	
City CHARLESTON	506.0 - 512.0		20	
State SC				
Facility Type				
Commercial				

Antenna Structure Registration Number 1042963	
Transmitter Type Accepted. See Sections 73.1660, 73.1665 and 73.1670 of the Commission's Rules.	Transmitter Output Power(kW) As required to achieve authorized ERP.

Antenna Coordinates	Antenna Type	
Latitude 32-56-25.0 N	Directional	
Longitude 79-41-44.0 W		
Description of Antenna		
Make Dielectric		
Model TUD-P5SP-16/48-1-B		
Antenna Beam Tilt (Degrees Electrical)	Antenna Beam Tilt (Degrees Mechanical @	
1.0	Degrees Azimuth)	
	Not Applicable	
Major Lobe Directions	Maximum Effective Radiated Power (Average)	
246.0	779 kW	
	28.92 DBK	
Height of Radiated Center Above Ground (Meters)	Height of Radiated Center Above Mean Sea	
580	Level (Meters)	
	585.0	
Height of Radiated Center Above Average Terrain (Meters)	Overall Height of Antenna Structure Above	
581	Ground (Meters)	
	See the registration for this antenna structure.	
	*	

Waivers/Special Conditions

Subject to the provisions of the Communications Act of 1934, as amended, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this permit, the permittee is hereby authorized to construct the radio transmitting apparatus herein described. Installation and adjustment of equipment not specifically set forth herein shall be in accordance with representations contained in the permittee's application for construction permit except for such modifications as are presently permitted, without application, by the Commission's Rules.

Equipment and program tests shall be conducted only pursuant to Sections 73.1610 and 73.1620 of the Commission's Rules.