

# Federal Communications Commission

## AM STATION LICENSE

**Licensee/Permittee**

CATHOLIC RADIO NETWORK,  
INC.

1400 N. E. 42nd Terrace  
Kansas City, MO, 64116

**Call Sign**

KMVG

**Facility ID**

41561

<b>File Number</b> 0000234457	<b>This License Covers Construction Permit No.</b> 0000226452	
<b>Filing Date</b> 01/02/2024	<b>Grant Date</b> 03/05/2024	<b>Expiration Date</b> 02/01/2029
<b>Description Text</b> Diplex with KDMR.		

<b>Community of License</b> <b>City:</b> Gladstone <b>State:</b> MO	<b>Frequency (KHz)</b> 890	<b>Station Class</b> D	<b>Service Type</b> Main
<b>Facility Type</b> Noncommercial Educational			
<b>Hours of Operation</b> Daytime			
<b>Station Antenna Modes/Antenna Types</b> Daytime: Directional			

**Average Hours of Sunrise and Sunset**

Local Standard Time (Non-Advanced)

Month	Sunrise	Sunset
January	7:30	17:15
February	7:15	18:00
March	6:30	18:30
April	5:45	19:00
May	5:00	19:30
June	4:45	19:45
July	5:00	19:45
August	5:30	19:15
September	6:00	18:30
October	6:30	17:45
November	7:00	17:00
December	7:30	17:00

**Transmitter**

Type Accepted. See Sections 73.1660, 73.1665, and 73.1670 of the Commission's Rules

## Antenna Mode: Daytime

Antenna Type: Directional

<b>Antenna Coordinates (NAD 83)</b>  <b>Latitude</b> 39° 03' 49" N  <b>Longitude</b> 94° 30' 38" W	<b>Nominal Power (kW)</b> 1.000  <b>Antenna Input Power (kW)</b> 1.08  <b>Current (Amperes)</b> 4.650  <b>Resistance (Ohms)</b> 50.0																					
<b>Antenna Structure Registration Number(s)</b> <table border="1"><thead><tr><th>Tower No.</th><th>ASRN</th><th>Overall Height (m)</th></tr></thead><tbody><tr><td>1</td><td>1063332</td><td>66.0</td></tr><tr><td>2</td><td>1063335</td><td>66.0</td></tr></tbody></table>		Tower No.	ASRN	Overall Height (m)	1	1063332	66.0	2	1063335	66.0												
Tower No.	ASRN	Overall Height (m)																				
1	1063332	66.0																				
2	1063335	66.0																				
<b>Description of Daytime Directional Antenna System</b> <table border="1"><thead><tr><th>Theoretical RMS (mV/m/km)</th><th>Standard RMS (mV/m/km)</th><th>Augmented RMS (mV/m/km)</th><th>Q Factor</th></tr></thead><tbody><tr><td>300.9</td><td>316.2</td><td></td><td>10.00</td></tr></tbody></table>		Theoretical RMS (mV/m/km)	Standard RMS (mV/m/km)	Augmented RMS (mV/m/km)	Q Factor	300.9	316.2		10.00													
Theoretical RMS (mV/m/km)	Standard RMS (mV/m/km)	Augmented RMS (mV/m/km)	Q Factor																			
300.9	316.2		10.00																			
<b>Theoretical Parameters</b> <table border="1"><thead><tr><th>Tower No.</th><th>Field Ratio</th><th>Phasing (deg.)</th><th>Spacing (deg.)</th><th>Orientation (deg.)</th><th>Tower Ref. Switch*</th><th>Height (deg.)</th></tr></thead><tbody><tr><td>1</td><td>1</td><td>0</td><td>0</td><td>0</td><td>0</td><td>68.4</td></tr><tr><td>2</td><td>0.926</td><td>101.2</td><td>89.7</td><td>49.0</td><td>0</td><td>68.4</td></tr></tbody></table> <p>* Tower Reference Switch</p> <p>0 = Spacing and orientation from reference tower 1 = Spacing and orientation from previous tower</p>		Tower No.	Field Ratio	Phasing (deg.)	Spacing (deg.)	Orientation (deg.)	Tower Ref. Switch*	Height (deg.)	1	1	0	0	0	0	68.4	2	0.926	101.2	89.7	49.0	0	68.4
Tower No.	Field Ratio	Phasing (deg.)	Spacing (deg.)	Orientation (deg.)	Tower Ref. Switch*	Height (deg.)																
1	1	0	0	0	0	68.4																
2	0.926	101.2	89.7	49.0	0	68.4																
<b>Top-Loaded/Sectionalized Tower Parameters: (See 47 CFR 73.160)</b> <table border="1"><thead><tr><th>Tower No.</th><th>Tower Type</th><th>A</th><th>B</th><th>C</th><th>D</th></tr></thead><tbody><tr><td>1</td><td>Neither</td><td></td><td></td><td></td><td></td></tr><tr><td>2</td><td>Neither</td><td></td><td></td><td></td><td></td></tr></tbody></table>		Tower No.	Tower Type	A	B	C	D	1	Neither					2	Neither							
Tower No.	Tower Type	A	B	C	D																	
1	Neither																					
2	Neither																					
<b>Monitoring Points</b> <table border="1"><thead><tr><th>Radial (Deg. T)</th><th>Distance From Transmitter (km)</th><th>Maximum Field Strength (mV/m)</th></tr></thead></table>		Radial (Deg. T)	Distance From Transmitter (km)	Maximum Field Strength (mV/m)																		
Radial (Deg. T)	Distance From Transmitter (km)	Maximum Field Strength (mV/m)																				

**Operating Parameters**

<b>Tower</b>	<b>Antenna monitor current sample or voltage sample ratio</b>	<b>Antenna monitor phase indication (degree)</b>
<b>1</b>	<b>1.000</b>	<b>0.0</b>
<b>2</b>	<b>0.931</b>	<b>100.1</b>



## Special operating conditions or restrictions

The permittee /licensee in coordination with other users of the site must reduce power or cease operation as necessary to protect persons having access to the site, tower or antenna from radiofrequency electromagnetic fields in excess of FCC guidelines.

- Ground system consists of 120 equally spaced, buried, copper radials about the base of each tower, each 62.8 meters in length except where terminated by property boundaries or where intersecting radials are shortened and bonded to a transverse copper strap midway between adjacent towers, plus a copper ground screen 7.3 meters square, about the base of each tower.

Subject to the provisions of the Communications Act of 1934, subsequent acts and treaties, and all regulations heretofore or hereafter made by this Commission, and further subject to the conditions set forth in this license, the licensee is hereby authorized to use and operate the radio transmitting apparatus herein described.

This license is issued on the licensee's representation that the statements contained in licensee's application are true and that the undertakings therein contained so far as they are consistent herewith, will be carried out in good faith. The licensee shall, during the term of this license, render such broadcasting service as will serve the public interest, convenience, or necessity to the full extent of the privileges herein conferred.

This license shall not vest in the licensee any right to operate the station nor any right in the use of the frequency designated in the license beyond the term hereof, nor in any other manner than authorized herein. Neither the license nor the right granted hereunder shall be assigned or otherwise transferred in violation of the Communications Act of 1934. This license is subject to the right of use or control by the Government of the United States conferred by Section 606 of the Communications Act of 1934.